Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021

Course Name - - Pharmaceutical Microbiology Course Code - MMB204

* F	* You can submit the form ONLY ONCE. * Fill the following information for further proces Required	S.
1.	Email *	
2.	Name of the Student *	
3.	Enter Full Student Code *	
4.	Enter Roll No *	
5.	Enter Registration No *	
6.	Enter Course Code *	

7. Enter Course Name *

8. *

Mark only one oval.
Diploma in Pharmacy
Bachelor of Pharmacy
B.TECH.(CSE)
B.TECH.(ECE)
BCA
B.SC.(CS)
B.SC.(BT)
B.SC.(ANCS)
B.SC.(HN)
B.Sc.(MM)
B.A.(MW)
ВВА
B.COM
B.A.(JMC)
BBA(HM)
BBA(LLB)
B.OPTOMETRY
B.SC.(MB)
B.SC.(MLT)
B.SC.(MRIT)
B.SC.(PA)
LLB
B.SC(IT)-AI
B.SC.(MSJ)
Bachelor of Physiotherapy
B.SC.(AM)
Dip.CSE
Dip.ECE
<u>DIP.EE</u>
O DIP.CE

9.

· · · · · · · · · · · · · · · · · · ·
<u>DIP.ME</u>
PGDHM
MBA
M.SC.(BT)
M.TECH(CSE)
LLM
M.A.(JMC)
M.A.(ENG)
M.SC.(MATH)
M.SC.(MB)
M.SC.(MSJ)
M.SC.(AM)
M.SC.CS)
M.SC.(ANCS)
M.SC.(MM)
B.A.(Eng)
Answer all the questions. Each question carry one mark.
1.Benzylpenicillin is the chemical name for which of the following penicillin?
Mark only one oval.
PenicillinG
PenicillinV
PenicillinF
Phenethicilin

10.	2. Polymyxins inhibits the growth of the microbes by carrying out which of the following actions?
	Mark only one oval.
	inhibition of cell-wall synthesis,
	damage the cytoplasmic membrane
	nhibition of nucleic acid and protein synthesis
	inhibition of specific enzyme systems
11.	3. Which of the following inhibits protein synthesis by combining with the 50S subunit ribosome?
	Mark only one oval.
	Streptomycin.
	Tetracycline
	Chloramphenicol.
	Penicillin
12.	4. Which one of the following antibiotic is an example of amynoglycosides?
	Mark only one oval.
	Tetracycline.
	Chloramphenicol
	Bacitracin.
	Kanamycin

13.	5. Lactam ring is absent in
	Mark only one oval.
	Monobactems. Cephalosporin Penicillin. Neomycin
14.	6. Drug is metabolosed by hydrolysis in
	Mark only one oval.
	Phenytoin Chloramphenicol Procaine none
15.	7.Morphin is excreted through
	Mark only one oval.
	Saliva
	Faecal matter
	Lungs
	Urine

16.	8.The amount of total body water is.
	Mark only one oval.
	15L.
	24L
	42L
	60L
17.	9. In which drug the aVd is 500 L.
	Mark only one oval.
	Digoxin.
	Chloroquinine
	ethanol
	Gentamycin .
18.	10.Tetracyclin is reserved in:
	Mark only one oval.
	Liver
	Bones.
	kidney.
	Muscle

19.	11. If aVd is 421, the drug should be.
	Mark only one oval.
	Large. Water soluble Lipid soluble None
20.	12.Which of the following drug is administrated through sublingual route
	Mark only one oval.
	Buprenorphin. Procaine Anaesthetics Gentamycin
21.	13. Example of bacteriocidal drug is Mark only one oval.
	Chloramphenicol Riphampicin.
	Tetracyclin
	Sulphonamides

22.	14.Properties of aminoglycides is all except
	Mark only one oval.
	Nonpolar
	Poorly absorbed
	Excreed through urine
	Not metabolised
23.	15. The antibiotic which inhibit the cross linking of adjacent peptide of NAM-NAM is
	Mark only one oval.
	Penicilin
	Streptomycin
	Tetracyclin.
	Gentamycin
24.	16. Which one of the following statement is wrong wrt resistance against bacteria?
	Mark only one oval.
	Produce beta lactemase which destroy lactam ring.
	Altered Protein binding domain
	decrease ability of the drug to enter in to cell
	none

25.	17. The enteral routes are through.
	Mark only one oval.
	The enteral routes are through.
	Transdermal
	Rectal.
	Local
26.	18. What are the number of subunits in nicotin cholinergic receptor?
	Mark only one oval.
	<u> </u>
	4
	3
27.	19. How many molecules acetyl choline attached with nicotin cholinergic receptor?
	Mark only one oval.
	<u> </u>
	2
	3
	4

28.	20. Name the effector group (subunit) of nicotin cholinergic receptor
	Mark only one oval.
	Alpha.
	Beta
	Gamma
	Theta
29.	21. Which one the following component is not an example of second messenger?
	Mark only one oval.
	CAMP.
	CGMP.
	IP3.
	glucose
30.	22. Number of subunits in GPCR receptor
	Mark only one oval.
	1
	2
	3
	4

31.	23. A drug that is capable of producing pharmacological action is called as
	Mark only one oval.
	Affinity.
	antagonist.
	Agonist.
	None
32.	24. The ability of drug to produce action after combining with receptor is called as
	Mark only one oval.
	Affinity.
	antagonist.
	Agonist.
	Intrinsic activity
33.	25. Drug that bound to ion channel
	Mark only one oval.
	Ibrufen.
	Morphin.
	vaccine.
	None

34.	26.The precursor of uric acid is
	Mark only one oval.
	xanthin
	acetyl choline.
	Thyroxin
	purin
35.	27. Xanthin oxidase is inhibited by
	Mark only one oval.
	Uric acid.
	Xanthin
	glucose.
	allopurinol
36.	28. Name the chemical which inhibit the angiotensin convertin enzyme.
	Mark only one oval.
	enalpril.
	allopurinol
	ethyl alcohol
	penicillin

37.	29. The drug that act as demulcent.
	Mark only one oval.
	Cough syrup
	20% mannitol.
	activated charcoal
	none
38.	30.Phase I reaction of Procain drug metabolism is carried out by
	Mark only one oval.
	Oxidation
	reduction
	Hydrolysis.
	Cyclitization
39.	31.Phenytoin drug is metabolised by
	Mark only one oval.
	Oxidation
	reduction
	Hydrolysis
	Cyclitization

40.	32. Which of the below mentioned drug Phase II reaction preceeds Phase I?
	Mark only one oval.
	Adrenaline isoniazids. Glucorunic acid. None
41.	33.Lipophilic drug aspirin conjugates with
	Mark only one oval.
	sulphuric scid. methylation Glucuronic acid None
42.	34. Main channel of drug excretion is through
	Mark only one oval.
	Kidney
	Skin
	Lungs.
	Liver

43.	35. Which of the following drug is metabolised by decyclitization
	Mark only one oval.
	Phenytoin
	Procaine
	Chloramphrnicol.
	Brifen
44.	36.Drug metabolism by deactylation is carried out by
	Mark only one oval.
	Adrenalin
	Dapsone.
	Paracetamol
	Aspirin
45.	37. Drug excreted skin is
	Mark only one oval.
	Metronidazol.
	Pracaine.
	Arsenic.
	Morphin

46.	38. Passive tubular absorption depends on
	Mark only one oval.
	Temperature
	degree of non ionization.
	degree of ionization
	None
47.	39. Physical action of drug is
	Mark only one oval.
	demulcent.
	Chemical action
	Enzyme
	none
48.	40.The drug that have very high molecular weight can not cross placenta
	Mark only one oval.
	Penicillin.
	Morphin.
	Digoxin.
	tubocurarin

49.	41. The amount of transcellular fluid in body is
	Mark only one oval.
	2000 ml
	500 ml.
	12000 ml.
	1000 ml.
50.	42.Which of the following statement is wrong wrt low aVd drug
	Mark only one oval.
	Low molecular weight.
	bound to protein.
	largely restric ted to vascular component.
	nil
51.	43. Volume of ECF in human is
	Mark only one oval.
	14L
	23L
	25L
	30

52.	44.JAK-STAT is an example of
	Mark only one oval.
	Transmembrane receptor
	GPCR
	Ligand gated
	None
53.	45. In transmembrane receptor protein which aminoacid is phosphorylated?
	Mark only one oval.
	Tryptophan
	Tyrosin
	Methionine
	Alanine
54.	46. Preservative must be
	Mark only one oval.
	Physically unstable
	irritant
	Chemically unstable
	Non-Toxic

55.	47. High plasma protein binding
	Mark only one oval.
	Minimise drug interactions
	Facilitates glomerular filtration of the drug
	Generally makes the drug long acting
	Facilitates glomerular
56.	48. A prodrug is:
	Mark only one oval.
	An inactive drug that is transformed in the body to an active metabolite
	An inactive drug that is transformed in the body to an active metabolite
	The oldest member of a class of drugs
	A drug that is stored in body tissues and is then gradually released in the circulation
57.	49. Which of the following drying method is used in pharma industry for drying of soft gelatin capsule?
	Mark only one oval.
	Vacuum drying
	Truck drying
	Fluid bed drying
	Microwave drying

58.	50. The disintegration time of the Soft capsules is
	Mark only one oval.
	15 minutes
	30 minutes
	45 minues
	60 minutes
59.	51. The far vaccum ultraviolet region of electromagnetic spectrum ranges from
	Mark only one oval.
	10-200 mµ
	200-400 mμ
	10-300 mμ
	10-150 mμ
60.	52. The most commonly used source for UV radiation is
	Mark only one oval.
	ungusten filament incandescent
	Quart -iodine lamp
	Hydrogen discharge lamp
	None

61.	before drying causes
	Mark only one oval.
	Mottling
	Blistering effect
	Orange peel effect
	None
62.	54. During compression of moisture critical granules a hygroscopic substance used to maintain a proper moisture level is
	Mark only one oval.
	Sorbitol
	Talc
	Acacia
	Option 4
63.	55. Which one of the following is not an example of G-protein coupled receptor?
	Mark only one oval.
	Muscarinic cholinergic receptor
	Beta adrenoceptor
	Alpha adrenoceptor
	Nicotinic cholinergic receptor

64.	56. Which of the following is a laxative antacid
	Mark only one oval.
	Fe-salt
	Al-salt
	Mg-salt
	Ca-salt
65.	57. Enteric coating is achieved by using
	Mark only one oval.
	ydroxy propyl methyl cellulose
	Providone
	Carboxy methyl cellulose
	Cellulose acetate Phathalate
66.	58. The Pure Food and drug Act was introduced in the year
	Mark only one oval.
	1906
	1930
	1950
	1940

67.	59.Triclofos sodium
	Mark only one oval.
	100
	500
	300
	200
68.	60.Which of the following is not a type of sterilization?
	Mark only one oval.
	Batch
	Continuous
	Filter
	Submerged

This content is neither created nor endorsed by Google.

Google Forms