

Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021)

Course Name - –Pharmacognosy

Course Code - 1.3T

* You can submit the form ONLY ONCE.

* Fill the following information for further process.

* Required

1. Email *

2. Name of the Student *

3. Enter Full Student Code *

4. Enter Roll No *

5. Enter Registration No *

6. Enter Course Code *

7. Enter Course Name *

8. *

Mark only one oval.

- Diploma in Pharmacy
- Bachelor of Pharmacy
- B.TECH.(CSE)
- B.TECH.(ECE)
- BCA
- B.SC.(CS)
- B.SC.(BT)
- B.SC.(ANCS)
- B.SC.(HN)
- B.Sc.(MM)
- B.A.(MW)
- BBA
- [B.COM](#)
- B.A.(JMC)
- BBA(HM)
- BBA(LLB)
- B.OPTOMETRY
- B.SC.(MB)
- B.SC.(MLT)
- B.SC.(MRIT)
- B.SC.(PA)
- LLB
- [B.SC\(IT\)-AI](#)
- B.SC.(MSJ)
- Bachelor of Physiotherapy
- B.SC.(AM)
- Dip.CSE
- Dip.ECE
- [DIP.EE](#)
- DIP.CE

- [DIP.ME](#)
- PGDHM
- MBA
- M.SC.(BT)
- M.TECH(CSE)
- LLM
- M.A.(JMC)
- M.A.(ENG)
- M.SC.(MATH)
- M.SC.(MB)
- MCA
- M.SC.(MSJ)
- M.SC.(AM)
- M.SC.CS)
- M.SC.(ANCS)
- M.SC.(MM)
- B.A.(Eng)

Answer all the questions. Each question carry one mark.

9. 1.Insulin is secreted from:

Mark only one oval.

- Liver
- Lungs
- Brain
- Pancreas

10. 2.Which one of the following does not belong to animal source:

Mark only one oval.

- Silk
- Honey
- Bees wax
- Cotton

11. 3.Pharmacological system of classification depends on:

Mark only one oval.

- Alphabetical order
- Taxonomical order
- Pharmacological activity
- Chemical constituents

12. 4.Which one of the following is not included in physical evaluation:

Mark only one oval.

- Refractive index
- Odour and taste
- Optical rotation
- Specific gravity

13. 5. Organoleptic evaluation is done on the basis of:

Mark only one oval.

- Transverse section study
- Chemical constituents
- Colour and size
- Therapeutic activity

14. 6. Which one is odd:

Mark only one oval.

- Black pepper
- Nux-vomica
- Senna
- Shark liver oil

15. 7. Which one is the first used drug

Mark only one oval.

- Digitalis purpurea
- Rauwolfia serpentina
- Vinca rosea
- Acacia catechu

16. 8. _____ is an example of antimalarial drug:

Mark only one oval.

- Cinchona
- Gurmar
- Vasaka
- Clove

17. 9. Cod liver oil is used for the treatment of:

Mark only one oval.

- Pernicious anemia
- Diabetes insipidus
- Diabetes mellitus
- Pulmonary embolism

18. 10. Taxonomical classification of drugs depends on:

Mark only one oval.

- Alphabetical order
- Taxonomical order
- Therapeutic activity
- Chemical constituents

19. 11.Which one is the example of crude drug obtained from animal sources:

Mark only one oval.

- Chalk
- Cinnamon bark
- Ciprofloxacin
- Renin

20. 12. _____ is an example of carminative:

Mark only one oval.

- Asafoetida
- Benzoin
- Vasaka
- Rhubarb

21. 13.Oxytocin is secreted from:

Mark only one oval.

- Pancreas
- Posterior pituitary gland
- Thyroid gland
- Anterior pituitary gland

22. 14. Morphological classification of drugs depends on:

Mark only one oval.

- Alphabetical order
- External characters
- Taxonomical order
- Pharmacological action

23. 15. Jalap is an example of:

Mark only one oval.

- Glycoresin
- Resenes
- Resin alcohol
- Resin acids

24. 16. Which of the test does not belong to the series of glycosides:

Mark only one oval.

- Keller-Killiani test
- Legal test
- Tollen's test
- Wagner's test

25. 17. Digitalis is an example of:

Mark only one oval.

- Purgative glycoside
- Bitter glycoside
- Cardiac glycoside
- Saponin glycoside

26. 18. Which of the following represents a test of alkaloids:

Mark only one oval.

- Legal test
- Match stick test
- Keller-Killiani test
- Mayer's test

27. 19. Which of the following represents the suitable example of secondary plant metabolites

Mark only one oval.

- Carbohydrates
- Proteins
- DNA
- Glycosides

28. 20. Dragendorff's reagent is:

Mark only one oval.

- Potassium mercuric-iodide solution
- Saturated aqueous solution of picric acid
- Potassium tri-iodide solution
- Potassium bismuth iodide solution

29. 21. Strychnine is a:

Mark only one oval.

- True alkaloid
- Proto alkaloid
- Pseudoalkaloid
- None of these

30. 22. Ergometrine is an example of:

Mark only one oval.

- Purine alkaloid
- Quinoline alkaloid
- Tropane alkaloid
- Indole alkaloid

31. 23.Tollen's test is used for the identification of:

Mark only one oval.

- Tannin
- Resin
- Volatile oil
- Glycoside

32. 24.Diterpenes contain ___ no. of isoprene unit (s):

Mark only one oval.

- 1
- 2
- 3
- 4

33. 25.Belladonna is belonging to family:

Mark only one oval.

- Apocynaceae
- Scrophulariaceae
- Taxaceae
- Solanaceae

34. 26.Hager's reagent produces _____ coloured ppt.:

Mark only one oval.

- Reddish brown
- Cream
- Orange red
- Yellow

35. 27.Which one of the following is a pseudo alkaloid:

Mark only one oval.

- Morphine
- Emetine
- Ergotamine
- Conessine

36. 28.Which one of the following is used as hypotensive:

Mark only one oval.

- Ephedrine
- Reserpine
- Solanine
- Pilocarpine

37. 29. Digitoxin is an example of:

Mark only one oval.

- C-glycoside
- S-glycoside
- N-glycoside
- O-glycoside

38. 30. In Aloe _____ glycoside is present:

Mark only one oval.

- Saponin
- Alcohol
- Lactone
- Anthraquinone

39. 31. Vittae is present in the plants of _____ family:

Mark only one oval.

- Labiatae
- Rutaceae
- Piperaceae
- Umbelliferae

40. 32.Turpentine oil is:

Mark only one oval.

- Alcohol volatile oil
- Hydrocarbon volatile oil
- Ketone volatile oil
- Oxide volatile oil

41. 33.Senna belongs to the family of:

Mark only one oval.

- Leguminosae
- Compositae
- Papavaraceae
- Rutaceae

42. 34.Botanical name of Ispaghula is:

Mark only one oval.

- Hyoscyamus niger
- Triticum aestivum
- Plantago psyllium
- Ricinus communis

43. 35.Ricinoleic acid belongs to the category of:

Mark only one oval.

- Fatty acids
- Essential oils
- Tannins
- Glycosides

44. 36.Rhubarb is mainly used as:

Mark only one oval.

- Laxative
- Cardiotonic
- Hypnotics
- Antidiabetic

45. 37.The main constituents present in aloe belongs to the group of:

Mark only one oval.

- Alkaloids
- Volatile oils
- Resins
- Glycosides

46. 38.The main test for the presence of Anthraquinone glycoside is:

Mark only one oval.

- Borntrager's test
- Wagner's test
- Van-urk test
- Dragendorff's test

47. 39.The main constituents in Aloe vera is:

Mark only one oval.

- Barbaloin
- Reserpine
- Quinine
- Digoxin

48. 40.Aglycone present in Digitoxin is:

Mark only one oval.

- Digitoxigenin
- Glucose
- Digitoxose
- Digoxin

49. 41. Digitoxin is obtained from:

Mark only one oval.

- Buds
- Barks
- Leaves
- Seeds

50. 42. Cardiotonic drugs act on:

Mark only one oval.

- Liver
- Brain
- Skin
- Heart

51. 43. Main chemical constituent of cinnamon is:

Mark only one oval.

- Cinnamaldehyde
- Eugenol
- Quercetin
- Withanolide

52. 44.The poisonous principle present in nutmeg is:

Mark only one oval.

- Starch
- Linalol
- Reserpine
- Myristicin

53. 45.Zingiberene belongs to class of:

Mark only one oval.

- Alkaloids
- Resin
- Vitamins
- Volatile oil

54. 46.Cardamoms are officially obtained as:

Mark only one oval.

- Fruits and seeds
- Buds
- Flowers
- Bark

55. 47.Example of Zingiberaceae family is:

Mark only one oval.

- Ajowan
- Clove
- Black pepper
- Ginger

56. 48.The main chemical constituent of Ajowan is:

Mark only one oval.

- Thymol
- Zingerone
- Piperine
- Gingerol

57. 49.Fennel contains:

Mark only one oval.

- Anethole
- Linalol
- Thymol
- Limonene

58. 50. Entire umbelliferous fruit is known as:

Mark only one oval.

- Endocarp
- Cremocarp
- Mesocarp
- Pericarp

59. 51. Black catechu belongs to the family of:

Mark only one oval.

- Gnetaceae
- Leguminosae
- Rutaceae
- Rubiaceae

60. 52. The main constituents in catechu are:

Mark only one oval.

- Tannins
- Glycosides
- Alkaloids
- Volatile oils

61. 53.Astringents are used to precipitate:

Mark only one oval.

- Fats
- Oils
- Proteins
- Carbohydrates

62. 54.Bhang is obtained from:

Mark only one oval.

- Cannabis sativa
- Styrax benzoin
- Citrus lemon
- Mentha piperata

63. 55.Which of the following drug is cultivated under strict control of Narcotics:

Mark only one oval.

- Agar
- Rauwolfia
- Nux-vomica
- Opium

64. 56.The main chemical constituent present in Aswagandha is:

Mark only one oval.

- Vincristine
- Papaverine
- Withanolides
- Ephedrine

65. 57.The main part used in aconite is:

Mark only one oval.

- Stem
- Leaves
- Roots
- Seeds

66. 58.Which does not belong to the class of tropane alkaloids:

Mark only one oval.

- Datura
- Hyoscyamus
- Belladonna
- Opium

67. 59. Balsam belongs to class of:

Mark only one oval.

- Volatile oil
- Essential oil
- Oleo-gum resin
- Glycoside

68. 60. The main constituent of Rauwolfia root is:

Mark only one oval.

- Reserpine
- Colchicine
- Brucine
- Emetine

69. 61. Vincristine is used for:

Mark only one oval.

- Hypertension
- Diabetes
- Leukaemia
- Constipation

70. 62. Emetine belongs to the group of:

Mark only one oval.

- Glycoside
- Alkaloid
- Tannin
- Volatile oil

71. 63. Botanical name of Ipecac is:

Mark only one oval.

- Cephaelis ipecacuanha
- Tribulus terresteris
- Boerhoavia diffusa
- Mentha piperta

72. 64. Curcuma is widely known for its:

Mark only one oval.

- Laxative action
- Cardiotonic action
- Astringent action
- Antiseptic action

73. 65. Biological source of Siam Benzoin is:

Mark only one oval.

- Styrax benzoin
- Styrax tokinensis
- Styrax paralleloneurus
- Styrax domestica

74. 66. Amla is obtained from:

Mark only one oval.

- Emblica officinalis
- Carica papaya
- Piper nigrum
- Citrus limoni

75. 67. Shark liver oil is rich source of:

Mark only one oval.

- Vitamin B12
- Vitamin A
- Vitamin K
- Vitamin B1

76. 68.Honey dew is produced in ergot at _____ :

Mark only one oval.

- Mycelium stage
- Sclerotium stage
- Ascigerous stage
- Sphacelial stage

77. 69.Main part of cinchona which is widely used is:

Mark only one oval.

- Leaf
- Seed
- Fruit
- Bark

78. 70.Main chemical constituent of cinchona is

Mark only one oval.

- Diosgenin
- Emetine
- Quinine
- Vitamin C

79. 71.Papaya contains mainly _____ enzyme:

Mark only one oval.

Diastase

Maltase

Invertase

Papain

80. 72.Peppermint oil mainly consists of:

Mark only one oval.

Menthol

Citral

Limonene

Pinene

81. 73.Main chemical constituent of sandal is:

Mark only one oval.

Resin

Tannin

Volatile oil

Alkaloid

82. 74.Kaolin is made of:

Mark only one oval.

- Ferrous silicate
- Cuprous silicate
- Manganese silicate
- Aluminium silicate

83. 75.Arachis oil is obtained from_____ family:

Mark only one oval.

- Leguminosae
- Rhodophyceae
- Rubiaceae
- Lauraceae

84. 76.Main part used in Linseed oil is:

Mark only one oval.

- Bulb
- Runner stem
- Seed
- Fruits

85. 77.Main chemical constituent obtained from dioscorea is:

Mark only one oval.

- Diosgenin
- Digitoxigenin
- Quinine
- Brucine

86. 78.Garlic belongs to the family of:

Mark only one oval.

- Papavaraceae
- Rubiaceae
- Liliaceae
- Labiatae

87. 79.Glycyrrhiza is a type of:

Mark only one oval.

- Oleo-gum resin
- Carbohydrate
- Protein
- Glycoside

88. 80.Main constituent of Castor oil is:

Mark only one oval.

- Cinnamic acid
 - Ricinoleic acid
 - Stearic acid
 - Palmitic acid
-

This content is neither created nor endorsed by Google.

Google Forms