## Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021

Course Name - - Hospital & Clinical Pharmacy Course Code - 2.6T

| * You can | submit the f | form ONLY ONCE. |
|-----------|--------------|-----------------|
|-----------|--------------|-----------------|

- \* Fill the following information for further process.
- \* Required

| 1. | Email *                   |
|----|---------------------------|
| 2. | Name of the Student *     |
| 3. | Enter Full Student Code * |
| 4. | Enter Roll No *           |
| 5. | Enter Registration No *   |
| 6. | Enter Course Code *       |

7. Enter Course Name \*

8.

| Mark only one oval.       |  |  |
|---------------------------|--|--|
| Diploma in Pharmacy       |  |  |
| Bachelor of Pharmacy      |  |  |
| B.TECH.(CSE)              |  |  |
| B.TECH.(ECE)              |  |  |
| BCA                       |  |  |
| B.SC.(CS)                 |  |  |
| B.SC.(BT)                 |  |  |
| B.SC.(ANCS)               |  |  |
| B.SC.(HN)                 |  |  |
| B.Sc.(MM)                 |  |  |
| B.A.(MW)                  |  |  |
| BBA                       |  |  |
| B.COM                     |  |  |
| B.A.(JMC)                 |  |  |
| BBA(HM)                   |  |  |
| BBA(LLB)                  |  |  |
| B.OPTOMETRY               |  |  |
| B.SC.(MB)                 |  |  |
| B.SC.(MLT)                |  |  |
| B.SC.(MRIT)               |  |  |
| B.SC.(PA)                 |  |  |
| LLB                       |  |  |
| B.SC(IT)-AI               |  |  |
| B.SC.(MSJ)                |  |  |
| Bachelor of Physiotherapy |  |  |
| B.SC.(AM)                 |  |  |
| Dip.CSE                   |  |  |
| Dip.ECE                   |  |  |
| <u>DIP.EE</u>             |  |  |
| DIPCE                     |  |  |

9.

| <u>DIP.ME</u>  |
|--|
| PGDHM  |
| MBA  |
| M.SC.(BT)  |
| M.TECH(CSE)  |
| LLM  |
| M.A.(JMC)  |
| M.A.(ENG)  |
| M.SC.(MATH)  |
| M.SC.(MB)  |
|  |
| M.SC.(MSJ)   |
| M.SC.(AM)  |
| M.SC.CS)   |
| M.SC.(ANCS)  |
| M.SC.(MM)  |
| B.A.(Eng)  |
|  |
| Answer all the questions. Each question carry one mark.                      |
| . 1. Residential Medical staffs remain available for to attend the patients: |
| Mark only one oval.  |
| 8 hours  |
| 16 hours   |
| 24 hours   |
| 20 hours   |

| 10. | 2. Nursing services were started by National League of Nursing in the USA in:        |
|-----|--|
|     | Mark only one oval.  |
|     | 1948   |
|     | <u> </u>   |
|     | 1955   |
|     | <u> </u>   |
|     |  |
| 11. | 3. Hospital possessing TV, telephone facilities in a air-conditioned room belong to: |
|     | Mark only one oval.  |
|     | Budget hospital  |
|     | Elite hospital   |
|     | Allopathic hospital  |
|     | Urban hospital   |
|     |  |
| 12. | 4 is the head of Pharmacy who reports to the Administrator:                          |
|     | Mark only one oval.  |
|     | Physician  |
|     | Secretary  |
|     | Staff Pharmacist   |
|     | Chief Hospital Pharmacist  |
|     |  |

| 13. | 5. The floor space should be in accordance to the norms laid down under: |
|-----|--|
|     | Mark only one oval.  |
|     | Schedule C   |
|     | Schedule H   |
|     | Schedule M   |
|     | Schedule X   |
|     |  |
| 14. | 6. Ambulatory patients are:  |
|     | Mark only one oval.  |
|     | Required to admit in the ward for treatment                              |
|     | Required to go to home after taking treatment in O.P.D                   |
|     | Require emergency treatment  |
|     | None of these  |
|     |  |
| 15. | 7. The hospital formulary consists of list of in hospital.               |
|     | Mark only one oval.  |
|     | Instrument   |
|     | Drugs  |
|     | Staff  |
|     | Patients   |
|     |  |

| 16. | 8. While prescribing medicines, the physician must write           | name of drug. |
|-----|--|---------------|
|     | Mark only one oval.  |               |
|     | Proprietary  |               |
|     | Non- proprietary   |               |
|     | Proprietary & Non- proprietary                                     |               |
|     | Other than these   |               |
|     |  |               |
| 17. | 9. Minimum number of pharmacist required for very small hospital i | s             |
|     | Mark only one oval.  |               |
|     | 1  |               |
|     | 2  |               |
|     | 3  |               |
|     | 4  |               |
|     |  |               |
|     |  |               |
| 18. | 10. Hospital having T.V., Telephone facilities in A.C. room is     |               |
|     | Mark only one oval.  |               |
|     | Budget Hospital  |               |
|     | Allopathic hospital  |               |
|     | Elite Hospital   |               |
|     | Ayurvedic Hospital   |               |
|     |  |               |

| 19. | 11. Merk index, Medline, Pubmed are belongs to the category of |
|-----|--|
|     | Mark only one oval.  |
|     | Primary source of information                                  |
|     | Secondary source of information                                |
|     | Tertiary source of information                                 |
|     | None   |
|     |  |
|     |  |
| 20. | 12. The full form of OPD is:                                   |
|     | Mark only one oval.  |
|     | Out-Patient Department   |
|     | Out-Physician Department                                       |
|     | Out-Public Department  |
|     | Out-Person Department  |
|     |  |
|     |  |
| 21. | 13. The full form of CSSR is:                                  |
|     | Mark only one oval.  |
|     | Central Sterile Supply Room                                    |
|     | Central Standard Service Room                                  |
|     | Central Sterile Service room                                   |
|     | Central Sterile Stock Room                                     |
|     |  |

| 22. | 14. Chlordiazepoxide is a/an:                                   |
|-----|---|
|     | Mark only one oval.   |
|     | Anti-allergic   |
|     | Anticoagulant   |
|     | Tranquilizers   |
|     | Cardiovascular agent  |
|     |   |
| 23. | 15. Harvey discovered blood circulation in:                     |
|     | Mark only one oval.   |
|     | <u></u>   |
|     | 1517  |
|     | 1616  |
|     | <u> </u>  |
|     |   |
|     |   |
| 24. | 16. Borosilicate glass is made up of:                           |
|     | Mark only one oval.   |
|     | Silicon dioxide and boric oxide                                 |
|     | Silicon dioxide with high amounts of sodium or calcium oxide    |
|     | Silicon dioxide with little amount of sodium of potassium oxide |
|     | None of these   |
|     |   |

| 25. | 17. Intravenous fluid may vary from:     |
|-----|--|
|     | Mark only one oval.                      |
|     | 1 to 500 ml                              |
|     | 1 to 1 lt.                               |
|     | 1 to 100 ml                              |
|     | 1 to 200 ml                              |
|     |  |
| 26. | 18. A lumbar puncture needle is cm long: |
|     | Mark only one oval.                      |
|     | 43959                                    |
|     | 44053                                    |
|     | 43994                                    |
|     | 44148                                    |
|     |  |
| 27. | 19. Full form of EEG:                    |
|     | Mark only one oval.                      |
|     | Electroencephalogram                     |
|     | Electroencephalograph                    |
|     | Electroelectrolysis graph                |
|     | None of these                            |
|     |  |

| 28. | 20. For measuring of blood sugar is used:                          |
|-----|--|
|     | Mark only one oval.  |
|     | Spirometer Sphygmomanometer  |
|     | Hydrometer   |
|     | Glucometer   |
|     |  |
| 29. | 21. Sphygmomanometer is used to measure:                           |
|     | Mark only one oval.  |
|     | Blood pressure   |
|     | Blood glucose  |
|     | Brain wave   |
|     | None of these  |
|     |  |
| 30. | 22. Which of the following is a type of bone cutting gauze forcep: |
|     | Mark only one oval.  |
|     | Liston's forcep  |
|     | Ronald's forcep  |
|     | Frazier's forcep   |
|     | Poole's forcep   |
|     |  |

| 31. | 23. Which of the following is a type of suction cannula: |
|-----|--|
|     | Mark only one oval.                                      |
|     | Poole suction  |
|     | Ronald suction   |
|     | Liston suction   |
|     | None of these  |
|     |  |
|     |  |
| 32. | 24. Which of the following is used for cutting:          |
|     | Mark only one oval.                                      |
|     | Scalpel  |
|     | Needle   |
|     | Cannula  |
|     | Catheter   |
|     |  |
|     |  |
| 33. | 25. CT scanner is used for:                              |
|     | Mark only one oval.                                      |
|     | Analysis heart   |
|     | Analysis brain   |
|     | Advanced morphological analysis of all organs            |
|     | All of these   |
|     |  |

| 34. | 26. Therapeutic equivalent is the drug differing in composition having very similar? |
|-----|--|
|     | Mark only one oval.  |
|     | Pharmacological effect   |
|     | Therapeutic effect   |
|     | Pharmacological effect & Therapeutic effect  |
|     | None   |
| 35. | 27. While writing the prescription the strength of the medicine prescribe in the     |
|     | Mark only one oval.  |
|     | Metric system  |
|     | Imperial system  |
|     | Both can possible  |
|     | None   |
| 36. | 28. The main objective of pharmacy therapeutic committee (PTC) is:                   |
|     | Mark only one oval.  |
|     | To develop hospital formulary system   |
|     | Promote rational use of drug   |
|     | Develop policies regarding drug safety   |
|     | All  |
|     |  |

| 3/ | 7. 29. Qualities required by the pharmacist to run drug distribution center (DDC) is  |
|----|---|
|    | Mark only one oval.   |
|    | Awareness of source of information  Computer literacy  A member of PTC  All   |
| 38 | 30. A branch of in- patient pharmacy responsible for preparing, dispensing and monitoring medication for specific patient areas are called:  Mark only one oval.  Outpatient pharmacy  Central pharmacy  Pharmacy satellite |
|    | None  |
| 39 | 9. 31. The drug used to treat alcoholism is  Mark only one oval.  Folic Acid Antabase Largactil None of these   |
|    |   |

| 40. | 32. Overdose of digitalis may cause             |
|-----|---|
|     | Mark only one oval.                             |
|     | Habituation                                     |
|     | Tolarance                                       |
|     | Cumulative dependence                           |
|     | Physical dependence                             |
|     |   |
|     |   |
| 41. | 33. The antileprotic drug 'clofazimine' causes: |
|     | Mark only one oval.                             |
|     | Nephrotoxicity                                  |
|     | Photosensitivity                                |
|     | Hepatotoxicity                                  |
|     | None of these                                   |
|     |   |
|     |   |
| 42. | 34. HEPA filter is made of:                     |
|     | Mark only one oval.                             |
|     | Spun glass                                      |
|     | Glass   |
|     | Asbestos  |
|     | Glass and asbestos                              |
|     |   |

| 43. | 35. An example of elastic bandage is:              |
|-----|--|
|     | Mark only one oval.                                |
|     | Crepe bandage                                      |
|     | Woven elastic bandage                              |
|     | High bulk bandage                                  |
|     | All of these                                       |
|     |  |
| 44. | 36. The maximum capacity of tuberculin syringe is: |
|     | Mark only one oval.                                |
|     | 3 ml   |
|     | 2 ml   |
|     | 1 ml   |
|     | 0.5 ml   |
|     |  |
|     |  |
| 45. | 37. Belladonna plaster is used as:                 |
|     | Mark only one oval.                                |
|     | Counter irritant in rheumatism and neuralgia       |
|     | Splint for correction of fractures                 |
|     | For giving light support to sprains                |
|     | All of these                                       |
|     |  |

| 46. | 38. An abnormal response of the immune system to an antigen is called                   |
|-----|---|
|     | Mark only one oval.   |
|     | Hypersensitivity Hyperpyrexia Hyperplasia Hypertension                                  |
| 47. | 39. A condition affecting the bone structure caused by loss of bone density is          |
|     | Mark only one oval.   |
|     | Osteoporosis Paget's disease  |
|     | Osteomyelitis Osteoarthritis  |
| 48. | 40. Elongation of the eyeball leading to shortsightedness is called Mark only one oval. |
|     | Myopia  Myositis  Neuralgia  Necrosis   |
|     |   |

| 49. | 41. A condition that results in increased motility in the small and large intestines |
|-----|--|
|     | Mark only one oval.  |
|     | Reye's syndrome  |
|     | Irritable bowel syndrome   |
|     | Wilson's disease   |
|     | None of these  |
|     |  |
| 50. | 42. Programmed cell death as a result of disease or injury is called?                |
|     | Mark only one oval.  |
|     | Necrosis   |
|     | Apoptosis  |
|     | Neuralgia  |
|     | Leucopenia   |
|     |  |
| 51. | 43. Drug useful in zollinger-ellison syndrome is                                     |
|     | Mark only one oval.  |
|     | Famotidine   |
|     | Ranitidine   |
|     | Cimetidine   |
|     | Omeprazole   |
|     |  |

| 52. | 44. The latin word 'Ad libitum' means                              |
|-----|--|
|     | Mark only one oval.  |
|     | As much as you please  |
|     | To be added  |
|     | When required  |
|     | Upto   |
|     |  |
|     |  |
| 53. | 45. Hypertension resulting from an identifiable cause is called as |
|     | Mark only one oval.  |
|     | Primary hypertension   |
|     | Secondary hypertension   |
|     | Essential hypertension   |
|     | Reflex tachycardia   |
|     |  |
|     |  |
| 54. | 46. Xylocaine HCl is not used orally because it is:                |
|     | Mark only one oval.  |
|     | Ineffective orally   |
|     | Acidic in nature   |
|     | Stomach irritant   |
|     | Unstable in acidic media   |
|     |  |

| <b>ეე</b> . | 47. The most frequent cause of angina pectoris is:  |
|-------------|---|
|             | Mark only one oval.   |
|             | Coronary atherosclerosis  |
|             | Coronary insufficiency  |
|             | Fibrillation  |
|             | Arrythmia   |
| 56.         | 48. Service directly related to the patient care is:                                      |
|             | Mark only one oval.   |
|             | Clinical service  |
|             | Pharmacy service  |
|             | Nursing service   |
|             | All of these  |
|             |   |
| 57.         | 49. The real dosage form of laxative bisacodyl is not given with milk or antacid because: |
|             | Mark only one oval.   |
|             | Absorption of antacid will decrease   |
|             | It could lead to irritation due to release of drug in stomach                             |
|             | Bisacodyl form complex with calcium in the milk   |
|             | All of these  |
|             |   |

| 58. | 50. The advice for antacid tablet is:  |
|-----|--|
|     | Mark only one oval.  |
|     | Do not take with milk Chew do not swallow Avoid alcohol Do not drive vehicle |
| 59. | 51. Poultice is a dosage form:   |
|     | Mark only one oval.  |
|     | Solid Liquid Semi-solid All of these   |
| 60. | 52. Helmenthiasis is:  |
|     | Mark only one oval.  |
|     | Infestations of worms Snake bite Insect bite None of these                   |
|     |  |

| 61. | 53. Teratogenic drug affect                                |
|-----|--|
|     | Mark only one oval.  |
|     | Liver  Kidney  |
|     | Foetus   |
|     | Skin   |
|     |  |
| 62. | 54. Which one of these impart red colour to uric?          |
|     | Mark only one oval.  |
|     | Rifampin   |
|     | Isoniazid  |
|     | Aspirin  |
|     | Luminal  |
|     |  |
| 63. | 55. What is the I.P. limit sinking time of absorbed cotton |
|     | Mark only one oval.  |
|     | 10 sec   |
|     | 1 minute   |
|     | 60 minute  |
|     | 30 minute  |
|     |  |

| 64. | 56. A branch related to blood is:          |
|-----|--|
|     | Mark only one oval.                        |
|     | Biochemistry                               |
|     | Pathology                                  |
|     | Hematology                                 |
|     | Microbiology                               |
|     |  |
|     |  |
| 65. | 57. Iron preparation may colour the urine: |
|     | Mark only one oval.                        |
|     | Red  |
|     | Black                                      |
|     | Orange                                     |
|     | Purple                                     |
|     |  |
|     |  |
| 66. | 58. Cephalosporin is used as:              |
|     | Mark only one oval.                        |
|     | Tranquilizer                               |
|     | Immunosuppressive                          |
|     | Chemotherapeutic agent                     |
|     | Vasodilator                                |
|     |  |

| 67. | 59. Tetracycline forms complexes with:                             |
|-----|--|
|     | Mark only one oval.  |
|     | Aluminium  |
|     | Calcium  |
|     | Iron   |
|     | Potassium  |
|     |  |
| 68. | 60. Weekly basic drugs are excreted readily in:                    |
|     | Mark only one oval.  |
|     | Acidic urine   |
|     | Alkaline urine   |
|     | Neutral urine  |
|     | None of these  |
|     |  |
|     |  |
| 69. | 61. Hypokalemia side effect of diuretics can be counteracted with: |
|     | Mark only one oval.  |
|     | Common salt  |
|     | Potassium chloride   |
|     | Ascorbic acid  |
|     | All of these   |
|     |  |

| /0. | 62. Aspirin is not taken in empty stomach because:  |
|-----|---|
|     | Mark only one oval.   |
|     | It causes gastric irritation  |
|     | It causes anemia  |
|     | It is absorbed slowly   |
|     | It causes allergy   |
|     |   |
| 71. | 63. One of these is symptoms of hepatitis A:  |
|     | Mark only one oval.   |
|     | Polyuria  |
|     | Anorexia  |
|     | Gastric irritation  |
|     | Hypotension   |
|     |   |
| 72. | 64. When the combined effect of two drug is an algebric sum of their individual effect, it is called: |
|     | Mark only one oval.   |
|     | Synergism   |
|     | Antagonism  |
|     | Competitive antagonism  |
|     | Non- competitive antagonism   |
|     |   |

| 73. | 65. Chloramphenicol is not co-administered with tolbutamide because it causes: |
|-----|--|
|     | Mark only one oval.  |
|     | Hypoglycemia   |
|     | Hyperglycemia  |
|     | Hypersensitivity reaction  |
|     | None of these  |
|     |  |
| 74. | 66. Hepatitis B virus is a:  |
|     | Mark only one oval.  |
|     | RNA virus  |
|     | DNA virus  |
|     | Defective RNA virus  |
|     | None of these  |
|     |  |
|     |  |
| 75. | 67. Urticaria occurs in:   |
|     | Mark only one oval.  |
|     | Skin   |
|     | Respiratory tract  |
|     | Blood  |
|     | Vascular system  |
|     |  |

| 76. | 68. Etiology means:   |
|-----|---|
|     | Mark only one oval.   |
|     | Cause of disease  |
|     | Development of disease  |
|     | Outcome of a disease  |
|     | All of these  |
|     |   |
| 77. | 69. Normal range of RBC in case of Children is:                                 |
|     | Mark only one oval.   |
|     | 4 to 5.5 million/mm3  |
|     | 4.5 to 5.5 million/mm3  |
|     | 3.5 to 5.5 million/mm3  |
|     | 4 to 5 million/mm3  |
|     |   |
| 7.0 |   |
| 78. | 70. All of the following aids are in the diagnosis of diabetes mellitus except: |
|     | Mark only one oval.   |
|     | Polyuria  |
|     | Polydyspepsia   |
|     | Weight gain   |
|     | Weight loss   |
|     |   |

| 79. | 71. Which one of these is used as antidote for heparin? |
|-----|---|
|     | Mark only one oval.                                     |
|     | Protamine sulphate Warfarin                             |
|     | BAL   |
|     | Glyceryl trinitrite                                     |
|     |   |
| 80. | 72. Catheters are used for                              |
|     | Mark only one oval.                                     |
|     | Drain bladder in case of urine retention                |
|     | Bowel clearance   |
|     | Diarrhoea   |
|     | Incontinence  |
|     |   |
| 81. | 73. Highly advantage medical technology exist in        |
|     | Mark only one oval.                                     |
|     | Budget hospital   |
|     | Elite hospital  |
|     | Medium hospital   |
|     | None of these   |
|     |   |

| 82. | 74. The officer responsibility in 'Taluka hospital' in the district is |
|-----|--|
|     | Mark only one oval.  |
|     | СМО  |
|     | DHO  |
|     | Municipal health officer   |
|     | Health minister  |
|     |  |
| 83. | 75. Which one of these is a sensitive                                  |
|     |  |
|     | Mark only one oval.  |
|     | Tolbutamide  |
|     | Benzylpenicillin   |
|     | Paracetamol  |
|     | Cortisone  |
|     |  |
|     |  |
| 84. | 76. Morphine poisoning causes death due to:                            |
|     | Mark only one oval.  |
|     | Respiratory depression   |
|     | Cardiac arrest   |
|     | CNS depression   |
|     | None of these  |
|     |  |

| 85. | The poisoning caused by organophosphorus compounds are effectively counteracted by: |
|-----|---|
|     | Mark only one oval.   |
|     | Naloxone  |
|     | Pethidine   |
|     | Pralidoxine   |
|     | Charcoal  |
|     |   |
| 86. | 78. Common side effect of morphine is:  |
|     | Mark only one oval.   |
|     | Allergy   |
|     | Cirrhosis of liver  |
|     | Constipation  |
|     | Visceral pain   |
|     |   |
| 87. | 79. Which one of these is used to increase the serum level of penicillin:           |
|     | Mark only one oval.   |
|     | Aspirin   |
|     | Ranitidine  |
|     | Aluminium hydroxide gel   |
|     | Probenecid  |
|     |   |

| 88. | 80. A specific narcotic antagonist is: |
|-----|--|
|     | Mark only one oval.                    |
|     | Nalorphine                             |
|     | Pethidine                              |
|     | Charcoal                               |
|     | None of these                          |
|     |  |
|     |  |
|     |  |

This content is neither created nor endorsed by Google.

Google Forms