Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021

Course Name - - Hospital and Clinical Pharmacy Course Code - 2.6T

*	You	can	submi	it the	form	ONLY	ONCE.

* F	ill th	ne fo	llowina	inforr	nation	for	further	process.
-----	--------	-------	---------	--------	--------	-----	---------	----------

.1.	_					
×	н	Δ	а	ш	ire	n.
	ı١	~	u	u	11 C	·u

1.	Email *
2.	Name of the Student *
3.	Enter Full Student Code *
4.	Enter Roll No *
5.	Enter Registration No *
6.	Enter Course Code *

7. Enter Course Name *

8.

Mark only one oval.		
Diploma in Pharmacy		
Bachelor of Pharmacy		
B.TECH.(CSE)		
B.TECH.(ECE)		
BCA		
B.SC.(CS)		
B.SC.(BT)		
B.SC.(ANCS)		
B.SC.(HN)		
B.Sc.(MM)		
B.A.(MW)		
BBA		
B.COM		
B.A.(JMC)		
BBA(HM)		
BBA(LLB)		
B.OPTOMETRY		
B.SC.(MB)		
B.SC.(MLT)		
B.SC.(MRIT)		
B.SC.(PA)		
LLB		
B.SC(IT)-AI		
B.SC.(MSJ)		
Bachelor of Physiotherapy		
B.SC.(AM)		
Dip.CSE		
Dip.ECE		
<u>DIP.EE</u>		
(

9.

	Offine Examinations (Even Gently art-in Examinations 2020 - 2021
	<u>DIP.ME</u>
	PGDHM
	M.SC.(BT)
	M.TECH(CSE)
	LLM
	M.A.(JMC)
	M.A.(ENG)
	M.SC.(MATH)
	M.SC.(MB)
	M.SC.(MSJ)
	M.SC.(AM)
	M.SC.CS)
	M.SC.(ANCS)
	M.SC.(MM)
	B.A.(Eng)
Ans	swer all the questions. Each question carry one mark.
. 1	. Residential Medical staffs remain available for to attend the patients:
I	Mark only one oval.
	8 hours
	16 hours
	24 hours
	20 hours

10.	2. Nursing services were started by National League of Nursing in the USA in:
	Mark only one oval.
	1948
	<u> </u>
	1955
	<u> </u>
11.	3. Hospital possessing TV, telephone facilities in a air-conditioned room belong to:
	Mark only one oval.
	Budget hospital
	Elite hospital
	Allopathic hospital
	Urban hospital
12.	4 is the head of Pharmacy who reports to the Administrator:
	Mark only one oval.
	Physician
	Secretary
	Staff Pharmacist
	Chief Hospital Pharmacist

13.	5. The floor space should be in accordance to the norms laid down under:
	Mark only one oval.
	Schedule C
	Schedule H
	Schedule M
	Schedule X
14.	6. Ambulatory patients are:
	Mark only one oval.
	Required to admit in the ward for treatment
	Required to go to home after taking treatment in O.P.D
	Require emergency treatment
	None of these
15.	7. The hospital formulary consists of list of in hospital.
	Mark only one oval.
	Instrument
	Drugs
	Staff
	Patients

16.	8. While prescribing medicines, the physician must write name of drug.
	Mark only one oval.
	Proprietary
	Non- proprietary
	Proprietary & Non- proprietary
	Other than these
17.	9. Minimum number of pharmacist required for very small hospital is
	Mark only one oval.
	1
	2
	3
	4
18.	10.Hospital having T.V., Telephone facilities in A.C. room is
	Mark only one oval.
	Budget Hospital
	Allopathic hospital
	Elite Hospital
	Ayurvedic Hospital

19.	11. Merk index, Medline, Pubmed are belongs to the category of
	Mark only one oval.
	Primary source of information Secondary source of information
	Tertiary source of information
	None
20.	12. The full form of OPD is:
	Mark only one oval.
	Out-Patient Department
	Out-Physician Department
	Out-Public Department
	Out-Person Department
21.	13. The full form of CSSR is:
	Mark only one oval.
	Central Sterile Supply Room
	Central Standard Service Room
	Central Sterile Service room
	Central Sterile Stock Room

22.	14. Chlordiazepoxide is a/an:
	Mark only one oval.
	Anti-allergic Anticoagulant Tranquilizers Cardiovascular agent
23.	15. Harvey discovered blood circulation in:
	Mark only one oval.
	<u></u>
	1517
	1616
	<u> </u>
24.	16. Borosilicate glass is made up of:
	Mark only one oval.
	Silicon dioxide and boric oxide
	Silicon dioxide with high amounts of sodium or calcium oxide
	Silicon dioxide with little amount of sodium of potassium oxide
	None of these

25.	17. Intravenous fluid may vary from:
	Mark only one oval.
	1 to 500 ml
	1 to 1 lt.
	1 to 100 ml
	1 to 200 ml
26.	18. A lumbar puncture needle is cm long:
	Mark only one oval.
	43959
	44053
	43994
	44148
07	40 5 11 6 6 5 5 6
27.	19. Full form of EEG:
	Mark only one oval.
	Electroencephalogram
	Electroencephalograph
	Electroelectrolysis graph
	None of these

28.	20. For measuring of blood sugar is used:
	Mark only one oval.
	Spirometer
	Sphygmomanometer
	Hydrometer
	Glucometer
29.	21. Sphygmomanometer is used to measure:
	Mark only one oval.
	Blood pressure
	Blood glucose
	Brain wave
	None of these
30.	22. Which of the following is a type of bone cutting gauze forcep:
	Mark only one oval.
	Liston's forcep
	Ronald's forcep
	Frazier's forcep
	Poole's forcep

31.	23. Which of the following is a type of suction cannula:
	Mark only one oval.
	Poole suction Ronald suction
	Liston suction
	None of these
32.	24. Which of the following is used for cutting:
	Mark only one oval.
	Scalpel Needle
	Cannula
	Catheter
33.	25. CT scanner is used for:
	Mark only one oval.
	Analysis heart
	Analysis brain
	Advanced morphological analysis of all organs
	All of these

34.	26. Therapeutic equivalent is the drug differing in composition having very similar
	Mark only one oval.
	Pharmacological effect Therapeutic effect
	Pharmacological effect & Therapeutic effect
	None
35.	27. While writing the prescription the strength of the medicine prescribe in the
	Mark only one oval.
	Metric system
	Imperial system
	Both can possible
	None
36.	28. The main objective of pharmacy therapeutic committee (PTC) is:
	Mark only one oval.
	To develop hospital formulary system
	Promote rational use of drug
	Develop policies regarding drug safety
	All

37.	29. Qualities required by the pharmacist to run drug distribution center (DDC) is
	Mark only one oval.
	Awareness of source of information
	Computer literacy
	A member of PTC
	() All
38.	30. A branch of in- patient pharmacy responsible for preparing, dispensing and monitoring medication for specific patient areas are called:
	Mark only one oval.
	Outpatient pharmacy
	Central pharmacy
	Pharmacy satellite
	None
39.	31. The drug used to treat alcoholism is
	Mark only one oval.
	Folic Acid
	Antabase
	Largactil
	None of these

40.	32. Overdose of digitalis may cause
	Mark only one oval.
	Habituation
	Tolarance
	Cumulative dependence
	Physical dependence
41.	33. The antileprotic drug 'clofazimine' causes:
	Mark only one oval.
	Nephrotoxicity
	Photosensitivity
	Hepatotoxicity
	None of these
42.	34.HEPA filter is made of:
	Mark only one oval.
	Spun glass
	Glass
	Asbestos
	Glass and asbestos

35. An example of elastic bandage is:
Mark only one oval.
Crepe bandage Woven elastic bandage High bulk bandage All of these
36. The maximum capacity of tuberculin syringe is:
Mark only one oval.
3 ml 2 ml 1 ml 0.5 ml
37. Belladonna plaster is used as: Mark only one oval.
Counter irritant in rheumatism and neuralgia Splint for correction of fractures For giving light support to sprains All of these

46.	38. An abnormal response of the immune system to an antigen is called
	Mark only one oval.
	Hypersensitivity
	Hyperpyrexia
	Hyperplasia
	Hypertension
47.	39. A condition affecting the bone structure caused by loss of bone density is
	Mark only one oval.
	Osteoporosis
	Paget's disease
	Osteomyelitis
	Osteoarthritis
48.	40. Elongation of the eyeball leading to shortsightedness is called
	Mark only one oval.
	Myopia
	Myositis
	Neuralgia
	Necrosis

49.	41. A condition that results in increased motility in the small and large intestines
	Mark only one oval.
	Reye's syndrome
	Irritable bowel syndrome
	Wilson's disease
	None of these
50.	42. Programmed cell death as a result of disease or injury is called?
	Mark only one oval.
	Necrosis
	Apoptosis
	Neuralgia
	Leucopenia
51.	43. Drug useful in zollinger-ellison syndrome is
	Mark only one oval.
	Famotidine
	Ranitidine
	Cimetidine
	Omeprazole

52.	44. The latin word * Ad libitum means
	Mark only one oval.
	As much as you please To be added When required Upto
53.	45. Hypertension resulting from an identifiable cause is called as
	Mark only one oval.
	Primary hypertension
	Secondary hypertension
	Essential hypertension
	Reflex tachycardia
54.	46. Xylocaine HCI is not used orally because it is:
	Mark only one oval.
	Ineffective orally
	Acidic in nature
	Stomach irritant
	Unstable in acidic media

ეე .	47. The most frequent cause of angina pectoris is:
	Mark only one oval.
	Coronary atherosclerosis
	Coronary insufficiency
	Fibrillation
	Arrythmia
56.	48. Service directly related to the patient care is:
	Mark only one oval.
	Clinical service
	Pharmacy service
	Nursing service
	All of these
57.	49. The real dosage form of laxative bisacodyl is not given with milk or antacid because:
	Mark only one oval.
	Absorption of antacid will decrease
	It could lead to irritation due to release of drug in stomach
	Bisacodyl form complex with calcium in the milk
	All of these

58.	50. The advice for antacid tablet is:
	Mark only one oval.
	Do not take with milk Chew do not swallow Avoid alcohol Do not drive vehicle
59.	51. Poultice is a dosage form:
	Mark only one oval.
	Solid Liquid Semi-solid All of these
60.	52. Helmenthiasis is:
	Mark only one oval.
	Infestations of worms
	Snake bite
	Insect bite
	None of these

61.	53.Teratogenic drug affect
	Mark only one oval.
	Liver Kidney Foetus
	Skin
62.	54. Which one of these impart red colour to uric?
	Mark only one oval.
	Rifampin Isoniazid
	Aspirin
	Luminal
63.	55. What is the I.P. limit sinking time of absorbed cotton
	Mark only one oval.
	10 sec
	1 minute
	60 minute
	30 minute

64.	56. A branch related to blood is:
	Mark only one oval.
	Biochemistry
	Pathology
	Hematology
	Microbiology
65.	57. Iron preparation may colour the urine:
	Mark only one oval.
	Red
	Black
	Orange
	Purple
66.	58. Cephalosporin is used as:
	Mark only one oval.
	Tranquilizer
	Immunosuppressive
	Chemotherapeutic agent
	Vasodilator

67.	59. Tetracycline forms complexes with:
	Mark only one oval.
	Aluminium
	Calcium
	Iron
	Potassium
68.	60. Weekly basic drugs are excreted readily in:
	Mark only one oval.
	Acidic urine
	Alkaline urine
	Neutral urine
	None of these
69.	61. Hypokalemia side effect of diuretics can be counteracted with:
	Mark only one oval.
	Common salt
	Potassium chloride
	Ascorbic acid
	All of these

/0.	62. Aspirin is not taken in empty stomach because:
	Mark only one oval.
	It causes gastric irritation
	It causes anemia
	It is absorbed slowly
	It causes allergy
71.	63. One of these is symptoms of hepatitis A:
	Mark only one oval.
	Polyuria
	Anorexia
	Gastric irritation
	Hypotension
72.	64. When the combined effect of two drug is an algebric sum of their individual effect, it is called:
	Mark only one oval.
	Synergism
	Antagonism
	Competitive antagonism
	Non- competitive antagonism

/3.	65. Chioramphenicol is not co-administered with tolbutamide because it causes
	Mark only one oval.
	Hypoglycemia
	Hyperglycemia
	Hypersensitivity reaction
	None of these
74.	66. Hepatitis B virus is a:
	Mark only one oval.
	RNA virus
	DNA virus
	Defective RNA virus
	None of these
75.	67. Urticaria occurs in:
	Mark only one oval.
	Skin
	Respiratory tract
	Blood
	Vascular system

76.	68.Etiology means:
	Mark only one oval.
	Cause of disease
	Development of disease
	Outcome of a disease
	All of these
77.	69. Normal range of RBC in case of Children is:
	Mark only one oval.
	4 to 5.5 million/mm3
	4.5 to 5.5 million/mm3
	3.5 to 5.5 million/mm3
	4 to 5 million/mm3
78.	70. All of the following aids are in the diagnosis of diabetes mellitus except:
	Mark only one oval.
	Polyuria
	Polydyspepsia
	Weight gain
	Weight loss

79.	71. Which one of these is used as antidote for heparin?
	Mark only one oval.
	Protamine sulphate Warfarin
	BAL
	Glyceryl trinitrite
80.	72. Catheters are used for
	Mark only one oval.
	Drain bladder in case of urine retention
	Bowel clearance
	Diarrhoea
	Incontinence
81.	73.Highly advantage medical technology exist in
	Mark only one oval.
	Budget hospital
	Elite hospital
	Medium hospital
	None of these

82.	/4. The officer responsibility in Taluka hospital in the district is
	Mark only one oval.
	СМО
	OH0
	Municipal health officer
	Health minister
83.	75. Which one of these is a sensitive
	Mark only one oval.
	Tolbutamide
	Benzylpenicillin
	Paracetamol
	Cortisone
	Contidente
84.	76.Morphine poisoning causes death due to:
	Mark only one oval.
	Walk offly offe oval.
	Respiratory depression
	Cardiac arrest
	CNS depression
	None of these

85.	77. The poisoning caused by organophosphorus compounds are effectively counteracted by:
	Mark only one oval.
	Naloxone
	Pethidine
	Pralidoxine
	Charcoal
86.	78. Common side effect of morphine is:
	Mark only one oval.
	Allergy
	Cirrhosis of liver
	Constipation
	Visceral pain
87.	79. Which one of these is used to increase the serum level of penicillin:
	Mark only one oval.
	Aspirin
	Ranitidine
	Aluminium hydroxide gel
	Probenecid

88.	80. A specific narcotic antagonist is:
	Mark only one oval.
	Nalorphine
	Pethidine
	Charcoal
	None of these

This content is neither created nor endorsed by Google.

Google Forms