

Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021)

Course Name - --Operating System

Course Code - DCSE403

* You can submit the form ONLY ONCE.

* Fill the following information for further process.

* Required

1. Email *

2. Name of the Student *

3. Enter Full Student Code *

4. Enter Roll No *

5. Enter Registration No *

6. Enter Course Code *

7. Enter Course Name *

8. *

Mark only one oval.

- Diploma in Pharmacy
- Bachelor of Pharmacy
- B.TECH.(CSE)
- B.TECH.(ECE)
- BCA
- B.SC.(CS)
- B.SC.(BT)
- B.SC.(ANCS)
- B.SC.(HN)
- B.Sc.(MM)
- B.A.(MW)
- BBA
- [B.COM](#)
- B.A.(JMC)
- BBA(HM)
- BBA(LLB)
- B.OPTOMETRY
- B.SC.(MB)
- B.SC.(MLT)
- B.SC.(MRIT)
- B.SC.(PA)
- LLB
- [B.SC\(IT\)-AI](#)
- B.SC.(MSJ)
- Bachelor of Physiotherapy
- B.SC.(AM)
- Dip.CSE
- Dip.ECE
- [DIP.EE](#)
- DIP.CE

- [DIP.ME](#)
- PGDHM
- MBA
- M.SC.(BT)
- M.TECH(CSE)
- LLM
- M.A.(JMC)
- M.A.(ENG)
- M.SC.(MATH)
- M.SC.(MB)
- MCA
- M.SC.(MSJ)
- M.SC.(AM)
- M.SC.CS)
- M.SC.(ANCS)
- M.SC.(MM)
- B.A.(Eng)

Answer all the questions. Each question carry one mark.

9. 1. To access the services of operating system, the interface is provided by the

Mark only one oval.

- API
- Assembly instructions
- System calls
- Library

10. 2. What is the main function of the command interpreter?

Mark only one oval.

- To provide the interface between the API and application program
- To handle the files in operating system
- To get and execute the next user- specified command
- None of these

11. 3. If a process fails, most operating system write the error information to a

Mark only one oval.

- New file
- Another running process
- Log file
- None of these

12. 4. Example of open source operating system is

Mark only one oval.

- UNIX
- WINDOWS
- LINUX
- Both a and b

13. 5. Multiprocessing system gives a

Mark only one oval.

- Small system
- loosely coupled system
- Tightly coupled system
- Macro System

14. 6. What is the function of FORK() in Kernel

Mark only one oval.

- To create processor
- To create deadlock
- What is the function of FORK() in Kernel
- To create TLB

15. 7. Running multiple programs at the same time is called

Mark only one oval.

- Foreground tasking
- Single tasking
- Multitasking
- Symmetric tasking

16. 8. Process is

Mark only one oval.

- Process control Block
- Application software
- Program in Execution
- None of these

17. 9. Program resides into

Mark only one oval.

- Main memory
- Secondary Memory
- Both Main and secondary memory
- None of these

18. 10. Find the true from the followings

Mark only one oval.

- Kernel is the program that constitutes the central core of the operating system
- Kernel is the first part of operating system to load into memory during booting
- Kernel remains in the memory during the entire computer session
- Kernel is made of various modules which can not be loaded in running operating system

19. 11. Unix OS was developed by

Mark only one oval.

- Bell Labs
- NASA
- Verizon Systems
- Kaspersky Labs

20. 12. When a peripheral device needs immediate attention from the OS, it creates

Mark only one oval.

- Stack
- Spool
- Interrupt
- Page file

21. 13. In Unix, Which system call creates a new process?

Mark only one oval.

- new()
- create()
- fork()
- None of these

22. 14. A process stack does not contain

Mark only one oval.

- Function parameters
- Local variables
- Return addresses
- PID of child process

23. 15. In a time-sharing operating system, when the time slot given to a process is completed, the process goes from the running state to the

Mark only one oval.

- Blocked state
- Suspended state
- Ready state
- Terminated state

24. 16. What is a medium-term scheduler?

Mark only one oval.

- It selects which process has to be brought into the ready queue
- It selects which process has to be executed next and allocates CPU
- It selects which process to remove from memory by swapping
- None of these

25. 17. An SJF algorithm is simply a priority algorithm where the priority is

Mark only one oval.

- The predicted next CPU burst
- None of these
- The inverse of the predicted next CPU burst
- The current CPU burst

26. 18. Preemptive Shortest Job First scheduling is sometimes called _

Mark only one oval.

- Fast SJF scheduling
- EDF scheduling – Earliest Deadline First
- SRTN scheduling – Shortest Remaining Time Next
- HRRN scheduling – Highest Response Ratio Next

27. 19. Process synchronization can be done on

Mark only one oval.

- Hardware level
- Software level
- Both hardware and software level
- None of these

28. 20. Semaphore is a/an to solve the critical section problem

Mark only one oval.

- Hardware for a system
- Software for a system
- Integer variable
- None of these

29. 21. What are the two atomic operations permissible on semaphores?

Mark only one oval.

- Hold, Signal
- Ready, Wait
- Wait, Signal
- None of these

30. 22. The code that changes the value of the semaphore is

Mark only one oval.

- Remainder section code
- Non – critical section code
- Critical section code
- None of these

31. 23. Semaphore is defined as

Mark only one oval.

- Is a binary mutex
- Must be accessed from only one process
- Can be accessed from multiple process
- None of these

32. 24. Semaphores are two types, they are

Mark only one oval.

- Rapid, Counting
- Binary, Random
- Binary, Counting
- None of these

33. 25. A system is in the safe state if

Mark only one oval.

- The system can allocate resources to each process in some order and still avoid a deadlock
- It can be terminated properly
- There exist a safe sequence
- All of these

34. 26. A Process Control Block(PCB) does not contain -----

Mark only one oval.

- Code
- Stack
- Bootstrap program
- None of these

35. 27. The number of processes completed per unit time is known as

Mark only one oval.

- Output
- Efficiency
- Throughput
- Capacity

36. 28. Process Control Block is a-----

Mark only one oval.

- Process type variable
- A secondary storage section
- Data Structure
- A block in memory

37. 29. What is the degree of multiprogramming?

Mark only one oval.

- The number of processes executed per unit time
- The number of processes in the ready queue
- The number of processes in the I/O queue
- The number of processes in memory

38. 30. A single thread of control allows the process to perform

Mark only one oval.

- Multiple tasks at a time
- Only two tasks at a time
- Only one task at a time
- All of the mentioned

39. 31. When the process issues an I/O request

Mark only one oval.

- It is placed in a waiting queue
- It is placed in the ready queue
- It is placed in an I/O queue
- It is placed in the Job queue

40. 32. What will happen when a process terminates?

Mark only one oval.

- It is removed from all, but the job queue
- Its process control block is de- allocated
- It is removed from all queues
- Its process control block is never de-allocated

41. 33. The context of a process in the PCB of a process does not contain

Mark only one oval.

- the value of the CPU registers
- memory-management information
- context switch time
- the process state

42. 34. Which of the following need not necessarily be saved on a context switch between processes?

Mark only one oval.

- General purpose registers
- Program counter
- Translation lookaside buffer
- All of these

43. 35. Which process can be affected by other processes executing in the system?

Mark only one oval.

- Child process
- Parent process
- Co-operating process
- init process

44. 36. Which one of the following is a synchronization tool?

Mark only one oval.

- Thread
- Pipe
- Semaphore
- None of these

45. 37. Which algorithm is defined in Time quantum?

Mark only one oval.

- Shortest job scheduling algorithm
- Priority scheduling algorithm
- Round robin scheduling algorithm
- Multilevel queue scheduling algorithm

46. 38. The request and release of resources are

Mark only one oval.

- Special programs
- Command-line statements
- System calls
- None of these

47. 39. For mutual exclusion to prevail in the system

Mark only one oval.

- The processor must be a uniprocessor rather than a multiprocessor
- There must be at least one resource in a sharable mode
- At least one resource must be held in a non sharable mode
- None of these

48. 40. Deadlock prevention is a set of methods

Mark only one oval.

- To ensure that all of the necessary conditions do not hold
- To decide if the requested resources for a process have to be given or not
- To ensure that at least one of the necessary conditions cannot hold
- To recover from a deadlock

49. 41. The disadvantage of a process being allocated all its resources before beginning its execution is

Mark only one oval.

- Low CPU utilization
- Very high resource utilization
- Low resource utilization
- None of these

50. 42. Which module gives control of the CPU to the process selected by the short-term scheduler?

Mark only one oval.

- Scheduler
- Interrupt
- Dispatcher
- None of these

51. 43. Which one of the following can not be scheduled by the kernel?

Mark only one oval.

- Kernel level thread
- Process
- User level thread
- None of these

52. 44. Messages sent by a process _____

Mark only one oval.

- Have to be of a fixed size
- Have to be a variable size
- Can be fixed or variable sized
- None of these

53. 45. In the Zero capacity queue _____

Mark only one oval.

- The queue can store at least one message
- The sender keeps sending and the messages don't wait in the queue
- The sender blocks until the receiver receives the message
- None of these

54. 46. The Zero Capacity queue _____

Mark only one oval.

- Is referred to as a message system with buffering
- Is referred to as a link
- Is referred to as a message system with no buffering
- None of these

55. 47. Which is the most optimal scheduling algorithm?

Mark only one oval.

- FCFS – First come First served
- SJF – Shortest Job First
- RR – Round Robin
- None of these

56. 48. The FCFS algorithm is particularly troublesome for _____

Mark only one oval.

- Multiprocessor systems
- Multiprogramming systems
- Time sharing systems
- Operating systems

57. 49. What is 'Aging'?

Mark only one oval.

- Keeping track of how many times a given page is referenced
- Keeping track of cache contents
- Increasing the priority of jobs to ensure termination in a finite time
- Keeping track of what pages are currently residing in memory

58. 50. The time taken for the desired sector to rotate to the disk head is called

Mark only one oval.

- Positioning time
- Random access time
- Rotational latency
- Seek time

59. 51. What is the disk bandwidth?

Mark only one oval.

- The total number of bytes transferred
- Total time between the first request for service and the completion of the last transfer
- The total number of bytes transferred divided by the total time between the first request for service and the completion on the last transfer
- None of these

60. 52. In the _____ algorithm, the disk head moves from one end to the other, servicing requests along the way. When the head reaches the other end, it immediately returns to the beginning of the disk without servicing any requests on the return trip.

Mark only one oval.

- LOOK
- C-LOOK
- C-SCAN
- SCAN

61. 53. Which one of the following is the address generated by CPU?

Mark only one oval.

- Physical address
- Absolute address
- Logical address
- None of these

62. 54. The page table contains _____

Mark only one oval.

- Page offset
- Page size
- Base address of each page in physical memory
- None of these

63. 55. What is compaction?

Mark only one oval.

- A paging technique
- A technique for overcoming internal fragmentation
- A technique for overcoming external fragmentation
- A technique for overcoming fatal error

64. 56. When memory is divided into several fixed sized partitions, each partition may contain

Mark only one oval.

- Multiple processes at once
- At least one process
- Exactly one process
- None of these

65. 57. The first fit, best fit and worst fit are strategies to select a _____

Mark only one oval.

- Process from a queue to put in memory
- Processor to run the next process
- Free hole from a set of available holes
- All of these

66. 58. A solution to the problem of external fragmentation is _____

Mark only one oval.

- Smaller memory space
- Larger memory space
- Compaction
- None of these

67. 59. If a page number is not found in the TLB, then it is known as a _____

Mark only one oval.

- TLB miss
- Buffer miss
- TLB hit
- None of these

68. 60. Each entry in a translation lookaside buffer (TLB) consists of _____

Mark only one oval.

- Key
- Bit value
- Value
- None of these

69. 61. The switching of the CPU from one process or thread to another is called _____

Mark only one oval.

- Process switch
- Context switch
- Task switch
- All of these

70. 62. RTP stands for _____

Mark only one oval.

- Real time protocol
- Real time transmission protocol
- Real time transmission control protocol
- Real time transport protocol

71. 63. Data cannot be written to secondary storage unless written within a _____

Mark only one oval.

- File
- Directory
- Swap space
- Text format

72. 64. _____ controller sending the command placed into it, via messages to the _____ controller.

Mark only one oval.

- Host, host
- Disk, disk
- Host, disk
- Disk, host

73. 65. In the _____ algorithm, the disk arm starts at one the end of the disk and moves toward the other end, servicing requests till the other end of the disk. At the other end, the direction is reversed and servicing continues.

Mark only one oval.

- LOOK
- C-SCAN
- SCAN
- C-LOOK

74. 66. Run time mapping from virtual to physical address of memory is done by _____

Mark only one oval.

- Memory management unit
- PCI
- CPU
- None of these

75. 67. Memory management is the technique in which system stores and retrieves data from secondary storage for use in main memory is called?

Mark only one oval.

- Fragmentation
- Paging
- Mapping
- None of these

76. 68. The main memory, which accommodates _____

Mark only one oval.

- Operating system
- User processes
- Cpu
- All of these

77. 69. The information about all files is kept in the _____

Mark only one oval.

- Swap space
- Seperate directory structure
- Operating system
- None of these

78. 70. _____ is the concept in which a process is copied into the main memory from the secondary memory according to the requirement.

Mark only one oval.

- Segmentation
- Demand paging
- Swapping
- Paging

This content is neither created nor endorsed by Google.

Google Forms