Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021

Course Name - - Pharmaceutics II Course Code - 2.1T

*	You car	submit	the form	ONLY	ONCE
	TOU Cal	ı Subilli	tile lollii	UNLI	OING

44.	_						
*	H	Δ	a	ш	ır	Δ.	n
	ıv	C	u	u	ш,	C	u

1.	Email *
2.	Name of the Student *
3.	Enter Full Student Code *
4.	Enter Roll No *
5.	Enter Registration No *
6.	Enter Course Code *

^{*} Fill the following information for further process.

7. Enter Course Name *

8.

Mark only one oval.
Diploma in Pharmacy
Bachelor of Pharmacy
B.TECH.(CSE)
B.TECH.(ECE)
BCA
B.SC.(CS)
B.SC.(BT)
B.SC.(ANCS)
B.SC.(HN)
B.Sc.(MM)
B.A.(MW)
BBA
B.COM
B.A.(JMC)
BBA(HM)
BBA(LLB)
B.OPTOMETRY
B.SC.(MB)
B.SC.(MLT)
B.SC.(MRIT)
B.SC.(PA)
LLB
B.SC(IT)-AI
B.SC.(MSJ)
Bachelor of Physiotherapy
B.SC.(AM)
Dip.CSE
Dip.ECE
<u>DIP.EE</u>
() DIP.CE

9.

\ \ \ \ \ - ··· ·	
<u>DIP.ME</u>	
PGDHN	M
M.SC.(BT)
M.TEC	H(CSE)
M.A.(J	MC)
M.A.(E	NG)
M.SC.(MATH)
M.SC.(MB)
M.SC.(MSJ)
M.SC.(AM)
M.SC.0	CS)
M.SC.(ANCS)
M.SC.(MM)
B.A.(Er	ng)
Answer all the	questions. Each question carry one mark.
Answer all the	questions. Each question early one mark.
. 1. Which of powder?	the following acts as an opacifying agent used in the preparation of face
Mark only o	ne oval.
Magne	esium carbonate
Talcum	n powder
Starch	
Titaniu	ım dioxide

10.	2. 1 ml is equal to how much minim?
	Mark only one oval.
11.	3. Ophthalmic solution is sterilized by
	Mark only one oval.
	Autoclave Hot air oven Both Autoclave and Hot air oven Bacterial filters
12.	4. The HLB value of SLS is
	Mark only one oval.
	30
	40
	<u> </u>
	<u> </u>

13.	5. Syrup prevents microbial growth because of having
	Mark only one oval.
	High osmotic pressure
	Low osmotic pressure
	Equal osmotic pressure
	Both High osmotic pressure and Equal osmotic pressure
14.	6. Which of the following is not a powder mixing method?
	Mark only one oval.
	Spatulation
	Tumbling
	Sterilization
	Trituration
15.	7.Calculate the volume of 2kg of glycerine where the density of glycerine is 1.25g/ml.
	Mark only one oval.
	1.5ml
	1.6ml
	1.6L
	1.5L

16.	8. Titanium dioxide is present in which type cream?
	Mark only one oval.
	Vanishing cream
	Ophthalmic cream
	Sunscreen cream
	Cleansing cream
17.	9. Lanolin is which type of ointment base –
	Mark only one oval.
	Hydrocarbon base
	Absorption base
	Both Hydrocarbon base and Absorption base
	None of these
18.	10. The stability of suspensions can be evaluated by
	Mark only one oval.
	Sedimentation volume
	Degree of flocculation
	Re-dispersibility
	All of these

19.	11. Which of the following is an abrasive used in tooth powder?
	Mark only one oval.
	Calcium sulphate
	Talc
	Kaolin
	Starch
20.	12. Which is the main part of prescription?
	Mark only one oval.
	Inscription
	Superscription
	Subscription
	Signatura
21.	13. Dentifrices are used for the
۷1.	
	Mark only one oval.
	Nails
	Skin
	Teeth and mouth
	Hair

22.	14. Which method is used for validation of HEPA filter?
	Mark only one oval.
	DOP test
	DOD test
	DOC test
	Both DOP test and DOC test
23.	15. Which of the following properties are characteristic of Deflocculated suspensions?
	Mark only one oval.
	Close packing of the sediment to form a cake
	Higher sedimentation rate
	Formation of flocs
	Rapid clearance of supernatant
24.	16. Effervescent granules contain
	Mark only one oval.
	Citric acid
	Tartaric acid
	Sodium bicarbonate
	All of these

25.	17. Pseudo tolerance is produced by administration of the drug
	Mark only one oval.
	Parenteral
	Oral
	Both Parenteral and Oral
	None of these
26.	18. 2 drop is equal to how much ml?
	Mark only one oval.
	0.12ml
	0.7ml
	0.05ml
	0.06ml
27.	19. Water attack test is used to identify the alkalinity in
	Mark only one oval.
	Type-I glass
	Type-II glass
	Type-III glass
	All the 3 types

28.	20. Anderson pipette is based on the principle of
	Mark only one oval.
	Sedimentation
	Drying
	Sieving
	Centrifugation
29.	21. The content of ethanol in the preparation of elixir is
	Mark only one oval.
	6-7%
	1-2%
	4-40%
	5-20%
30.	22. Calculate the dose for the 12 years old child having 50kg body weight where
	adult dose of drug is 700 mg
	Mark only one oval.
	500mg
	5 g
	0.5 g
	Both 500mg and 0.5 g

31.	23. The pH of tear is
	Mark only one oval.
	7.4
	3.2
	4.5
32.	24.In the formulation, to facilitate the wetting of insoluble solids, which of the following agents used?
	Mark only one oval.
	Suspending agents
	Flavoring agents
	Wetting agents
	Both Suspending agents and Flavoring agents
33.	25. Which of the following is a reducing sugar?
	Mark only one oval.
	Laevulose
	Dextrose
	Both Laevulose and Dextrose
	None of these

34.	26. All of the following statements regarding liniment are true except
	Mark only one oval.
	Alcoholic, oily or soap solution or emulsion Applied with friction Not applied on broken skin Applied with absorbent material
35.	27. In Clerk's formula, weight is mentioned as
	Mark only one oval.
	Pound Gram Kilogram
	Grain
36.	28. Which of the following test is performed for lipsticks?
	Mark only one oval.
	Breaking Wash shilits:
	Wash-ability Elasticity
	None of these

37.	29. The liquid in which the globules are dispersed is called asphase.
	Mark only one oval.
	Continuous
	Dispersed
	Mobile
	None of these
38.	30. Enemas are introduced into
	Mark only one oval.
	Rectum
	Vagina
	Eye
	Nose
39.	31.In pastes, the concentration of insoluble powder substances is –
	Mark only one oval.
	20%-50%
	50%-100%
	50%-75%
	50-90%

40.	32. What does the prescription term p.o. stands for?
	Mark only one oval.
	Per
	As needed
	Every
	Orally
41.	33. n the preparation of vanishing creams, which types of bases are used generally?
	Mark only one oval.
	Absorption bases
	Water removable bases
	Hydrocarbon bases
	None of these
42.	34. Vaginal suppositories also called as –
	Mark only one oval.
	Pessaries
	Simple suppositories
	Bougies
	None of these

43.	35.Which of the following emulsifier is used to stabilize w/o type of emulsion?
	Mark only one oval.
	Span 20
	Tween 80
	SLS
	Gum acacia
4.4	2/ Dusting a pour days about by a special through sieur as
44.	36. Dusting powders should be passed through sieve no
	Mark only one oval.
	20
	120
	12
	85
45.	37. Prescription is prescribed by
	Mark only one oval.
	Doctor
	Pharmacist
	Patient
	All of these

46.	38. The water used in the preparation of cosmetics should be
	Mark only one oval.
	Distilled Purified Both Distilled and Purified None of these
47.	39. Lassar's paste is
	Mark only one oval.
	Zinc oxide ointment Zinc oxide paste Zinc oxide paste with salicylic acid Benzoic acid and salicylic acid paste
48.	40. Which of the following is/are used as suspending agent in parenteral formulations?
	Mark only one oval.
	Gelatin Pectin Both of Gelatin and Pectin None of these

41. Snuffs are dispensed in a
Mark only one oval.
Flat metal box with hinged lid
Propylene container
Borosilicate glass
All of these
42. True tolerance is produced by administration of the drug.
Mark only one oval.
Oral
Parenteral
Both Oral and Parenteral
None of these
43. How many proof gallons are contained in 6 gallon of 90%V/V alcohol?
Mark only one oval.
9.466 gallons of proof spirit
6.756 gallons of proof spirit
7.898 gallons of proof spirit
9.212 gallons of proof spirit

52.	44.1% methylene blue solution is used for:
	Mark only one oval.
	Leak test
	Pyrogen test
	Clarity test
	Both Leak test and Pyrogen test
53.	45.What is the sugar concentration of simple syrup?
	Mark only one oval.
	66.67% w/w
	67.67% w/w
	66.76% w/w
	76.67% w/w
	70.07 % W/W
54.	46. Higher the HLB value of surfactant, more it is.
	Mark only one oval.
	Hydrophilic
	Lipophilic
	Amphoteric
	None of these

55.	47. Identify the function of citric acid in the preparation of syrup
	Mark only one oval.
	to prevent the re-crystallisation of sugar
	To prevent microbial growth
	To aid solubility
	Both to prevent the re-crystallisation of sugar and To prevent microbial growth
56.	48. Which type of incompatibility occurs when tetracycline is administered with milk
	Mark only one oval.
	Therapeutic
	Physical
	Chemical
	Biological
57.	49. Which of the following dosage form is having maximum bioavailability?
	Mark only one oval.
	Tablet
	Parenteral
	Capsule
	Ointment

58.	50. HLB system was developed by –
	Mark only one oval.
	Griffin
	Stock's
	Dalla Valle
	Alexander
59.	51. Whitefield's ointment contains the powdered form of
39.	51. Whiteheld's offitherit contains the powdered form of
	Mark only one oval.
	Benzoic acid
	Salicylic acid
	Both Benzoic acid and Salicylic acid
	None of these
60.	52. What does the prescription abbreviation m. stand for
	Mark only one oval.
	Microgram
	Maximum
	Mix
	Miliequivalent

	61.	53.Which test animal is used for pyrogen testing?
		Mark only one oval.
		Rat Mice Rabbit Guinea pig
	62.	54. What is the globule size of an emulsion?
		Mark only one oval.
1	63.	55. Which of the following is used to prevent the crystallization of sucrose? Mark only one oval. Glycerin Sorbitol Propylene glycol
		All of these

64.	56. Which of the following is a type of Inhalational dosage form?
	Mark only one oval.
	Aerosol
	Nebulizer
	Tablet
	Both Aerosol and Nebulizer
65.	57. Three tablespoonful is equal to how much ml?
	Mark only one oval.
	50ml
	40ml
	15ml
	45ml
66.	58. Which of the following one is used to adjust the isotonicity
	Mark only one oval.
	Dextrose
	Boric acid
	NaCl
	All of these

67.	59. Which of the followings is not natural emulsifying agent obtained from animal?
	Mark only one oval.
	Wool fat
	Egg yolk
	Pectin
	Gelatin
68.	60. Sodium metabisulphite with sodium salicylate is used as
	Mark only one oval.
	Antioxidant
	Preservative
	Coloring agent
	Flavoring agent
69.	61. Which type of paper is used for wrapping powders?
	Mark only one oval.
	Pink glazed paper
	Black glazed paper
	White glazed paper
	Yellow glazed paper

70.	62. What does the prescription abbreviation a.c stand for?
	Mark only one oval.
	After cibos
	Anti cibos
	All cibos
	Ali cibos
71.	63. Pyrogens are the metabolic by-products of
	Mark only one oval.
	Gram positive bacteria
	Gram negative bacteria
	Acid fast bacteria
	Both Gram negative bacteria and Acid fast bacteria
72.	64. Which of the following ointment bases are of the emulsion type?
	Mark only one oval.
	w/o emulsions
	o/w emulsions
	Oleogels
	Cooling ointment

73.	65.Cold cream is also known as
	Mark only one oval.
	Foundation cream
	Soft cream
	Skin moisturizer
	Skin protective
74.	66. Dry heat sterilization is performed at
	Mark only one oval.
	160°C for 2 hrs
	160°C for 1 hr
	60°C for 1 hr
	60°C for 2 hrs
75.	67.What is the abbreviation of Quindecin?
	Mark only one oval.
	XIV
	◯ XV
	◯ XX
	XIII

76.	68. After shave lotion is a type of
	Mark only one oval.
	Emulsion
	Cream
	Aerosol
	Paste
77.	69. LAL test is used for the detection of:
	Mark only one oval.
	Pyrogen
	Sterility
	Clarity
	All of these
78.	70. All of the following are the examples of surfactants except
	Mark only one oval.
	Polysorbate 20
	Span 60
	Tween 80
	Sodium chloride

79.	71. Which of the following is a preservative?
	Mark only one oval.
	SLS Benzoic acid Ascorbic acid None of these
80.	72. What do you mean by idiosyncrasy in short?
	Mark only one oval.
	Pharmacological action Side effects
	Asthma
	Allergy
81.	73. Superscription indicates
	Mark only one oval.
	Quantity
	Quality
	Rx
	Route of administration

8	2. /4. LAL reagent is isolated from:
	Mark only one oval.
	Gram positive bacteria Gram negative bacteria Both Gram positive bacteria and Gram negative bacteria Horse shoe crab
8:	3. 75. Which type of flow is exhibited by flocculated suspensions? Mark only one oval.
	Plastic Dilatant Pseudo plastic Newtonian
84	 76. Which of the following agent is added to avoid cap-locking in the preparation of syrup? Mark only one oval.
	Polyhydric alcohol Methanol formaldehyde Fumaric acid

85.	77. One fluid ounce is equivalent to
	Mark only one oval.
	25ml
	30ml
	40ml
	22ml
86.	78. Meaning of Class 100 area is
	Mark only one oval.
	Particle count in air is not more than 100 per cubic foot of 0.5 micron size or larger size
	Particle count in air is not more than 100 per cubic foot of 5 micron size or larger size
	Particle count in air is not more than 100 per cubic cm of 0.5 micron size or larger size
	Particle count in air is not more than 100 per cubic metre of 0.5 micron size or larger size
87.	79. Emulsion is a liquid dosage form.
	Mark only one oval.
	Monophasic
	Triphasic
	Biphasic
	Both Monophasic and Biphasic

88.	80. Which of the following is a common base used for throat paints preparation?
	Mark only one oval.
	Glycerin
	Distilled water
	Alcohol
	Olodine

This content is neither created nor endorsed by Google.

Google Forms