

Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021)

Course Name - --Advanced Web Development -II

Course Code - MMM402B

* You can submit the form ONLY ONCE.

* Fill the following information for further process.

* Required

1. Email *

2. Name of the Student *

3. Enter Full Student Code *

4. Enter Roll No *

5. Enter Registration No *

6. Enter Course Code *

7. Enter Course Name *

8. *

Mark only one oval.

- Diploma in Pharmacy
- Bachelor of Pharmacy
- B.TECH.(CSE)
- B.TECH.(ECE)
- BCA
- B.SC.(CS)
- B.SC.(BT)
- B.SC.(ANCS)
- B.SC.(HN)
- B.Sc.(MM)
- B.A.(MW)
- BBA
- [B.COM](#)
- B.A.(JMC)
- BBA(HM)
- BBA(LLB)
- B.OPTOMETRY
- B.SC.(MB)
- B.SC.(MLT)
- B.SC.(MRIT)
- B.SC.(PA)
- LLB
- [B.SC\(IT\)-AI](#)
- B.SC.(MSJ)
- Bachelor of Physiotherapy
- B.SC.(AM)
- Dip.CSE
- Dip.ECE
- [DIP.EE](#)
- DIP.CE

- [DIP.ME](#)
- PGDHM
- MBA
- M.SC.(BT)
- M.TECH(CSE)
- LLM
- M.A.(JMC)
- M.A.(ENG)
- M.SC.(MATH)
- M.SC.(MB)
- MCA
- M.SC.(MSJ)
- M.SC.(AM)
- M.SC.CS)
- M.SC.(ANCS)
- M.SC.(MM)
- B.A.(Eng)

Answer all the questions. Each question carry one mark.

9. 1. AngularJS is based on ?

Mark only one oval.

- MVC Architecture
- Decorator pattern
- MVVM Architectural pattern
- Observer Pattern

10. 2. AngularJS expressions are written using

Mark only one oval.

- (expression)
- {{expression}}
- {{{expression}}}
- [expression]

11. 3. What is correct way to apply multiple filters in AngularJs.

Mark only one oval.

- {{ expression | filter1 | filter2 | ... }}
- {{ expression | {filter1} | {filter2} | ... }}
- {{ expression - {filter1} - {filter2} - ... }}
- {{ {filter1} | {filter2} | ...-expression}}

12. 4. Which of following is not valid AngularJs Filter?

Mark only one oval.

- lowercase
- orderby
- email
- currency

13. 5. Which of the following is the root element in HTML

Mark only one oval.

head

body

html

meta

14. 6. What is not schematics in Angular Material

Mark only one oval.

Navigation

Dashboard

Table

None of these

15. 7. What is the data type of exported value - 'first' of NgForOf

Mark only one oval.

String

Number

Boolean

Enum

16. 8. What does promises in Angular, helps in

Mark only one oval.

- asynchronous programming
- function (or method) that returns a single result asynchronously
- receiving a result is via a callback
- All of these

17. 9. Which type of forms places form handling logic within a component's class properties and provides interaction through observables

Mark only one oval.

- Template-Driven Forms
- Reactive Forms
- Display Forms
- Permanent Forms

18. 10. Which of the following CSS classes are updated first by NgClass, depending on the type of the expression evaluation

Mark only one oval.

- CSS classes listed in the string (space delimited)
- CSS classes declared as Array elements
- keys are CSS classes that get added when the expression given in the value evaluates to a truthy value
- Depends upon priority value

19. 11. Which Angular version, supports Internet Explorer version 6

Mark only one oval.

- Versions before 1.2
- Versions 1.2
- Versions 2.1 onwards
- All versions

20. 12. What is not a benefit of dependency injection in Angular

Mark only one oval.

- easier testability
- better code organization
- better code modularization
- None of these

21. 13. Which tsc command will concatenate all the generated JavaScript on a single file called final.js

Mark only one oval.

- tsc file1.ts file2.ts --outfile final.js
- tsc file1.ts file2.ts --o final.js
- tsc file1.ts file2.ts --O final.js
- tsc file1.ts file2.ts --outFile final.js

22. 14. What is the benefit of Angular Animation

Mark only one oval.

- Without animations, web page transitions can seem abrupt and jarring.
- Motion greatly enhances the user experience, so animations give users a chance to detect the application's response to their actions.
- Good animations intuitively call the user's attention to where it is needed.
- All of these

23. 15. Which of the following function performs no operations, in Angular

Mark only one oval.

- angular.forEach
- angular.extend
- angular.merge
- None of these

24. 16. What does a component class is defined to

Mark only one oval.

- focus any element on the screen
- visualize any element on the screen
- hide any element on the screen
- None of these

25. 17. Which command is used to manually compile a TypeScript source file into ES5, if using Typescript

Mark only one oval.

- node
- tsc
- typescript
- Typescript

26. 18. How many Angular application can be auto-bootstrapped per HTML document, by default in Angular

Mark only one oval.

- 1
- 2
- 3
- 4

27. 19. What is the data type of exported value - 'odd' of NgForOf

Mark only one oval.

- String
- Number
- Boolean
- Enum

28. 20. What do installing schematic enables to Angular Material in Angular 6

Mark only one oval.

- Ensure project dependencies in your app module
- Adds Prebuilt or Setup Custom Theme
- Adds Roboto fonts to your index.html
- All of these

29. 21. Select the output, if trying to evaluate undefined properties, in Angular

Mark only one oval.

- ReferenceError
- TypeError
- undefined
- None of these

30. 22. Identify the correct output of currency pipe expression - `{{num1 | currency:'USD':true:'2.2-4'}}` , given the value of num1 as 10.263782_____

Mark only one oval.

- \$10.20
- \$10.26
- \$10.263
- None of these

31. 23. What is the output, of having a integer having value of negative and greater than the size of the expression, for start, in SlicePipe

Mark only one oval.

- return the item at start index and all items after in the list or string expression
- return the item at start index from the end and all items after in the list or string expression
- return an empty list or string
- return entire list or string

32. 24. What is sent by server after approval of the client's request

Mark only one oval.

- 200 OK
- 400 OK
- 600 OK
- 800 OK

33. 25. Which of the following will be method is executed at last, during component lifecycle

Mark only one oval.

- ngAfterContentInit
- ngDoCheck
- ngOnInit
- ngAfterContentChecked

34. 26. Which symbol indicates Angular dependencies

Mark only one oval.

{

[

@

(

35. 27. Which decorator is applicable for component class coded using TypeScript

Mark only one oval.

@Component()

@component()

@Component

@component

36. 28. What is the value being assigned to cake in typescript statement - let cake: str = 10;

Mark only one oval.

10

10'

"10"

None of these

37. 29. Which of the following function, invokes the iterator function in Angular

Mark only one oval.

- angular.uppercase
- angular.lowercase
- angular.forEach
- angular.extend

38. 30. Which of the following method is used to create route definitions

Mark only one oval.

- RouterModule
- RouterModule.Root
- RouterModule.forRoot
- RouterModule.for

39. 31. RouterModule RouterModule.Root RouterModule.forRoot RouterModule.for

Mark only one oval.

- Suitable for simple scenarios
- Uses Two way data binding (using [(NgModel)] syntax)
- Automatic track of the form and its data (handled by Angular)
- None of these

40. 32. How to disable animations in Angular 6 application if using Angular Material and CDK

Mark only one oval.

- None of these
- De-reference BrowserAnimationsModule in your application
- Import NoBrowserAnimationsModule into your application
- Import BrowserAnimationsModule into your application

41. 33. Which of the following method is executed at first during component lifecycle

Mark only one oval.

- ngOnInit
- ngDoCheck
- ngAfterContentInit
- ngAfterContentChecked

42. 34. What is the output, of having a negative integer for end, in SlicePipe

Mark only one oval.

- return all items before end index of the list or string.
- return all items before end index from the end of the list or string.
- return all items until the end.
- None of these

43. 35. Select the output of following, assuming dateObj is (year: 2015, month: 6, day: 15, hour: 21, minute: 43, second: 11) in the local time and locale is 'en-US' - {{ dateObj | date:'mmss' }}

Mark only one oval.

- 1.79930555555555
- 0.9048611111111111
- 0.904988425925926
- 43:11 PM

44. 36. Select the output of following, assuming dateObj is (year: 2015, month: 6, day: 15, hour: 21, minute: 43, second: 11) in the local time and locale is 'en-US' - {{ dateObj | date:'shortTime' }}

Mark only one oval.

- 0.9048611111111111
- 1.79930555555555
- 0.904988425925926
- 43:11 PM

45. 37. Which option of ng generate c command, under Angular CLI of Angular 6 , specifies the view encapsulation strategy

Mark only one oval.

- t
- s
- d
- None of these

46. 38. What is the output, of having a positive integer for end, in SlicePipe

Mark only one oval.

- return all items before end index of the list or string.
- return all items before end index from the end of the list or string.
- return all items until the end.
- None of these

47. 39. What is the Angular modules for animations

Mark only one oval.

- animations
- Animations
- animation
- Animation

48. 40. Which of the following directives should not be used, on the same element as ngApp directive of Angular

Mark only one oval.

- ngIf
- ngInclude
- ngView
- All of these

49. 41. Which subdirectory includes the compiled project and JavaScript bundle, when you invoke the ng command to create an Angular application

Mark only one oval.

- dist
- e2e
- src
- app

50. 42. Which protocol is used on Internet for data exchange of web data

Mark only one oval.

- FTP
- SMTP
- TCP/IP
- SNMP

51. 43. What is the data type of exported value - 'first' of NgForOf

Mark only one oval.

- String
- Number
- Boolean
- Enum

52. 44. Which type of forms places form handling logic within a component's class properties and provides interaction through observables

Mark only one oval.

- Template-Driven Forms
- Reactive Forms
- Display Forms
- Permanent Forms

53. 45. Which type of forms places most of the form handling logic within that form's template

Mark only one oval.

- Template-Driven Forms
- Reactive Forms
- Display Forms
- Permanent Forms

54. 46. Identify the correct output of currency pipe expression - `{{num1 | currency:'USD':true:'2.2-4'}}`, given the value of num1 as 10.263782

Mark only one oval.

- \$10.20
- \$10.26
- \$10.263
- None of these

55. 47. What is sent by server after approval of the client's request

Mark only one oval.

200 OK

400 OK

600 OK

800 OK

56. 48. What is the data type of exported value - 'last' of NgForOf

Mark only one oval.

String

Number

Boolean

Enum

57. 49. Select the output of following, assuming dateObj is (year: 2015, month: 6, day: 15, hour: 21, minute: 43, second: 11) in the local time and locale is 'en-US' - {{ dateObj | date:'mmss' }}

Mark only one oval.

1.79930555555555

0.9048611111111111

0.904988425925926

43:11 PM

58. 50. Select the output of following, assuming dateObj is (year: 2015, month: 6, day: 15, hour: 21, minute: 43, second: 11) in the local time and locale is 'en-US' - {{ dateObj | date:'shortTime' }}

Mark only one oval.

- 0.9048611111111111
- 1.799305555555555
- 0.904988425925926
- 43:11 PM

59. 51. What is the data type of exported value - 'even' of NgForOf

Mark only one oval.

- String
- Number
- Boolean
- Enum

60. 52. What is not an Angular feature, with respect to build a CRUD app in a cohesive set

Mark only one oval.

- Data-binding
- basic templating directives
- form validation
- None of these

61. 53. How many root scope are present in each Angular application

Mark only one oval.

- 1
- 2
- 3
- Depends upon the requirement

62. 54. Which Angular module, is needed to use NgIf, NgFor

Mark only one oval.

- CommonModule
- BrowserModule
- FormsModule
- HttpClientModule

63. 55. Which of the following global variable, can not be directly accessed by Angular expression

Mark only one oval.

- window
- document
- location
- All of these

64. 56. What will be the output of decimal pipe expression - `{{num1 | number:'3.2-5'}}` , given the value of num1 as 12.638467846

Mark only one oval.

- 12.63
- 12.638
- 12.6384
- None of these

65. 57. How many strategies are provided by Angular by LocationStrategy

Mark only one oval.

- 1
- 2
- 3
- 4

66. 58. Select the output of following, assuming dateObj is (year: 2015, month: 6, day: 15, hour: 21, minute: 43, second: 11) in the local time and locale is 'en-US' - `{{ dateObj | date:'mmss' }}`

Mark only one oval.

- 1.79930555555555
- 0.9048611111111111
- 0.904988425925926
- 43:11 PM

67. 59. Which type of web applications are more suitable for Angular

Mark only one oval.

- Online gaming
- Online IDE
- CRUD applications
- Depends upon the requirement

68. 60. Which elements are mandatory in an XHTML document?

Mark only one oval.

- doctype, html, head, and body
- doctype, html, head, body, and title
- doctype, html and body
- None of these

This content is neither created nor endorsed by Google.

Google Forms