Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021

Course Name - - Pharmaceutical Chemistry- II Course Code - 2.2T

* You can submit the	form ONLY ONCE.
----------------------	-----------------

- * Fill the following information for further process.
- * Required

1.	Email *
2.	Name of the Student *
3.	Enter Full Student Code *
4.	Enter Roll No *
5.	Enter Registration No *
6.	Enter Course Code *

7. Enter Course Name *

8. *

Mark only one oval.		
Diploma in Pharmacy		
Bachelor of Pharmacy		
B.TECH.(CSE)		
B.TECH.(ECE)		
BCA		
B.SC.(CS)		
B.SC.(BT)		
B.SC.(ANCS)		
B.SC.(HN)		
B.Sc.(MM)		
B.A.(MW)		
BBA		
B.COM		
B.A.(JMC)		
BBA(HM)		
BBA(LLB)		
B.OPTOMETRY		
B.SC.(MB)		
B.SC.(MLT)		
B.SC.(MRIT)		
B.SC.(PA)		
LLB		
B.SC(IT)-AI		
B.SC.(MSJ)		
Bachelor of Physiotherapy		
B.SC.(AM)		
Dip.CSE		
Dip.ECE		
<u>DIP.EE</u>		
O DIP.CE		

9.

<u>DIP.ME</u>
PGDHM
MBA
M.SC.(BT)
M.TECH(CSE)
LLM
M.A.(JMC)
M.A.(ENG)
M.SC.(MATH)
M.SC.(MB)
MCA
M.SC.(MSJ)
M.SC.(AM)
M.SC.CS)
M.SC.(ANCS)
M.SC.(MM)
B.A.(Eng)
Answer all the questions. Each question carry one mark.
. 1. Which drug is used as a bronchodialator in asthma?
Mark only one oval.
Propranolol
Atropine
Salbutamol
Chlorpromazine

10.	2. Local anaestneticis used along with adrenaline for
	Mark only one oval.
	Short duration of
	For increasing therapeutic effect
	Prolonging the action
	None of these
11.	3. Which antibiotic is steroidal in nature?
11.	
	Mark only one oval.
	Neomycin
	Rifampicin
	Fucidic acid
	Gentamycin
12.	4. Which tranquilizer has muscle relaxant property?
	Mark only one oval.
	wark only one oval.
	Chlorpromazine
	Haloperidol
	Diazepam
	None of these

13.	5. Name one hypnotic drug each possessing following structural characteristics;
	Mark only one oval.
	An aldehyde
	a cyclic ureide
	a benzodiazepine derivative
	athiazole derivative
14.	6. Which of the following does not occur naturally?
	Mark only one oval.
	atropine
	homatropine
	scopolamine
	hyoscyamine
15.	7. Which of the following local anasthetic is not an ester?
	Mark only one oval.
	procaine
	lignocaine
	lidocaine
	benzocaine

16.	8. Which of the following does not contain nitrogen in its elemental composition?
	Mark only one oval.
	Frusemide
	Quinine
	Ethisterone
	None of these
17.	9. Which of the following does not contain sulphur in its elemental composition?
	Mark only one oval.
	digitoxin
	threobromine
	Benzylpenicillin
	caffeine
18.	10. Which of the following is not a pyridine derivative?
	Mark only one oval.
	nicotinic acid
	nikethamide
	leptazol
	None of these

19.	11. Which of the following is very soluble in water?
	Mark only one oval.
	folic acid phytomenadione nicotinic acid phenelzine
20.	12. Example of non-competitive inhibitor is
	Mark only one oval.
	disulfiram with aldehyde dehydrogenase theophyline for phosphodiesesterse aspirin with COX carbidopa for decarboxylase
21.	13. Tachphylaxis occurs in Mark only one oval. ephedrine nicotine tyramine All of these

22.	14. Placebo for a dosage form of drug
	Mark only one oval.
	contains other substituted drug contains superior quality of same category
	contains no therapeutic active ingredient
	contains putrid drug
23.	15. Salicylates
	Mark only one oval.
	Increase uricosuric acid of probenecid
	Has no effect in action of probenecid
	Block uricosuric acid of probenecid
	None of these
24.	16. Placebo effects result presumably from the
	Mark only one oval.
	physician patient relationship
	mental set up imparted by the therapeutic setting
	All of these
	mental set up imparted by the physician

25.	17. Adverse drug reaction are
	Mark only one oval.
	pharmacodynamic
	pharmacokinetic
	Both pharmacodynamic and pharmacokinetic
	None of these
26.	18. Adrenergic drugs are also known as
	Mark only one oval.
	Adrenergic agonists
	sympathomimetic drugs
	Both Adrenergic agonists and sympathomimetic drugs
	None of these
	Notice of these
27.	19. Epinephrine present in
27.	
	Mark only one oval.
	para sympathetic nervous system
	cholinergic nervous system
	sympathetic nervous system
	anti . cholinergic nervous system

28.	20. Phenylephrine are acting onreceptors
	Mark only one oval.
	beta
	gamma
	alpha
	None of these
29.	21. Ephedrine and pseudoephedrine are synthesized from
	Mark only one oval.
	tyrosine
	dopamine
	phenylalanine
	None of these
30.	22. Cholinergic drugs are producing action similar like
00.	
	Mark only one oval.
	dopamine
	phenylalanine
	acetylcholine
	tyrosine

31.	23. Pilocarpine is a
	Mark only one oval.
	antichoinergic drug
	adrenergic drug
	cholinergic drug
	None of these
32.	24. Hyoscine is derived from
	Mark only one oval.
	datura
	scopolia
	Both datura and scopolia
	None of these
33.	25. What is meant by a lead compound in medicinal chemistry?
	Mark only one oval.
	drug containing the element lead.
	A leading drug in a particular area of medicine.
	A compound that acts as the starting point for drug design and development
	A drug which is normally the first to be prescribed for a particular ailment.

34.	26. Which of the following drugs was not isolated from a natural source?
	Mark only one oval.
	quinine
	morphine
	isoniazid
	artemisinin
35.	27. Ketamine is used as an anaesthetic agent in:
	Mark only one oval.
	Ischemic heart disease
	Intracranial hemorrhage
	Hyperactive airways
	Glaucoma
36.	28. General anaesthetic is useful because it causes:
00.	
	Mark only one oval.
	Excellent analgesia
	Unconciousness
	Muscle relaxation and unconciousness
	Abolition of reflexes

3/.	29. All of the following are examples of prodrugs except
	Mark only one oval.
	Levodopa
	Enalapril Enalapril
	Indomethacin
	Omeprazole
20	
38.	30. Drug of choice for hypertension crisis associated with acute nephritis:
	Mark only one oval.
	Hydralazin
	Reserpine
	Sodium nitroprusside
	Calcium channel blocker
39.	31. What mixture of gases is used in anesthesia?
	Mark only one oval.
	02 and C02
	C02 and N20
	02 and N20
	02 , CO2 and N2O

40.	32. Which of the following may be used as plasma extender?
	Mark only one oval.
	Na salts
	Starch
	Dextrans
	Ca salts
41.	33. A rich source of vitamin A is :
	Mark only one oval.
	Lean meats
	Liver
	Fish liver oils
	Poultry
42.	34. Cool is any temp between
	Mark only one oval.
	15-20℃
	25-35℃
	10-25℃
	1-10℃

43.	35. Sparingly soluble means
	Mark only one oval.
	1 in less than 1 1 in 10 to 30 1 in 30-100 None of these
44.	36. Chloral hydrate is a
	Mark only one oval.
	solid semi solid liquid injection
45.	37. Haloperidol comes under which category
	Mark only one oval. phenothiazine indole derive butyrophenone benzamide

46.	38. General anaesthetics are given for
	Mark only one oval.
	reducing pain unresponsive to painful condition All of these
	surgical operation
47.	39. Cyclopropane having the formula
	Mark only one oval.
	C4H4
	C2H4
	C3H6
	C4H8
48.	40. Thiopental sodium induced foranaesthesia
	Mark only one oval.
	partial
	long duration
	complete
	None of these

4	9.	41. MAO means
		Mark only one oval.
		Mono acyclic oxidase Mono aldehyde oxidase Mono amine oxidase None of these
5	0.	42. Tricyclic antidepressants are(TCA) Mark only one oval. amitryptaline doxepin All of these nortryptiline
5	1.	43. Which antibiotic contains nitrogroup? Mark only one oval. ampicillin gentamycin Chloramphenicol rifampicin

52.	44. Isoniazide is useful in the treatment of
	Mark only one oval.
	leprosy malaria
	ТВ
	AIDS
53.	45. Which antibiotic is mainly used for typhoid fever?
	Mark only one oval.
	Walk only one oval.
	ampicillin
	gentamycin
	Chloramphenicol
	rifampicin
54.	46. Chemically aspirin is
	Mark only one oval.
	carboxylic acid
	ether
	ester
	ketone

55.	47. Vitamin D is necessary for the absorption of
	Mark only one oval.
	phosphorus Both calcium and phosphorus calcium
	None of these
56.	48. Pethidine is a derivative of
	Mark only one oval.
	pyridine
	pyrimidine
	piperidine
	None of these
57.	49. Diuretics drugs means
	Mark only one oval.
	decrease urine output
	Option 2
	increase urine output
	neutralise urine output

58.	50. Mannitol diuretics should be given as
	Mark only one oval.
	infusion and saline
	Both infuion and injection and infusion and saline
	infuion and injection
	All of these
59.	51. Hypoglycemic drugs acts on
	Mark only one oval.
	diabetes insipidus
	Both Diabetes mellitus and diabetes insipidus
	Diabetes mellitus
	None of these
60.	52. Alpha methyl dopa is used for
	Mark only one oval.
	hypertension
	cardiovascular disease
	Both hypertension and cardiovascular disease
	None of these

61.	53. Guanethidine, Clofibrate, Quinidine are
	Mark only one oval.
	Hypoglycemic Agents
	Diuretic Drugs
	Cardiovascular Drugs
	None of these
62.	54. An oral antifungal agent is:
	Mark only one oval.
	Sopronol
	Desenex
	Griseofulvin
	Undecyclenic acid
63.	55. β-blockers are contraindicated in
	Mark only one oval.
	Hypertension
	Anxiety
	Congestive cardiac failure
	None of these

64.	56. BAL is used for poisoning.
	Mark only one oval.
	Lead
	Copper
	Mercury
	Iron
65.	57. Drug of choice in acute attack of migraine is:
	Mark only one oval.
	Methylsergide
	Serotonin
	Ergoamineartrate
	Nicotine
66.	58. Which one of these is not given in urinary tract infection?
	Mark only one oval.
	Nalidixic acid
	Nitrofurantoin
	Tetracycline
	Cotrimoxazole

67.	59. Which one is not a non-steroidal estrogen?
	Mark only one oval.
	Benzasterol
	Dinneserol
	Mestranol
	Methesterol
68.	60. Which one of the following is a broad spectrum topical antifungal agent?
	Mark only one oval.
	Miconazole
	Naftifine
	Tolnaftate
	Cilopiroxolamine
60	/1 The dwg properties halong to the estagony
69.	61. The drug promethazine belong to the category:
	Mark only one oval.
	Benzamide
	Piperazine
	Phenothiazine
	Zanthene

70.	62. Which one of following ring is used for Anti Malarial drugs?
	Mark only one oval.
	Benzene ring
	Pyrrole ring
	Quinoline ring
	Immidazole ring
71.	63. Amitriptyline is an Antidipresent of having chemical structure of -
	Mark only one oval.
	Bicyclic
	Tetra cyclic
	Tricyclic
	Pentacyclic
72.	64. Which are the following is an Antianxiolytic Agents?
	Mark only one oval.
	Lorazepam
	Ethambutol
	Meprobamate
	Imipramine Hcl

73.	65. RANTIDINE acts as
	Mark only one oval.
	H1 Histamine agonist H2-Histamine antagonist proton pump inhibitor H1 agonist
74.	66. Heparin, Thrombin , Warfarin are
	Mark only one oval.
	Cardiovascular Drugs
	Hypoglycemic Agents
	Anti-Coagulants
	None of these
75.	67. Which is an external sorting algorithm?
	Mark only one oval.
	Cardiovascular Drugs
	Hypoglycemic Agents
	anti-inflammatory Agents
	None of these

76.	68. Aldosterone is a
	Mark only one oval.
	glcocorticoid
	hydroxycorticone
	mineralocorticoids
	All of these
77.	69. Inflammation caused by
	Mark only one oval.
	PGA2
	PGI2
	PGE2
	None of these
78.	70. NSAIDS means
	Mark only one oval.
	Non-steroidal anti-infection Agents
	Non-stimulatory anti-infection Agents
	Non-steroidal anti-inflammatory Agents
	None of these
	

79.	71. Drugs used in acute gout is
	Mark only one oval.
	Aspirin Indomethacin Allopurinol Phenyl butazone
80.	72. Which of the following is a high ceiling diuretic?
	Mark only one oval.
	Thiazide Spiranolactone Frusemide Diamox
81.	73. Penicillin is the drug of choice for
	Mark only one oval.
	Whooping cough
	Typhoid
	Scarlet fever
	Brucellosis

82.	74. Alcohol should not be given with
	Mark only one oval.
	Sulphonamides Clouidine Metronidazole
	Reserpine
83.	75. Streptomycin was discovered by
	Mark only one oval.
	Robert Koch
	Alexander Fleming
	S.A.Waksman
	Louis Pasteur
84.	76. Dapsone is a
	Mark only one oval.
	Non-steroidal anti-infection Agents
	Diagnostic Agent
	Antileprotic Drugs
	None of these

85.	77. Evans blue is adye
	Mark only one oval.
	sulpha
	nito
	azo
	None of these
86.	78. PAS
	Mark only one oval.
	p-amino butyic acid
	p-amino sulpha acid
	p-amino salicyclic acid
	None of these
87.	79. Busulphan, Chlorambucil, Cisplatin are
	Mark only one oval.
	Antifungal agents
	Antimalarial Drugs
	Anti-Neoplastic Drugs
	None of these

Mark only one oval.
albendazole
mebendazole
ivermectin
None of these

This content is neither created nor endorsed by Google.

Google Forms