

# Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021)

Course Name - --Advanced Web Development

Course Code - BMW602B

\* You can submit the form ONLY ONCE.

\* Fill the following information for further process.

\* Required

1. Email \*

---

2. Name of the Student \*

---

3. Enter Full Student Code \*

---

4. Enter Roll No \*

---

5. Enter Registration No \*

---

6. Enter Course Code \*

---

7. Enter Course Name \*

---

8. \*

*Mark only one oval.*

- Diploma in Pharmacy
- Bachelor of Pharmacy
- B.TECH.(CSE)
- B.TECH.(ECE)
- BCA
- B.SC.(CS)
- B.SC.(BT)
- B.SC.(ANCS)
- B.SC.(HN)
- B.Sc.(MM)
- B.A.(MW)
- BBA
- [B.COM](#)
- B.A.(JMC)
- BBA(HM)
- BBA(LLB)
- B.OPTOMETRY
- B.SC.(MB)
- B.SC.(MLT)
- B.SC.(MRIT)
- B.SC.(PA)
- LLB
- [B.SC\(IT\)-AI](#)
- B.SC.(MSJ)
- Bachelor of Physiotherapy
- B.SC.(AM)
- Dip.CSE
- Dip.ECE
- [DIP.EE](#)
- DIP.CE

- [DIP.ME](#)
- PGDHM
- MBA
- M.SC.(BT)
- M.TECH(CSE)
- LLM
- M.A.(JMC)
- M.A.(ENG)
- M.SC.(MATH)
- M.SC.(MB)
- MCA
- M.SC.(MSJ)
- M.SC.(AM)
- M.SC.CS)
- M.SC.(ANCS)
- M.SC.(MM)
- B.A.(Eng)

Answer all the questions. Each question carry one mark.

9. 1. AngularJS is based on ?

*Mark only one oval.*

- MVC Architecture
- MVVM Architectural pattern
- Decorator pattern
- Observer Pattern

10. 2. AngularJS expressions are written using

*Mark only one oval.*

- (expression)
- {{{expression}}}
- [expression]
- {{expression}}

11. 3. What is correct way to apply multiple filters in AngularJs.

*Mark only one oval.*

- {{ {filter1} | {filter2} | ...-expression}}
- {{ expression | {filter1} | {filter2} | ... }}
- {{ expression - {filter1} - {filter2} - ... }}
- {{ expression | filter1 | filter2 | ... }}

12. 4. Which of the following is the root element in HTML

*Mark only one oval.*

- head
- body
- meta
- html

13. 5. Which option specifies the set of directories that are searched to find the BUILD file for a given package by Bazel compiler, for Angular 6 application

*Mark only one oval.*

- package\_path
- package
- path
- path\_package

14. 6. What is not schematics in Angular Material

*Mark only one oval.*

- Navigation
- Dashboard
- Table
- None of these

15. 7. What does promises in Angular, helps in

*Mark only one oval.*

- asynchronous programming
- function (or method) that returns a single result asynchronously
- receiving a result is via a callback
- All of these

16. 8. Which type of forms places form handling logic within a component's class properties and provides interaction through observables

*Mark only one oval.*

- Template-Driven Forms
- Permanent Forms
- Display Forms
- Reactive Forms

17. 9. Which of the following CSS classes are updated first by NgClass, depending on the type of the expression evaluation

*Mark only one oval.*

- CSS classes listed in the string (space delimited)
- CSS classes declared as Array elements
- keys are CSS classes that get added when the expression given in the value evaluates to a truthy value
- Depends upon priority value

18. 10. Which Angular version, supports Internet Explorer version 6

*Mark only one oval.*

- Versions 2.1 onwards
- Versions 1.2
- Versions before 1.2
- All versions

19. 11. What is not a benefit of dependency injection in Angular

*Mark only one oval.*

- easier testability
- better code organization
- better code modularization
- None of these

20. 12. Which tsc command will concatenate all the generated JavaScript on a single file called final.js

*Mark only one oval.*

- tsc file1.ts file2.ts --outfile final.js
- tsc file1.ts file2.ts --o final.js
- tsc file1.ts file2.ts --O final.js
- tsc file1.ts file2.ts --outFile final.js

21. 13. What is the benefit of Angular Animation

*Mark only one oval.*

- Without animations, web page transitions can seem abrupt and jarring.
- Motion greatly enhances the user experience, so animations give users a chance to detect the application's response to their actions.
- Good animations intuitively call the user's attention to where it is needed.
- All of these



22. 14. Which of the following function performs no operations, in Angular

*Mark only one oval.*

- angular.forEach
- angular.extend
- angular.merge
- None of these

23. 15. What does a component class is defined to

*Mark only one oval.*

- focus any element on the screen
- visualize any element on the screen
- hide any element on the screen
- None of these

24. 16. Which type of forms places most of the form handling logic within that form's template

*Mark only one oval.*

- Display Forms
- Reactive Forms
- Template-Driven Forms
- Permanent Forms

25. 17. How many Angular application can be auto-bootstrapped per HTML document, by default in Angular

*Mark only one oval.*

- 1
- 2
- 3
- 4

26. 18. What is the data type of exported value - 'odd' of NgForOf

*Mark only one oval.*

- String
- Number
- Boolean
- Enum

27. 19. What do installing schematic enables to Angular Material in Angular 6

*Mark only one oval.*

- Ensure project dependencies in your app module
- Adds Prebuilt or Setup Custom Theme
- Adds Roboto fonts to your index.html
- All of these

28. 20. Select the output, if trying to evaluate undefined properties, in Angular

*Mark only one oval.*

- ReferenceError
- TypeError
- undefined
- None of these

29. 21. How to install TypeScript transpiler

*Mark only one oval.*

- using Visual Studio
- using npm
- Either using Visual Studio or npm
- None of these

30. 22. Identify the correct output of currency pipe expression - `{{num1 | currency:'USD':true:'2.2-4'}}` , given the value of num1 as 10.263782

*Mark only one oval.*

- \$10.20
- \$10.26
- \$10.263
- None of these

31. 23. What is the output, of having a integer having value of negative and greater than the size of the expression, for start, in SlicePipe

*Mark only one oval.*

- return entire list or string
- return the item at start index and all items after in the list or string expression
- return the item at start index from the end and all items after in the list or string expression
- return an empty list or string

32. 24. Which option of ng generate c command, under Angular CLI of Angular 6 , specifies if the style will be in the ts file

*Mark only one oval.*

- d
- s
- t
- None of these

33. 25. What is sent by server after approval of the client's request

*Mark only one oval.*

- 200 OK
- 400 OK
- 600 OK
- 800 OK

34. 26. What is the output, of having a integer having value of positive and greater than the size of the expression, for start, in SlicePipe

*Mark only one oval.*

- return an empty list or string
- return the item at start index and all items after in the list or string expression
- return the item at start index from the end and all items after in the list or string expression
- return entire list or string

35. 27. Which of the following will be method is executed at last, during component lifecycle

*Mark only one oval.*

- ngAfterContentInit
- ngAfterContentChecked
- ngDoCheck
- ngOnInit

36. 28. Which symbol indicates Angular dependencies

*Mark only one oval.*

- {
- @
- [
- '

37. 29. Which decorator is applicable for component class coded using TypeScript

*Mark only one oval.*

- @Component()
- @component()
- @Component
- @component

38. 30. How many parameters are taken by animate function in Angular

*Mark only one oval.*

- 1
- 2
- 3
- 4

39. 31. Which of the following function, invokes the iterator function in Angular

*Mark only one oval.*

- angular.uppercase
- angular.lowercase
- angular.forEach
- angular.extend

40. 32. What is not an feature being offered by Angular

*Mark only one oval.*

- Angular has an options to write client side application using Javascript using a clean Model View Controller (MVC) mechanism.
- Code or Applications written in Angular JS are cross browser compatible. Angular JS framework automatically handles javascript code suitable for each browser.
- AngularJS is open source, completely free, and used by thousands of developers around the world. It is licensed under the Apache license version 2.0.
- None of these

41. 33. Which of the following method is used to create route definitions

*Mark only one oval.*

- RouterModule.forRoot
- RouterModule
- RouterModule.Root
- RouterModule.for

42. 34. What is the data type of exported value - 'last' of NgForOf

*Mark only one oval.*

- String
- Number
- Boolean
- Enum

43. 35. What is not an feature of template driven forms in Angular

*Mark only one oval.*

- Suitable for simple scenarios
- Uses Two way data binding(using [(NgModel)]) syntax
- Automatic track of the form and its data(handled by Angular)
- None of these

44. 36. How to disable animations in Angular 6 application if using Angular Material and CDK

*Mark only one oval.*

- De-reference BrowserAnimationsModule in your application
- Import NoBrowserAnimationsModule into your application
- Import BrowserAnimationsModule into your application
- None of these

45. 37. Which of the following method is executed at first during component lifecycle

*Mark only one oval.*

- ngAfterContentInit
- ngDoCheck
- ngOnInit
- ngAfterContentChecked



46. 38. Select the output of following, assuming dateObj is (year: 2015, month: 6, day: 15, hour: 21, minute: 43, second: 11) in the local time and locale is 'en-US' - {{ dateObj | date:'mmss' }}

*Mark only one oval.*

- 1.7993055555555555
- 0.9048611111111111
- 0.904988425925926
- 43:11 PM

47. 39. What will be the output of decimalpipe expression - {{num1 | number:'3.2-5'}} , given the value of num1 as 12.638467846

*Mark only one oval.*

- 12.63
- 12.638
- 12.6384
- None of these

48. 40. Select the output of following, assuming dateObj is (year: 2015, month: 6, day: 15, hour: 21, minute: 43, second: 11) in the local time and locale is 'en-US' - {{ dateObj | date:'shortTime' }}

*Mark only one oval.*

- 0.9048611111111111
- 1.7993055555555555
- 0.904988425925926
- 43:11 PM

49. 41. Which option of ng generate c command, under Angular CLI of Angular 6 , specifies the view encapsulation strategy

*Mark only one oval.*

- d
- s
- t
- None of these

50. 42. What is the output, of having a positive integer for end, in SlicePipe

*Mark only one oval.*

- return all items before end index of the list or string.
- return all items before end index from the end of the list or string.
- return all items until the end.
- None of these

51. 43. What is the Angular modules for animations

*Mark only one oval.*

- Animations
- animations
- Animation
- animation

52. 44. Which of the following directives should not be used, on the same element as ngApp directive of Angular

*Mark only one oval.*

- ngIf
- ngInclude
- ngView
- All of these

53. 45. Which subdirectory includes the compiled project and JavaScript bundle, when you invoke the ng command to create an Angular application

*Mark only one oval.*

- dist
- e2e
- src
- app

54. 46. Which protocol is used on Internet for data exchange of web data

*Mark only one oval.*

- FTP
- SMTP
- TCP/IP
- SNMP

55. 47. Which of following is not a valid AngularJs Filter?

*Mark only one oval.*

- lowercase
- orderby
- time
- currency

56. 48. What is the data type of exported value - 'first' of NgForOf

*Mark only one oval.*

- String
- Number
- Boolean
- Enum

57. 49. Which type of forms places most of the form handling logic within that form's template

*Mark only one oval.*

- Permanent Forms
- Reactive Forms
- Display Forms
- Template-Driven Forms

58. 50. What is not an Angular feature, with respect to build a CRUD app in a cohesive set

*Mark only one oval.*

- Data-binding
- basic templating directives
- form validation
- None of these

59. 51. How many root scope are present in each Angular application

*Mark only one oval.*

- 1
- 2
- 3
- Depends upon the requirement

60. 52. Which Angular module, is needed to use NgIf, NgFor

*Mark only one oval.*

- BrowserModule
- CommonModule
- FormsModule
- HttpClientModule

61. 53. Which of the following global variable, can not be directly accessed by Angular expression

*Mark only one oval.*

- window
- document
- location
- All of these

62. 54. How many strategies are provided by Angular by LocationStrategy

*Mark only one oval.*

- 1
- 2
- 3
- 4

63. 55. Which type of web applications are more suitable for Angular

*Mark only one oval.*

- Online gaming
- CRUD applications
- Online IDE
- Depends upon the requirement

64. 56. Which elements are mandatory in an XHTML document?

*Mark only one oval.*

- doctype, html, head, and body
- doctype, html, head, body, and title
- doctype, html and body
- None of these

65. 57. Select the output of decimalpipe expression - `{{num1 | number:'3.2-5'}}` , given the value of num1 as 0.5

*Mark only one oval.*

- 0.5
- 0.05
- 0.9
- None of these

66. 58. What is the template language in Angular framework

*Mark only one oval.*

- Javascript
- Java
- C
- None of these

67. 59. What is the default value of maxFractionDigits, while using the DecimalPipe

*Mark only one oval.*

- 1
- 0
- 1
- None of these

68. 60. Which of the following will create an observable from a counter using RxJS in Angular 6

*Mark only one oval.*

- `const data = fromPromise(fetch('/api/endpoint'));`
- `const secondsCounter = interval(1000);`
- `const mouseMoves = fromEvent(el, 'mousemove');`
- None of these

69. 61. Which entity sends responses on web

*Mark only one oval.*

- Client
- server
- base computer
- personal computer



70. 62. What does the ngApp directive designate, in the Angular application

*Mark only one oval.*

- child element
- sibling element
- parent element
- None of these

71. 63. What is not a feature of the router in Angular, for a multi-page routed sample application

*Mark only one oval.*

- The Resolve guard (pre-fetching route data)
- Lazy loading feature modules
- The CanLoad guard (check before loading feature module assets)
- None of these

72. 64. Select the correct output of currency pipe expression - `{{num1 | currency}}`, given the value of num1 as 0.25

*Mark only one oval.*

- USD 2.5
- USD 2.50
- USD 2.500
- None of these

73. 65. What is the advantages of the component-based architecture

*Mark only one oval.*

- It Provide Consistent User Experience throughout the Application
- component-based UI Approach Accelerate Development Speed
- Reusability
- All of these

74. 66. Which of the following will introduce the animation capabilities into Angular root application module

*Mark only one oval.*

- AnimationsModule
- BrowserAnimationsModule
- browseranimationsModule
- animationsModule

75. 67. Select the output of following, assuming dateObj is (year: 2015, month: 6, day: 15, hour: 21, minute: 43, second: 11) in the local time and locale is 'en-US' - {{ dateObj | date }}

*Mark only one oval.*

- Jun 15, 2015
- 42170
- Jun, 2015
- July, 2015

76. 68. What can be called after the current play/record or stop action has completed?

*Mark only one oval.*

- mediaSuccess
- mediaComplete
- mediaStatus
- All of these

77. 69. Which cordova plugin is used to open external links form your app inside a web browser view?

*Mark only one oval.*

- org.apache.cordova.browser
- org.apache.cordova.inappbrowser
- org.apache.native.inappbrowser
- org.apache.cordova.ionicbrowser

78. 70. Which of the following SASS files is the «main» style file in Ionic 2 project?

*Mark only one oval.*

- style.scss
- main.scss
- global.scss
- app.scss

---

This content is neither created nor endorsed by Google.

Google Forms