

Online Examinations (Even Sem/Part-I/Part-II Examinations 2020 - 2021)

Course Name - -Quality Assurance

Course Code -BP606T

* You can submit the form ONLY ONCE.

* Fill the following information for further process.

* Required

1. Email *

2. Name of the Student *

3. Enter Full Student Code *

4. Enter Roll No *

5. Enter Registration No *

6. Enter Course Code *

7. Enter Course Name *

8. *

Mark only one oval.

- Diploma in Pharmacy
- Bachelor of Pharmacy
- B.TECH.(CSE)
- B.TECH.(ECE)
- BCA
- B.SC.(CS)
- B.SC.(BT)
- B.SC.(ANCS)
- B.SC.(HN)
- B.Sc.(MM)
- B.A.(MW)
- BBA
- [B.COM](#)
- B.A.(JMC)
- BBA(HM)
- BBA(LLB)
- B.OPTOMETRY
- B.SC.(MB)
- B.SC.(MLT)
- B.SC.(MRIT)
- B.SC.(PA)
- LLB
- [B.SC\(IT\)-AI](#)
- B.SC.(MSJ)
- Bachelor of Physiotherapy
- B.SC.(AM)
- Dip.CSE
- Dip.ECE
- [DIP.EE](#)
- DIP.CE

- [DIP.ME](#)
- PGDHM
- MBA
- M.SC.(BT)
- M.TECH(CSE)
- LLM
- M.A.(JMC)
- M.A.(ENG)
- M.SC.(MATH)
- M.SC.(MB)
- MCA
- M.SC.(MSJ)
- M.SC.(AM)
- M.SC.CS)
- M.SC.(ANCS)
- M.SC.(MM)
- B.A.(Eng)

Answer all the questions. Each question carry one mark.

9. 1.QMS stands for:

Mark only one oval.

- a.Quantity Management System
- b.Quality Management System
- c.Quality Management Standard
- d.None of these

10. 2.What is OOS investigation

Mark only one oval.

- a.Out-Of-Specification
- b.Out-Odd-Specification
- c.Out-Of-Standard
- d.None of these

11. [3.IQ](#) stands for:

Mark only one oval.

- a.Operational Qualification
- b.Investing Qualification
- c.In Process Qualification
- d.Installation Qualification

12. 4.PQ stands for:

Mark only one oval.

- a.Process Qualification
- b.Premises Qualification
- c.Performance Qualification
- d.None of these

13. 5.The full form of GMP is:

Mark only one oval.

- a.Good Laboratory Practice
- c.Good Manufacturing Process
- b.Good Manufacturing Practice
- .d.None of these

14. 6.Foundation in TQM involves:

Mark only one oval.

- a. Ethics
- b. Integrity
- Trust
- d. All of These

15. 7.Building Bricks in TQM involves:

Mark only one oval.

- a. Training
- b. Team Work
- c. Leadership
- d. All of these

16. 8. Quality Improvement Teams are set up for:

Mark only one oval.

- a. 3-12 Months
- b. 6-8 Months
- c. 18-24 Months
- d. None of these

17. 9. The first step of PDSA cycle is:

Mark only one oval.

- a. Do
- b. Study
- c. Plan
- d. Act

18. 10. The Fourth Step of PDSA cycle is:

Mark only one oval.

- a. Planning
- b. Implementation of the plan
- c. Act
- d. Study the data collected

19. 11.Guideline Q1 stands for:

Mark only one oval.

- a. Impurities
- b. Analytical validation
- c. Stability related quality
- d. Specifications

20. 12.STP means:

Mark only one oval.

- a. Specific Test Protocol
- b. Safety Test Protocol
- c. Stability Test Protocol
- d. Standard Test Protocol

21. 13.ICH stands for:

Mark only one oval.

- a. Indian conference of Harmonization
- b. International council of Harmonization
- c. International conference of Harmonization
- d. Indian council of Harmonization

22. 14.d. Indian council of Harmonization

Mark only one oval.

a. Q1

b. Q3

c. Q9

d. Q7

23. 15.QbD means:

Mark only one oval.

a. Quantity by Design

b. Quality by Design

c. Quality by Document

d. None of these

24. 16.CPPs stands for

Mark only one oval.

a. Critical Process Parameters

b. Control Process Parameters

c. Commercial Process Parameters

d. None of these

25. 17. According to ICH Q8 Design space is defined as:

Mark only one oval.

- a. 1 dimensional
- b. 5 dimensional
- c. 2 dimensional
- d. Multidimensional

26. 18. Tiles not Recommended for Production areas

Mark only one oval.

- a. Glass
- b. marble
- c. None of these
- d. Ceramic and Vinyl

27. 19. FDA full form is:

Mark only one oval.

- a. Food and Drug Association
- b. Food and Dose Association
- c. Asymptotically loose
- d. Food & Drug Administration

28. 20.The first level of training is conducted by:

Mark only one oval.

- a.Functional area
- b.One-on-one training
- c.Both a & b
- d.HR

29. 21.The third level of training is conducted by:

Mark only one oval.

- a.HR
- b.Functional area
- c.One-on-one training
- d.None of these.

30. 22.OJT means

Mark only one oval.

- a.Over-the-Job Training
- b.Out-the-Job Training
- c.Both a & b
- d.On-the-Job Training

31. 23.The room pressure in positive pressure rooms:

Mark only one oval.

- a.Lower than outer rooms
- b.Equal to outer rooms
- c.Higher than outer rooms
- None of these

32. 24.FIFO means:

Mark only one oval.

- a.First Install First Out
- b.First In First Out
- c.Both a & b
- d.None of these

33. 25.Ideal room temp. for storage:

Mark only one oval.

- a.25°C
- b.30 °C
- c.18 °C
- d.20 °C

34. 26.Soda-lime Glass is the example of:

Mark only one oval.

- a. Type I
- b. Type II
- c. Type III
- d. Type IV

35. 27.Ideal Humidity for storage

Mark only one oval.

- a.50%
- b.60%
- c.40%
- d.30%

36. 28.Low temp storage means

Mark only one oval.

- a.15-20 °C
- b.10-12 °C
- c.5-6 °C
- d.2-8 °C

37. 29. General purpose soda lime glass is the example of:

Mark only one oval.

- a. Type I
- b. Type II
- c. Type III
- d. Type IV

38. 30. Water Attack Test is done in

Mark only one oval.

- a. Type I Glass
- b. Type III
- c. Type NP
- d. Type III

39. 31. Temperature for Autoclaving

Mark only one oval.

- a. 190 °C
- b. 200 °C
- c. 90 °C
- d. 121 °C

40. 32.Whole Container Test is for

Mark only one oval.

- a.Paper
- b.Plastic Container
- c.Glass Container
- d.Cartan

41. 33.Water Vapour Permeability Test is for

Mark only one oval.

- a.Glass Container
- b.Plastic Container
- c.Rubber Closure
- d.Paper

42. 34.In Fragmentation Test Rubber Closures Are selected

Mark only one oval.

- a.10
- b.5
- c.15
- d.20

43. 35.Example of Secondary Packing Material is

Mark only one oval.

- a.Paper
- b. Carton
- c.Fibreboard
- d.All of These

44. 36.Air Tight containers are impermeable to

Mark only one oval.

- a. Solids
- b.Liquids
- c.Gases
- d.All of these

45. 37.GLP was First introduced in the year

Mark only one oval.

- a.1980
- 1972
- c.1930
- d.1950

46. 38.ADR means

Mark only one oval.

- a. Automatic Drug Reason
- b. Advance Dose Reaction
- c. Advance Drug Reaction
- d. Adverse Drug Reaction

47. 39.APR means

Mark only one oval.

- a. Automatic Product Report
- b. Annual Product Review
- c. Both a & b
- d. None of These

48. 40.PQR means

Mark only one oval.

- a. Procedure Quality Report
- b. Product Quantity Report
- c. Process Quality Review
- d. Product Quality Review

49. 41.Validation Concept was first introduced in

Mark only one oval.

a.1970

b.1950

c.1942

d.1901

50. 42.LRV means?

Mark only one oval.

a.Lower Range Value

b.Limited Range Value

c.Both a & b

d.None of these

51. 43.An unequal colour distribution on the surface of the tablet is called

Mark only one oval.

a.Cracking

b.Chipping

c.Picking

d.Mottling

52. 44.The 000 size capsules can fill the volume of

Mark only one oval.

- a.0.13 ml
- b.0.95 ml
- c.1.36 ml
- d.0.27 ml

53. 45.Which type of drug can be incorporated in liposome

Mark only one oval.

- a.Lipophilic
- b.Hydrophilic
- c.Both
- d.None

54. 46.The storage temperature for soft gelatine capsule shell is

Mark only one oval.

- a.21-24 °C
- b.15-18 °C
- c.18-20 °C
- d.25-27 °C

55. 47.NDA stands for

Mark only one oval.

- a.New Drug Application
- b.New Drug Approval
- c.New Discovery Application
- d.New Drug Agency

56. 48.Which of the following causes sticking problem

Mark only one oval.

- a.Stearic acid
- b.PVP
- c.Lactose Cellulose
- d.Cellulose

57. 49.ANDA stands for

Mark only one oval.

- a.Application for New Drug Approval
- b.Abbreviated New Drug Application
- c.Application for New Drug Agency
- d.Approval for New Drug Agency

58. 50. In which step of sugar-coating process colorants are used

Mark only one oval.

- a. Sealing
- b. Syruping
- c. Sub coating
- d. Polishing

59. 51. Capping is due to which of the following reasons

Mark only one oval.

- a. Air entrapment
- b. Too high compression force
- c. Too rapid expansion
- d. All of these

60. 52. No drug, regardless of its shelf life, can be sold after

Mark only one oval.

- a. 2 years
- b. 3 years
- c. 5 years
- d. 7 years

61. 53.Which sterilization method is used for vitamin B

Mark only one oval.

- a.Autoclaving
- b.Heating
- c.Filtration
- d.All of these

62. 54.Disposable Syringe are made of

Mark only one oval.

- a.Polypropylene
- b.Transparent polystyrene
- c.Glass
- d.PTFE

63. 55.Which of the below has minimum permissible solid content

Mark only one oval.

- a. Distilled Water
- b. WFI
- c. SWFI
- d. None of the Above

64. 56.Which of the following dye is used for the leak test

Mark only one oval.

- a. Orange red
- b. Methylene Blue
- c. Methylene red
- d. None of these

65. 57.Integrity tests for a filter are performed

Mark only one oval.

- a. To detect damaged membrane
- b. To detect ineffective sealing of filter
- c. To detect system leak
- d. All

66. 58.Cool storage means

Mark only one oval.

- a. 2-8 °C
- b.20-25 °C
- c.8-15 °C
- d.-18 °C

67. 59.Freezer means

Mark only one oval.

- a.2-8 °C
- b.-5 to -20 °C
- c.- 18 °C
- d.-2 °C

68. 60.Deep Freezer means

Mark only one oval.

- a.-5 to -10 °C
- b.-2 to -8 °C
- c.0 °C
- d.Below -18 °C

69. 61.Freely soluble means

Mark only one oval.

- a.Less than 1 part
- b.10-30 part
- c.30-100 part
- d.1-10 parts

70. 62. Practically insoluble means

Mark only one oval.

- a. 30-100 parts
- b. More than 10,000 parts
- c. 100-1000 parts
- d. 1000-10,000 parts

71. 63. QSE stands for

Mark only one oval.

- a. Quality, safety and efficacy
- b. Quality, stability and efficacy
- c. Quantity, security and effectiveness
- d. Quantity, shelf-life, efficacy

72. 64. SIP means

Mark only one oval.

- a. Store in Place
- b. Sterile in Place
- c. Both
- d. None

73. 65.Niacin test is done to detect

Mark only one oval.

- a.Tuberculosis
- b.AIDS
- c.Typhoid
- d.Leprosy

74. 66.All metal syringe are sterilized by

Mark only one oval.

- a.Moist heat
- b.Ethylene Oxide
- c.Gamma radiation
- d.Dry heat

75. 67.BMR stands for

Mark only one oval.

- basic manufacturing record
- batch manufacturing review
- basic material review
- batch manufacturing record

76. 68. Drug and cosmetics Act is established in

Mark only one oval.

a. 1950

b. 1940

c. 1990

d. 1920

77. 69. DMF stands for

Mark only one oval.

data manufacturing file

date modified for

data modification file

drug master file

78. 70. Pharmacy act is established in

Mark only one oval.

a. 1940

b. 1948

1954

d. 1919

79. 71.AHU stands for

Mark only one oval.

- artificial holding unit
- air handling unit
- air holdup unit
- artificial handling unit

80. 72.Poisonous Act is established in

Mark only one oval.

- a.1942
- b.1957
- c.1989
- d.1919

81. 73.Drug price control order act is established in

Mark only one oval.

- a.1991
- b.1920
- c.1995
- d.1993

82. 74.IPQA stands for

Mark only one oval.

- in house process quality
- in process quality assurance
- in process quality activity
- in product quality attribute

83. 75.Narcotic and psychotropic substance act is established in

Mark only one oval.

- a.1985
- b.1989
- c.1925
- d.1930

This content is neither created nor endorsed by Google.

Google Forms