Online Assessment (Even Sem/Part-I/Part-II Examinations 2019 - 2020

Course Name - Data Structure Course Code - BCA201

- * You can submit the form ONLY ONCE.
- * Fill the following information for further process.
- * Required

1.	Email address *
2.	Name of the Student *
3.	Enter Full Student Code *
4.	Enter Roll No *
5.	Enter Registration No *
6.	Enter Course Code *

7. Enter Course Name *

8.	Select Your Programme *
	Mark only one oval.
	Diploma in Pharmacy
	Bachelor of Pharmacy
	B.TECH.(CSE)
	B.TECH.(ECE)
	BCA
	B.SC.(CS)
	B.SC.(BT)
	B.SC.(ANCS)
	B.SC.(HN)
	B.Sc.(MM)
	B.A.(MW)
	BBA
	<u>B.COM</u>
	B.A.(JMC)
	BBA(HM)
	BBA(LLB)
	B.OPTOMETRY
	B.SC.(MB)
	B.SC.(MLT)
	B.SC.(MRIT)
	B.SC.(PA)
	LLB
	PGDHM
	Dip.CSE
	Dip.ECE
	Dip.EE
	Dip.CE
	Dip.ME
	MCA
	M.SC.(CS)

	M.SC.(ANCS)
	M.SC.(MM)
	MBA
	M.SC.(BT)
	M.TECH(CSE)
	LLM
	M.A.(JMC)
	M.A.(ENG)
	M.SC.(MATH)
	M.SC.(MB)
Aı	nswer all the questions. Each question carry one mark.
9.	1. Which of the following is non-linear data Structure?
	Mark only one oval.
	Stacks
	List
	Strings
	Trees
10.	2. Which data structure allows deleting data elements from front and inserting at the rear?
	Mark only one oval.
	Stack
	Queue
	List
	None of these

11.	3. How is Data in a stack accessed?
	Mark only one oval.
	First in First out First in Last out
	Last in First out
	Last in Last out
12.	4. The condition indicate the queue is empty.
	Mark only one oval.
	Front=Null
	Null=Front
	Front=Rear
	Rear=Null
13.	5 is a directed tree in which out degree of each node is less than or equal to two.
	Mark only one oval.
	Unary tree
	Binary tree
	Ternary tree
	both binary tree & Ternary tree

14.	6. Which data structure is needed to convert infix notation to postfix notation?
	Mark only one oval.
	Branch
	Tree
	Queue
	Stack
15.	7. Which is the pointer associated with the stack?
	Mark only one oval.
	FIRST
	FRONT
	TOP
	REAR
16.	8. Which search technique is better?
	Mark only one oval.
	Linear
	Binary
	all of these
	None of these

17.	9. Convert the following infix expressions into its equivalent postfix expressions(A + B Λ D)/(E – F)+G.
	Mark only one oval.
	$ (A B D \Lambda + E F - / G +) $
	$ (A B D + \Lambda E F - / G +) $
	(A B D +Λ E F/- G +)
	$\bigcirc (A B D E F + \Lambda / - G +)$
18.	10. The best case complexity of Bubble sort algorithm is
	Mark only one oval.
	O(n)
	O(log n)
	O(n2)
	O(n log n)

This content is neither created nor endorsed by Google.

Google Forms