

Online Assessment (Even Sem/Part-I/Part-II Examinations 2019 - 2020)

Course Name - Pharmacology

Course Code - BPA203

* You can submit the form ONLY ONCE.

* Fill the following information for further process.

* Required

1. Email address *

2. Name of the Student *

3. Enter Full Student Code *

4. Enter Roll No *

5. Enter Registration No *

6. Enter Course Code *

7. Enter Course Name *

8. Select Your Programme *

Mark only one oval.

- Diploma in Pharmacy
- Bachelor of Pharmacy
- B.TECH.(CSE)
- B.TECH.(ECE)
- BCA
- B.SC.(CS)
- B.SC.(BT)
- B.SC.(ANCS)
- B.SC.(HN)
- B.Sc.(MM)
- B.A.(MW)
- BBA
- [B.COM](#)
- B.A.(JMC)
- BBA(HM)
- BBA(LLB)
- B.OPTOMETRY
- B.SC.(MB)
- B.SC.(MLT)
- B.SC.(MRIT)
- B.SC.(PA)
- LLB
- PGDHM
- Dip.CSE
- Dip.ECE
- Dip.EE
- Dip.CE
- Dip.ME
- MCA
- M.SC.(CS)

- M.SC.(ANCS)
- M.SC.(MM)
- MBA
- M.SC.(BT)
- M.TECH(CSE)
- LLM
- M.A.(JMC)
- M.A.(ENG)
- M.SC.(MATH)
- M.SC.(MB)

Answer all the questions. Each question carry one mark.

9. 1.Bioavailability is usually the least by the following route of administration: *

Mark only one oval.

- Intramuscularly
- Intravenously
- Rectal
- Orally

10. 2.In zero order kinetics $t_{1/2}$: *

Mark only one oval.

- Remain constant
- Increase with dose
- Decrease as dose increase
- First decrease then increase

11. 3.Which is not the parenteral route of administration : *

Mark only one oval.

- Subcutaneous
- Intrathecal
- Intravenous
- Topical

12. 4.Antiulcer drug is : *

Mark only one oval.

- Methylcellulose
- Ciprofloxacin
- Pyrimethamine
- Pirenzepine

13. 5.Pharmacogenetics deals with: *

Mark only one oval.

- Clinically significant genetically mediated variations in drug response
- Harmful effects on foetus
- Drug induced genetic defect
- Development of drugs by DNA recombinant technology

14. 6.Primary site of drug metabolism is: *

Mark only one oval.

- Liver
- Kidney
- Lungs
- Spinal cord

15. 7.Which of following is a proton pump inhibitor? *

Mark only one oval.

- Magnesium carbonate
- Ranitidine
- Omeprazole
- Sucralfate

16. 8.Which laxative should not be used to treat acute constipation because of its slow onset of action? *

Mark only one oval.

- Glycerin
- Bisacodyl suppository
- Psyllium
- Milk of magnesia

17. 9. Metronidazole is least likely to be effective in the treatment of: *

Mark only one oval.

- Amebiasis
- Giardiasis
- Pneumocystosis
- Pseudomembranous colitis

18. 10. Only class of antiulcer drugs that can eradicate *Helicobacter pylori* and cure associated gastritis: *

Mark only one oval.

- Sucralfate
- Coloidal bismuth
- H₂ blockers
- Anticholinergic agents

19. 11. Codeine acts as a cough sedative by: *

Mark only one oval.

- Producing mild nausea
- Depressing bronchiolar secretions
- Depressing pulmonary action
- Depressing cough center

20. 12.Which of the following is most useful in acute asthma: *

Mark only one oval.

- Ketotifen
- Cromolyn
- Terbutaline
- Cortico-steroids

21. 13.Where are H2 receptors located? *

Mark only one oval.

- Bronchi
- Intestines
- Blood vessels
- Stomach

22. 14.Lansoprazole would be effective in the treatment of : *

Mark only one oval.

- Gastroesophageal reflux disease
- Peptic ulcer disease
- Zollinger-Ellison syndrome
- All of the above

23. 15.Which of the following is an expectorant? *

Mark only one oval.

- Codeine
- Noscapine
- Guaiphenesin
- Dextromethorphan

24. 16.Drug of choice in theophylline poisoning: *

Mark only one oval.

- Cortisone
- Propranolol
- Thyroxine
- Phenytoin

25. 17.Directly acting cough suppressant is: *

Mark only one oval.

- Dextromethorphan
- Bromhexine
- Acetyl cysteine
- Carbeapentane

26. 18.Thiazide diuretics diminish the effect of all except: *

Mark only one oval.

- Diazoxide
- Sulfonylurea
- Uricosuric agent
- Anticoagulant

27. 19.High ceiling diuretics which is sulfonylurea derivative is: *

Mark only one oval.

- Torsemide
- Azosemide
- Furosemide
- All

28. 20.Megaloblastic anemia is caused by: *

Mark only one oval.

- Acetazolamide
- Muzolimine
- Furosemide
- Triamterene

29. 21. Chemically Frusemide is: *

Mark only one oval.

- Carbonic anhydrase inhibitor
- Sulphamoyl derivative
- Mercurial derivatives
- Aldosterone antagonist

30. 22. Which one of the following can relax both arterioles and veins? *

Mark only one oval.

- Sodium nitroprusside
- Dopamine agonists
- Diazoxide
- Proton pump inhibitors

31. 23. The shortest acting opioid analgesic used in anesthetic practice is *

Mark only one oval.

- Morphine
- Alfentanyl
- Fentanyl
- Sufentanyl

32. 24.Among stages of general anaesthesia 2nd stage is called: *

Mark only one oval.

- Analgesia
- Excitement
- Analgesia and excitement
- Surgical anaesthesia

33. 25.The primary site of action of osmotic diuretics is: *

Mark only one oval.

- Collecting ducts
- Henle's loop
- Distal convoluted tubule
- All

34. 26.Potassium channel opener hypotensive is : *

Mark only one oval.

- Magnesium carbonate
- Raniidine
- Pinacidil
- Minoxidil

35. 27. Which one of the following does not act on potassium channel? *

Mark only one oval.

- Methylcellulose
- Uradipil
- Diazoxide
- Pirenzepine

36. 28. All of the following anesthetic agents cause increase in intracranial pressure, except *

Mark only one oval.

- Halothane
- Isoflurane
- Desflurane
- Enflurane

37. 29. Which one of the following is a broad spectrum topical antifungal agent? *

Mark only one oval.

- Miconazole
- Tolnaftate
- Nafitifine
- Ciclopirox olamine

38. 30. Second generation cephalosporin which can cross blood brain barrier is *

Mark only one oval.

Cefuroxime

Cefoxitin

Cefachlor

Cefazolin

This content is neither created nor endorsed by Google.

Google Forms