Online Assessment (Even Sem/Part-I/Part-II Examinations 2019 - 2020

Course Name - Pharmacology and Toxicology Course Code - 2.3T

* You can	submit the f	form ONLY ONCE.
-----------	--------------	-----------------

- * Fill the following information for further process.
- * Required

1.	Email address *
2.	Name of the Student *
3.	Enter Full Student Code *
4.	Enter Roll No *
5.	Enter Registration No *
6.	Enter Course Code *

7.	Enter Course Name *
8.	Select Your Programme *
	Mark only one oval.
	D.PHARM
	B.SC.(CS)
	B.SC.(HN)
	B.A.(MW)
	BBA
	<u>B.COM</u>
	BCA
	M.SC.(CS)
	M.SC.(HN)
	M.A.(MW)
	MBA
	MCA
	M.TECH(CSE)
Α	nswer all the questions. Each question carry one mark.
9.	1. Pharmacodynamics deals with the study of:
	Mark only one oval.
	Mechanism of action of drug
	Interaction with recepter
	Toxic effect of drug
	Metabolism of drug

2. Bioavailability is usually the least by the following route of administration:

10.

	Mark only one oval.
	Intramuscularly
	Intravenously
	Rectal
	Orally
11.	3. Process contributing least to transport of drug across biological membranes:
	Mark only one oval.
	Passive diffusion
	Pinocytosis
	Active transport
	Facilitated diffusion
12.	4. Pharmacogenetics deals with:
	Mark only one oval.
	Clinically significant genetically mediated variations in drug response
	Harmful effects on foetus
	Drug induced genetic defect
	Development of drugs by DNA recombinant technology

13.	5. Chlorpropamide metabolism is enhanced by:
	Mark only one oval.
	Ethyl alcohol
	Diazepam
	Lorazepam
	Chloridazepoxide
14.	6. All of following are examples of prodrugs except:
	Mark only one oval.
	Levodopa
	Enlapril
	Omeprazole
	Indomethacin
15.	7. General anaesthetic is useful because it causes:
	Mark only one oval.
	Excellent analgesia
	Unconsciousness
	Muscle relaxation and unconsciousness
	Abolition of reflexes

10.	8. Drug of choice in psychomotor epilepsy is:
	Mark only one oval.
	Valproic acid
	Carbazipine
	Ethosuccimide
	Barbiturate
17.	9. One of the methods to measure changes in the levels of consciousness during anesthesia is
	Mark only one oval.
	Auditory Evoked Potential
	Visual Evoked Potential
	Tactile Evoked Potential
	Speech Evoked Potential
18.	10. Which one of these barbiturates is used as intravenous aneasthetics?
	Mark only one oval.
	Phenobarbitone
	Thiopentone
	Barbitone
	All of these

19.	11. Plasma level of vitamin A may be significantly affected by?
	Mark only one oval.
	Vitamin D
	Oral contraceptives
	Cephalosporin
	Aspirin
20.	12. Which of the following antiallergic drug does not have CNS depressant activity?
	Mark only one oval.
	Astemizole
	Diphenhydramine
	Hydroxyzine
	Pheniramine
21.	13. Drug of choice for acute migraine is :
	Mark only one oval.
	Sumatriptan
	Ergot alkaloids
	Ketanserin
	Ondansetron

22.	14. Which one of the following local anesthetics belongs to the ester group?
	Mark only one oval.
	Procaine Bupivacaine Lignocaine Mepivacaine
23.	15. Which of the following drugs is both a muscarinic and nicotinic blocker?
	Mark only one oval.
	Atropine Benztropine Hexamethonium Succinylcholine
24.	16. Diuretic used in hypokalemic state :
	Mark only one oval.
	Frusemide
	Thiazide
	Bumetamide
	Spiranolactone

25.	17. Cardioselective β-blockers is/are
	Mark only one oval.
	Atenolol Labetalol Sotalol Propanolol
26.	18. Originally Oxyetracycline is known as: Mark only one oval. Aureomycin Erythromycin Terramycin Viomycin
27.	19. Which one of these is not given in urinary tract infection? Mark only one oval. Nalidixic acid Nitrofurantoin Cotrimoxazole Tetracycline

28.	20. When give in transdermal route, estrogen have minimum effect on:
	Mark only one oval.
	Steroid binding globulin Lipoprotein profile Norethynodrel Medroxyprogesterone
29.	21. Renin released on stimulation of following receptor:
	Mark only one oval.
	Alpha 1 Alpha 2 Beta 1 Beta 2
30.	22. Vasopressor of choice in pregnancy is:
	Mark only one oval.
	Ephedrine Phenylephrine Methoxaine Mephenteramine

31.	23. Pilocarpine is used in:
	Mark only one oval.
	Glaucoma Paralytic ileus Urinary retention All of these
32.	24. The following drugs are used for treatment of bronchial asthma as bronchodilators except?
	Mark only one oval.
	Theophyline Beclomethasone Ipratopium Salmeterol
33.	25. Which of the following drugs prevents attack of allergic asthma? Mark only one oval. Ipratropium Salbutamol Theophylline
	Ketotifen

34.	26. Which of following drugs is used to stimulate heart?	
	Mark only one oval.	
	Aspirin	
	Morphine	
	Streptomycin	
	Digitalis	
35.	27. A Very common side effect of morphine is:	
	Mark only one oval.	
	Allergic response	
	Blood dyscrasias	
	Constipation	
	Liver damage	
36.	28. Side effect of captopril are all except:	
	Mark only one oval.	
	Cough	
	Hyperkalemia	
	Renal dysfunction	
	Hemolytic anemia	

37.	29. Drug of choice in insomnia due to anxiety:
	Mark only one oval.
	Paraldehyde
	Meprobamate
	Imipramine
	Morphine
38.	30. Potassium supplement are given with:
00.	
	Mark only one oval.
	Spiranolactone
	Prednisolone
	Thiazides
	None of these
39.	Submission ID (skip this field) *
	△ DO NOT EDIT this field or your time will not be recorded.

This content is neither created nor endorsed by Google.

Google Forms