Online Assessment (Even Sem/Part-I/Part-II Examinations 2019 - 2020

Course Name - Medicinal Chemistry I Course Code - BP402T

- * You can submit the form ONLY ONCE.
- * Fill the following information for further process.
- * Required

1.	Email address *
2.	Name of the Student *
3.	Enter Full Student Code *
4.	Enter Roll No *
5.	Enter Registration No *
6.	Enter Course Code *

7. Enter Course Name *

8.	Select Your Programme *
	Mark only one oval.
	Diploma in Pharmacy
	Bachelor of Pharmacy
	B.TECH.(CSE)
	B.TECH.(ECE)
	BCA
	B.SC.(CS)
	B.SC.(BT)
	B.SC.(ANCS)
	B.SC.(HN)
	B.Sc.(MM)
	B.A.(MW)
	BBA
	B.COM
	B.A.(JMC)
	BBA(HM)
	BBA(LLB)
	B.OPTOMETRY
	B.SC.(MB)
	B.SC.(MLT)
	B.SC.(MRIT)
	B.SC.(PA)
	LLB
	PGDHM
	Dip.CSE
	Dip.ECE
	Dip.EE
	Dip.CE
	Dip.ME
	MCA
	M.SC.(CS)

M.SC.(ANCS)
M.SC.(MM)
MBA
M.SC.(BT)
M.TECH(CSE)
LLM
M.A.(JMC)
M.A.(ENG)
M.SC.(MATH)
M.SC.(MB)
Answer all the questions. Each question carry one mark.
 1.A structure which is used as the starting point for drug design and development is termed as*
Mark only one oval.
Active principle
Pharmacophore
Lead compound
Orphan drug
10. 2.Replacement of -O- in a molecule by -S- is an example of: *
Mark only one oval.
Stereoisomerism
Homologation
Isosteric replacement
None of these

11.	3.Which of the following is NOT a phase I metabolic transformation?
	Mark only one oval.
	Alcohol conjugation
	Alkyl oxidation
	Ester hydrolysis
	Ketones reduction
12.	4.Which of the following is a Phase I metabolism transformation? *
	Mark only one oval.
	Oxidation
	Reduction
	Hydrolysis
	All of the above
13.	5. Which of the following is used for the treatment of angina pectoris? *
10.	Mark only one oval.
	Atenolol
	Valproic acid
	Paracetamol
	Griseofulvin

14.	6. Which of the following drugs is used for the treatment of cardiac ischemia and congestive heart failure? *
	Mark only one oval.
	a. Bisoprolol
	b. Aspirin
	c. Paracetamol
	d. Pantoprazole
15.	7.Ephedrine functions as*
	Mark only one oval.
	Bronchodilator
	Cardiac stimulant
	Nasal decongestant
	All of the above
16.	8. Hydroxyamphetamine is used for the treatment of*
	Mark only one oval.
	Fever
	Inflammation
	Malaria
	b. Narcolepsy

17.	9. Metibranolol is used for the treatment of*
	Mark only one oval.
	Neuritis
	Nephritis
	Glaucoma
	Gall stone
18.	10.Catecholamines are biosynthesized from which amino acid? *
	Mark only one oval.
	Tyrosine
	Glycine
	Alanine
	Valine
19.	11.Pseudoephedrine acts as a*
	Mark only one oval.
	Bronchodilator
	Vasoconstrictor
	Diuretic
	Antiseptic

20.	12.Which of the following is an imidazole derivative and potent competitive antagonist of bot alpha 1 and alpha 2 receptor? *
	Mark only one oval.
	Prazosin
	Phenoxybenzamine
	Labetalol
	Phentolamine
21.	13. Dicyclomine is as an*
	Mark only one oval.
	Antispasmodic
	Antiulcer
	Antacid
	Anthelminthic
22.	14.Which of the following drugs is used to overcome paralysis caused by skeletal muscle relaxants? *
	Mark only one oval.
	Edrophonium
	Griseofulvin
	Methicillin
	Barbiturate

23.	15.Which of the following drugs is an antiulcer agent? *
	Mark only one oval.
	Mepenzolate
	Paracetamol
	Nimesulide
	Aspirin
24.	16.Neostigmine is synthesized from*
	Mark only one oval.
	m-Chloro-N,N-dimethylaminobenzene
	3-dimethylaminophenone
	3-(4-methoxyphenyl)-1-methylhydrazine
	None of these
25.	17.Which of the following drugs is a carbamate derivative? *
	Mark only one oval.
	Rivastigmine
	Galantamine
	Amphetamine
	Aspirin

26.	18.Which of the following drugs is a piperidine derivative? *
	Mark only one oval.
	Gemcitabine
	Donezepil
	Metformin
	Penicillin
27.	19.Which of the following is a salicylic acid derivative? *
	Mark only one oval.
	Aspirin
	Ketamine
	Halothane
	Paracetamol
28.	20.Which of the following is a propionic acid derivative? *
	Mark only one oval.
	Sulindac
	Aspirin
	Ibuprofen
	Paracetamol

29.	21.Which of the following agents is a full antagonist of opioid receptors? *
	Mark only one oval.
	Meperidine
	Naloxone
	Dezocine
	Butorphanol
30.	22.The term for replacement of hydrogen with a flourine atom is known as
	Mark only one oval.
	Isotope
	Isostere
	Isomer
	Isobar
31.	23.Select a false statement given below with respect to the Lipinski's Rule of five *
	Mark only one oval.
	Molecular weight of drug must be less than 500
	Number of H-bond donor must be less than 5
	Number of H-bond acceptor must be less than
	Log P must be less than 5

32.	24. Which of the following is used for the treatment of cardiac failure? *
	Mark only one oval.
	Timolol
	Aspirin
	Nimesulide
	Betaxolol
33.	25.Which of the following drugs is used for the treatment of migraine? *
	Mark only one oval.
	Nalidixic acid
	Tamoxifen
	Tolbutamide
	Methysergide
34.	26.The parasympathetic system is also known as*
	Mark only one oval.
	a. Cholinergic system
	b. Adrenergic system
	c. c. Both cholinergic system & adrenergic system
	d. None of the above

35.	27.Oxymetazoline is principally used as a*
	Mark only one oval.
	Diuretic Antibiotic Vasodilator
	Nasal decongestant
36.	28.Which of the following drugs is used for the treatment of peripheral vasospasm? *
	Mark only one oval.
	Ampicillin Galantamine Tolazoline Procaine
37.	29.Betanechol is used for the treatment of* Mark only one oval.
	Alzheimer's disease Parkinson's disease Wilson's disease Nephritis

38.	30.Ecothiophate is used for the treatment of *
	Mark only one oval.
	a. Glaucoma
	b. Hypertension
	c. Gangrene
	d. Yellow fever

This content is neither created nor endorsed by Google.

Google Forms