Online Assessment (Even Sem/Part-I/Part-II Examinations 2019 - 2020

Course Name - Pharmacology I Course Code - BP404T

- * You can submit the form ONLY ONCE.
- * Fill the following information for further process.
- * Required

1.	Email address *
2.	Name of the Student *
3.	Enter Full Student Code *
4.	Enter Roll No *
5.	Enter Registration No *
6.	Enter Course Code *

7. Enter Course Name *

8.	Select Your Programme *
	Mark only one oval.
	Diploma in Pharmacy
	Bachelor of Pharmacy
	B.TECH.(CSE)
	B.TECH.(ECE)
	BCA
	B.SC.(CS)
	B.SC.(BT)
	B.SC.(ANCS)
	B.SC.(HN)
	B.Sc.(MM)
	B.A.(MW)
	BBA
	B.COM
	B.A.(JMC)
	BBA(HM)
	BBA(LLB)
	B.OPTOMETRY
	B.SC.(MB)
	B.SC.(MLT)
	B.SC.(MRIT)
	B.SC.(PA)
	LLB
	PGDHM
	Dip.CSE
	Dip.ECE
	Dip.EE
	Dip.CE
	Dip.ME
	MCA
	M SC (CS)

M.SC.(ANCS)
M.SC.(MM)
MBA
M.SC.(BT)
M.TECH(CSE)
LLM
M.A.(JMC)
M.A.(ENG)
M.SC.(MATH)
M.SC.(MB)
Answer all the questions. Each question carry one mark.
9. 1.Study of drug in humans is termed as: *
Mark only one oval.
Mark only one oval. Pharmacy
Pharmacy
Pharmacy Clinical Pharmacology
Pharmacy Clinical Pharmacology Experimental Pharmacology
Pharmacy Clinical Pharmacology Experimental Pharmacology
Pharmacy Clinical Pharmacology Experimental Pharmacology
Pharmacy Clinical Pharmacology Experimental Pharmacology Toxicology
Pharmacy Clinical Pharmacology Experimental Pharmacology Toxicology 10. 2.Enteric – coated tablets: *
Pharmacy Clinical Pharmacology Experimental Pharmacology Toxicology 10. 2.Enteric – coated tablets: * Mark only one oval.
Pharmacy Clinical Pharmacology Experimental Pharmacology Toxicology 10. 2.Enteric – coated tablets: * Mark only one oval. Have particles of drug covered with coating
Pharmacy Clinical Pharmacology Experimental Pharmacology Toxicology 10. 2.Enteric – coated tablets: * Mark only one oval. Have particles of drug covered with coating Increase gastric irritation

11.	3.In zero order kinetics t1/2 *
	Mark only one oval.
	Remain constant Increase with dose Decrease as dose increase First decrease then increase
12.	4.Which one of the following statement is not correct about the pharmacokinetic of drug in pregnancy? * Mark only one oval. Decline in total plasma protein Increase in total amount of body fluid The volume of distribution of drug remain unchanged The binding affinity of basic drug increased
13.	5.Which one of the following classes of the drug does not act on any type of receptor? * Mark only one oval. CNS stimulant Steroid General anesthetics Antacid

14.	6.How many helixes are present in G-Protein receptor? *
	Mark only one oval.
	Six helix
	Three helix
	Seven helix
	Five helix
15.	7.The role of ion channel is*
	Mark only one oval.
	measuring the electric impulse generation
	Balancing of fluid
	Measuring the conduction of heart
	All of the above
16.	8. Insulin produces their action by acting on which one of the following receptor?
	Mark only one oval.
	G-protein receptor
	Tyrosine kinase receptor
	On channel receptor
	Cytosine receptor

17.	9.In prevention of absorption of ingested poisons a standard charcoal suspension should be*
	Mark only one oval.
	20-40 g in 100 ml water
	10-20 g in 100 ml water
	20-40 g in 200 ml water
	10-20 g in 200 ml water
18.	10.The factors contributing to the unequal distribution of drugs are all except: *
	Mark only one oval.
	Binding to plasma proteins
	Cellular binding
	Concentration in body fat
	Heterogenesity of the drug
19.	11.Drug allergy is also known as *
	Mark only one oval.
	Hypersensityvity
	Supersensitivity
	Unhappiness
	Idiosyncrasy

20.	12.Which one of the following acts as cholinesterase reactivator? *
	Mark only one oval.
	Atropine
	Pralidoxime
	Pirenzepine
	Ipratropium
21.	13.Beta blockers are contraindicated in *
	Mark only one oval.
	Hypertension
	Congestive cardiac failure
	Hypolipidemic patient
	Diabetes
22.	14.Therapeutic use of Amphetamine is *
	Mark only one oval.
	Uterine relaxant
	CNS stimulant
	Nasal decongestant
	Bronchodilator

15. Which one of these barbiturates is used as intravenous anesthetic? *
Mark only one oval.
Phenobarbitone Barbitone Thiopentone
All of these
16.Drug of choice in psychomotor epilepsy is *
Mark only one oval.
Valproic acid Carbazipine Ethosuccimide Barbiturate
17.The drug of choice in tonic-clonic seizures is-* Mark only one oval. Carbamazepine Lamotrigine Phenytoin Valproate

26.	18. Which one of the following drugs is an atypical antidepressant
	Mark only one oval.
	Imipramine
	Maclobemide
	Fluvoxamine
	Mianserin
27.	19.The antidepressant which inhibit monoamine oxidase *
۷1.	17. The antidepressant which inhibit mondarnine oxidase
	Mark only one oval.
	Amitryptalline
	Chlogyline
	Amoxapine
	None of these
28.	20.Which one of the following statement is wrong for carbidopa? *
	Mark only one oval.
	It increase half life of levodopa
	Decreases the peripheral conversion of dopamine
	Inhibit dopamine decarboxylase
	Affect the central conversion to dopamine

29.	21. The analgesic whose effect are resistant to reversal by naloxone is *
	Mark only one oval.
	Nalbufine Levarphenol
	Dezocine
	Buprenorphine
30.	22.Name of a drug accepted by a scientific body USAN (united state adopted names) council is: *
	Mark only one oval.
	Generic name
	Chemical name
	Brand name
	None of above
31.	23.Which one of the following statement is correct pharmacokinetically? *
	Mark only one oval.
	Acidic drugs unionized at alkaline pH
	Basic drugs are unionized at acidic pH
	Basic drug ionized at alkaline pH
	Acidic drug ionized more in alkaline pH

32.	24.Irreversible cholinesterase inhibitors form which type of bond with their receptor? *
	Mark only one oval.
	Covalent bond
	Onic bond
	Hydrogen bond
	None of the above
33.	25.The selectivity of drug action depend upon *
	Mark only one oval.
	Size of the drug
	Chemical structure of the drug
	Electric charge of the drug
	All of the above
34.	26.Acetyl salicylate & phenobarbitone are better absorbed from stomach because they are *
	Mark only one oval.
	Weak acids remain non-ionic in gastric pH
	Weak acids remain ionic in gastric pH
	Strong acids fully ionized in gastric pH
	Weak bases which are ionized at gastric pH

27.Selectivity of Dopamine is towards *
Mark only one oval.
α and β antagonist α and β agonist α agonist β angonist
28.Cardioselective beta blocker is *
Mark only one oval.
atenolol Sotalol Labetelol Propranolol
29.Which one of the following is selective β1 agonist? * Mark only one oval.
Nor epinephrine Feneterol Isoproterenol Dopamine

38.	30.One of the following benzodiazepines does not produce active metabolite is *
	Mark only one oval.
	Diazepam
	Flurazepam
	Chlordiazepoxide
	Oxazepam

This content is neither created nor endorsed by Google.

Google Forms