

Online Assessment (Even Sem/Part-I/Part-II Examinations 2019 - 2020)

Course Name - Hospital and Clinical Pharmacy

Course Code - 2.6T

* You can submit the form ONLY ONCE.

* Fill the following information for further process.

* Required

1. Email address *

2. Name of the Student *

3. Enter Full Student Code *

4. Enter Roll No *

5. Enter Registration No *

6. Enter Course Code *

7. Enter Course Name *

8. Select Your Programme *

Mark only one oval.

D.PHARM

B.SC.(CS)

B.SC.(HN)

B.A.(MW)

BBA

[B.COM](#)

BCA

M.SC.(CS)

M.SC.(HN)

M.A.(MW)

MBA

MCA

M.TECH(CSE)

Answer all the questions. Each question carry one mark.

9. 1. AIIMS is a _____ :

Mark only one oval.

Teaching-cum-Research hospital

General hospital

Specialised hospital

Isolation hospital

10. 2. Nursing services were started by National League of Nursing in the USA in ____:

Mark only one oval.

1948

1964

1955

1978

11. 3. The National Government launched National Rural Health Mission in ____:

Mark only one oval.

2001

2004

2000

2005

12. 4. Hospital possessing TV, telephone facilities in a air-conditioned room belong to:

Mark only one oval.

Budget hospital

Elite hospital

Allopathic hospital

Urban hospital

13. 5. The chief pharmacist or director should have minimum _____ degree in Pharmacy:

Mark only one oval.

- Under graduate
- Post graduate
- Ph.D
- None of these

14. 6. The floor space should be in accordance to the norms laid down under:

Mark only one oval.

- Schedule C
- Schedule H
- Schedule M
- Schedule X

15. 7. Ambulatory patients are:

Mark only one oval.

- Required to admit in the ward for treatment
- Required to go to home after taking treatment in O.P.D
- Require emergency treatment
- None of these

16. 8. The full form of OPD is:

Mark only one oval.

- Out-Patient Department
- Out-Physician Department
- Out-Public Department
- Out-Person Department

17. 9. Harvey discovered blood circulation in:

Mark only one oval.

- 1516
- 1517
- 1616
- 1617

18. 10. For measuring of blood sugar ____ is used

Mark only one oval.

- Spirometer
- Sphygmomanometer
- Hydrometer
- Glucometer

19. 11. Sphygmomanometer is used to measure ___:

Mark only one oval.

- Blood pressure
- Blood glucose
- Brain wave
- None of these

20. 12. Which of the following is a type of bone cutting gauze forcep:

Mark only one oval.

- Liston's forcep
- Ronald's forcep
- Frazier's forcep
- Poole's forcep

21. 13. Catheters are made of ___:

Mark only one oval.

- Metals
- Semi soft silk
- Soft rubber
- All of these

22. 14. The objectives of PTC is:

Mark only one oval.

- Advisory
- Educational
- Drug safety and adverse drug monitoring
- All of these

23. 15. Merk index belongs to the category of:

Mark only one oval.

- Primary source of information
- Secondary source of information
- Tertiary source of information
- None of these

24. 16. In sterile manufacture area which filter is used to remove dust particle including microbes is:

Mark only one oval.

- HEPA filter
- Membrane filter
- Fibrous filter
- Laminar flow

25. 17. The air velocity of laminar flow is about:

Mark only one oval.

- 100 ft/m
- 200 ft/m
- 50 ft/m
- 150 ft/m

26. 18. The maximum capacity of tuberculin syringe is:

Mark only one oval.

- 3 ml
- 2 ml
- 1 ml
- 0.5 ml

27. 19. Ryle's tube is used for:

Mark only one oval.

- Feeding
- Removing poison from stomach
- Gastric lavage
- All of these

28. 20. Belladonna plaster is used as:

Mark only one oval.

- Counter irritant in rheumatism and neuralgia
- Splint for correction of fractures
- For giving light support to sprains
- All of these

29. 21. Suction instruments are used for _____:

Mark only one oval.

- For removing urine
- For removing blood
- For removing plasma
- None of these

30. 22. In infant tetracyclines often cause:

Mark only one oval.

- Agranulocytosis
- Redness in eye
- Discolouration of teeth
- Fever

31. 23. Lactose intolerance in children is due to:

Mark only one oval.

- Inability to digest non-reducing sugars
- Inability to digest reducing sugars
- Inability to digest milk protein casein
- Inability to digest casein and lactose

32. 24. The clinical functions of a hospital pharmacist except may include all the follow:

Mark only one oval.

- Assessing of drug interaction
- Selecting antimicrobial therapy regimen
- Administration of medications
- Consultation with nutritional team for patients

33. 25. Phenolphthalin may colour urine and feces:

Mark only one oval.

- Blue
- Red
- Pink
- Yellow

34. 26. Which one of these is a genetically determined adverse drug reaction?

Mark only one oval.

- Addiction
- Teratogenicity
- Carcinogenicity
- Idiosyncrasy

35. 27. Teratogenic drugs affect:

Mark only one oval.

- Liver
- Kidney
- Foetus
- Skin

36. 28. Cephalosporin is used as:

Mark only one oval.

- Tranquilizer
- Immunosuppressive
- Chemotherapeutic agent
- Vasodilator

37. 29. Tetracycline forms complexes with

Mark only one oval.

- Aluminium
- Calcium
- Iron
- Potassium

38. 30. Hypokalemia side effect of diuretics can be counteracted with

Mark only one oval.

- Common salt
- Potassium chloride
- Ascorbic acid
- All of these

39. Submission ID (skip this field) *

⚠ DO NOT EDIT this field or your time will not be recorded.

This content is neither created nor endorsed by Google.

Google Forms