



BRAINWARE UNIVERSITY

Term End Examination 2020 - 21

Programme – Bachelor of Technology in Electronics & Communication Engineering

Course Name – Data Structures and Algorithm

Course Code - ESC(ECE)301

Semester / Year - Semester III

Time allotted : 75 Minutes

Full Marks : 60

[The figure in the margin indicates full marks. Candidates are required to give their answers in their own words as far as practicable.]

Group-A

(Multiple Choice Type Question)

1 x 60=60

1. (Answer any Sixty)

(i) Finding the location of a given item in a collection of items is called

- | | |
|----------------|------------|
| a) Discovering | b) Finding |
| c) Searching | d) Mining |

(ii) What is the worst case time complexity of linear search algorithm?

- | | |
|---------|---------|
| a) O(1) | b) O(1) |
| c) O(n) | d) O(n) |

(iii) Two main measures for the efficiency of an algorithm are

- | | |
|-------------------------|----------------------------|
| a) Processor and memory | b) Complexity and capacity |
| c) Time and space | d) Data and space |

(iv) Arrays can be stored in memory by

- | | |
|--|-----------------------|
| a) row major order | b) column major order |
| c) Both row major order and column major order | d) none of these |

(v) If the address of A[1,1] and A[2,1] are 1000 and 1010 respectively and each element occupies 2 byte of memory, then the array has been stored in

- | | |
|--------------------|-----------------------|
| a) row major order | b) column major order |
|--------------------|-----------------------|

c) matrix major order

d) none of these

(vi) An Algorithm that calls itself directly or indirectly is known as

a) Sub Algorithm

b) Recursion

c) Polish Notation

d) Traversal Algorithm

(vii) Which matrix has most of the elements (not all) as Zero?

a) Identity Matrix

b) Unit Matrix

c) Sparse Matrix

d) Zero Matrix

(viii) Which of the following case does not exist in complexity theory?

a) Best case

b) Worst case

c) Average case

d) Null case

(ix) What is the postfix expression for the corresponding infix expression?

$a+b*c$

a) $ab+c*$

b) $abc+*$

c) $a+bc*$

d) $abc*+$

(x) The following postfix expression with single digit operands is evaluated using a stack: $8\ 2\ 3\ ^\ / \ 2\ 3\ * \ + \ 5\ 1\ * \ -$; Note that $^$ is the exponentiation operator. The top two elements of the stack after the first $*$ is evaluated are:

a) 6, 1

b) 5, 7

c) 3, 2

d) 1, 5

(xi) We can create a queue using _____ stacks.

a) 1

b) 2

c) 3

d) 4

(xii) If $push(x)$ and $pop(x)$ are two functions and both the functions return x then $pop(pop(push(2)))$ will return

- a) 2
- b) 1
- c) 0
- d) -1

(xiii) When new data are to be inserted into a data structure, but there is not available space; this situation is usually called

- a) Underflow
- b) Overflows
- c) houseful
- d) saturated

(xiv) The disadvantages of linear queue can overcome by

- a) Shifting each element to the left
- b) Using circular queue
- c) Both Shifting each element to the left and Using circular queue
- d) None of these

(xv) In input restricted dqueue means

- a) Insertion can be done at both end deletion can be done from both end of the queue.
- b) Insertion can be done at one end deletion can be done from both end of the queue
- c) Insertion can be done at both end deletion can be done from one end of the queue
- d) Insertion can be done at one end deletion can be done from one end of the queue

(xvi) The prefix expression of the following postfix expression “ab+cd/+” is

- a) +/cd+ab
- b) +/ab+cd
- c) ++/abcd
- d) ++ab/cd

(xvii) The data structure which is one ended is _____

- a) queue
- b) stack
- c) tree
- d) graph

(xviii) The infix form of the following postfix expression is A B C + * D E / -

- a) $(A*B+C - (D/E))$
- b) $(A*(B+C) - (D/E))$
- c) $((A*B)+C - (D/E))$
- d) None of these

(xix) An ADT is defined to be a mathematical model of a user-defined type along with the collection of all _____ operations on that model.

- a) Cardinality
- b) Assignment
- c) Primitive
- d) Structured

(xx) What is the most appropriate data structure to implement a priority queue?

- a) heap
- b) circular array
- c) linked list
- d) binary tree

(xxi) Which of the following is/are example(s) of ADT

- a) stack
- b) queue
- c) array
- d) all of these

(xxii) Which of the following is called Ring Buffer?

- a) Priority queue
- b) Circular queue
- c) dequeue
- d) none of these

(xxiii) An array of size MAX_SIZE is used to implement a circular queue. Front, Rear, and count are tracked. Suppose front is 0 and rear is MAX_SIZE - 1. How many elements are present in the queue?

- a) 0
- b) 1
- c) MAX_SIZE - 1
- d) MAX_SIZE

(xxiv) Josephus problem can be efficiently solved by

- a) singly linked list
- b) doubly linked list
- c) circular linked list
- d) none of these

(xxv) The push() and pop() operation of stack using linked list is similar to the

- a) insert at the end and delete first
- b) insert at the beginning and delete first
- c) insert at the end and delete last
- d) insert at the beginning and delete last

(xxvi) Linked list is considered as an example of _____ type of memory allocation.

- a) Dynamic
- b) Static
- c) Compile time
- d) Heap

(xxvii) In a circular linked list

- a) It is possible to get into infinite loop.
- b) Last node points to first node.
- c) Time consuming
- d) Requires more memory space

(xxviii) The pointer variable tail in linked list stores the address of the

- a) First Node
- b) Last Node
- c) Both First Node and Last Node
- d) None of these

(xxix) What is the time complexity to traverse the elements in the linked list?

- a) $O(1)$
- b) $O(n)$
- c) $O(\log n)$
- d) $O(n^2)$

(xxx) Which of the following list is best to answer the question “What is value of nth position”

- a) List implemented by singly linked list
- b) List implemented by doubly linked list
- c) List implemented by circular linked list
- d) List implemented by an array

(xxxi) Which of the following is not a disadvantage to the usage of array?

- a) It is Fixed size
- b) We know the size of the array prior to allocation
- c) Insertion based on position
- d) Accessing elements at specified positions

(xxxii) Consider an implementation of unsorted singly linked list. Suppose it has its representation with a head pointer only. Given the representation, which of the following operation can be implemented in $O(1)$ time? i) Insertion at the front of the linked list ii) Insertion at the end of the linked list iii) Deletion of

the front node of the linked list iv) Deletion of the last node of the linked list

- a) I and II
- b) I and III
- c) I, II and III
- d) I, II and IV

(xxxiii) The concatenation of two list can performed in $O(1)$ time. Which of the following variation of linked list can be used?

- a) Singly linked list
- b) Doubly linked list
- c) Circular doubly linked list
- d) Array implementation of list

(xxxiv) Consider the following definition in c programming language. Which of the following c code is used to create new node? struct node{ int data; struct node * next; } typedef struct node NODE; NODE *ptr;

- a) ptr = (NODE*)malloc(sizeof(NODE));
- b) ptr = (NODE*)malloc(NODE);
- c) ptr = (NODE)malloc(sizeof(NODE));
- d) ptr = (NODE*)malloc(sizeof(NODE*));

(xxxv) What is the hash function used in the division method?

- a) $h(k) = k/m$
- b) $h(k) = k \bmod m$
- c) $h(k) = m/k$
- d) $h(k) = m \bmod k$

(xxxvi) What is the hash function used in linear probing?

- a) $H(x) = \text{key} \bmod \text{table size}$
- b) $H(x) = (\text{key} + F(i^2)) \bmod \text{table size}$
- c) $(\text{key} + F(i)) \bmod \text{table size}$
- d) $X \bmod 17$

(xxxvii) Which of the following sorting technique use the term 'pivot'?

- a) Bubble sort
- b) Selection sort
- c) Insertion sort
- d) Quick sort

(xxxviii) The time complexity of bubble sort algorithm is

- a) $O(n)$
- b) $O(\log n)$
- c) $O(n^2)$
- d) $O(n \log n)$

(xxxix) Quick sort can be categorized into which of the following?

- a) Brute Force technique
- b) Divide and conquer
- c) Greedy algorithm
- d) Dynamic programming

(xl) In which of the following hashing methods, we first divide keys into parts and then add them to get Hash value?

- a) Truncation Method
- b) Folding Method
- c) Mid Square Method
- d) Modular Method

(xli) Let $A = \{10,15,20,30,40\}$; now if you sort the element using insertion sorting technique, the time complexity will be

- a) $O(1)$
- b) $O(n)$
- c) $O(\log n)$
- d) $O(n^2)$

(xlii) Radix sorting can be easily implemented by

- a) stack
- b) queue
- c) tree
- d) linked list

(xliii) Sorting of n elements in brute force technique is

- a) $O(n)$
- b) $O(n \log n)$
- c) $O(n^2)$
- d) $O(n!)$

(xliv) Linear probing suffers from a problem know as

- a) collision
- b) clustering
- c) indexing
- d) none of these

(xlv) If a B tree of order 3, the following keys are inserted as follows 18, 3, 1, 9; then the root of the tree will be

- a) 18
- b) 3
- c) 1
- d) 9

(xlvi) If we create a binary search tree with the following two key values 18, 3 ; then the tree is called

- a) 2-tree
- b) Complete binary tree
- c) Full binary tree
- d) None of these

(xlvii) How many children does a binary tree have?

- a) 2
- b) any number of children
- c) 0 or 1 or 2
- d) 0 or 1

(xlviii) How many orders of traversal are applicable to a binary tree (In General)?

- a) 3
- b) 1
- c) 4
- d) 2

(xlix) If the i-th level of a full binary tree contains 32 elements, then the value of i=?

- a) 3
- b) 4
- c) 5
- d) 6

(l) By definition tree is

- a) iterative
- b) recursive
- c) Both iterative and recursive
- d) None of these

(li) Leaves of which of the following trees are at the same level?

- a) Binary tree
- b) B-tree
- c) AVL-tree
- d) Normal Tree

(lii)

A binary search tree whose left subtree and right subtree differ in height by at most 1 unit is called

- a) AVL tree
- b) Red-black tree

c) Lemma tree

d) None of these

(liii) A graph is a collection of nodes, called _____ and line segments called arcs or _____ that connect pair of nodes.

a) vertices, edges

b) edges, vertices

c) vertices, paths

d) graph node, edges

(liv) Extended tree is also called

a) 2 -Tree

b) 3 -Tree

c) 4 -Tree

d) 5 -Tree

(lv) Which of the following is true?

a) Strictly binary tree should have nonempty left subtree and nonempty right subtree.

b) Strictly binary tree should have nonempty left subtree but can have empty right subtree.

c) Strictly binary tree should have empty left subtree but should be nonempty right subtree.

d) None of these

(lvi) If all the traversal of a binary tree gives the same result, then that tree must contain

a) one node

b) two nodes

c) three nodes

d) four nodes

(lvii) Which is true for the AVL tree?

a) $-1 < \text{balance factor} < 1$

b) $-1 \leq \text{balance factor} < 1$

c) $-1 \leq \text{balance factor} \leq 1$

d) $0 < \text{balance factor} < 1$

(lviii) The preorder traversal sequence of nodes in a binary tree is given below:
Preorder: 20 10 40 30 After deleting 20, the preorder traversal will be

a) 10 40 30

b) 30 10 40

c) 40 30 10

d) 40 10 30

(lix) The preorder traversal sequence of nodes in a binary tree is given below:
Preorder: 20 10 30 35 40 50 ; the post order traversal of the above tree is

a) 50 40 35 30 10 20

b) 10 35 30 50 40 20

c) 10 30 35 50 40 20

d) 10 50 40 35 30 20

(lx) UNDO/REDO operation is an example of

a) linear queue

b) priority queue

c) circular queue

d) double ended queue