



**BRAINWARE UNIVERSITY**  
**Term End Examination 2020 - 21**  
**Programme – Master of Computer Applications**  
**Course Name – Operation Research**  
**Course Code - MCA305**

**Semester / Year - Semester III**

Time allotted : 75 Minutes

Full Marks : 60

[The figure in the margin indicates full marks. Candidates are required to give their answers in their own words as far as practicable.]

**Group-A**

(Multiple Choice Type Question)

1 x 60=60

1. *(Answer any Sixty )*

(i) An investor has Rs 20 lakhs with her and considers three schemes to invest the money for one year. The expected returns are 10%, 12% and 15% for the three schemes per year. The third scheme accepts only up to 10 lakhs. The investor wants to invest more money in scheme 1 than in scheme 2. The investor assesses the risk associated with the three schemes as 0 units, 10 units and 20 units per lakh invested and does not want her risk to exceed 500 units. Which of the following is the correct decision variable

- |   |   |
|---|---|
| a) Amount of money invested in each scheme          | b) Amount of revenue obtained from each scheme            |
| c) Amount of risk through investment in each scheme | d) Total amount that can be obtained from the investments |

(ii) Two tasks have to be completed and require 10 hours and 12 hours of work if one person does the tasks. If  $n$  people do task 1, the time to complete the task becomes  $10/n$  and so on. Similarly if  $n$  people do task 2, the time becomes  $12/n$  and so on. We have 5 people and they have to be assigned to the two tasks. We cannot assign more than three to task 1. Find the earliest time that both tasks are completed if they start at the same time. (Use ideas from the bicycle problem to write your objective function. At some point you may have to define a variable to represent the reciprocal of another variable). Formulate an LP problem and answer the following: The final objective function is

- |   |   |
|---|---|
| a) Maximization problem with one term in the objective function | b) Minimization problem with one term in the objective function |
|---|---|

- c) Maximization problem with two terms in the objective function      d) Minimization problem with two terms in the objective function

(iii) TV sets are to be transported from three factories to three retail stores. The available quantities are 300, 400 and 500 respectively in the three factories and the requirements are 250, 350 and 500 in the three stores. They are first transported from the factories to warehouses and then sent to the retail stores. There are two warehouses and their capacities are 600 and 700 units. The unit costs of transportation from the factories to warehouses and from the warehouses to retail stores are known. Formulate an LP and answer the following questions: The number of constraints in the formulation is

- a) 6    b) 8  
c) 10    d) 12

(iv) Thousand answer papers have to be totaled in four hours. There are 10 regular teachers, 5 staff and 4 retired teachers who can do the job. Regular teachers can total 20 papers in an hour; staff can do 15 per hour while retired teachers can do 18 per hour. The regular teachers total the papers correctly 98% of the times while this number is 94% and 96% for staff and retired teachers. We have to use the services of at least one staff. You can assume that any person can work for a fraction of an hour also. Formulate a relevant LP problem and answer the following questions. Which of the following is a correct decision variable for this problem

- a) Number of answer papers given to teachers 1 to 10    b) Total number of answer papers given to regular teachers  
c) Number of papers correctly totaled by regular teachers    d) Number of papers incorrectly totaled by the reg

(v) Thousand answer papers have to be totaled in four hours. There are 10 regular teachers, 5 staff and 4 retired teachers who can do the job. Regular teachers can total 20 papers in an hour; staff can do 15 per hour while retired teachers can do 18 per hour. The regular teachers total the papers correctly 98% of the times while this number is 94% and 96% for staff and retired teachers. We have to use the services of at least one staff. You can assume that any person can work for a fraction of an hour also. Formulate a relevant LP

problem and answer the following questions The number of constraints in the formulation is

- a) 5
- b) 10
- c) 19
- d) 20

(vi) A person is in the business of buying and selling items. He has 10 units in stock and plans for the next three periods. He can buy the item at the rate of Rs 50, 55 and 58 at the beginning of periods 1, 2 and 3 and can sell them at Rs 60, 64 and 66 at the end of the three periods. He can use the money earned by selling at the end of the period to buy items at the beginning of the next period. He can buy a maximum of 200 per period. He can borrow money at the rate of 2% per period at the beginning of each period. He can borrow a maximum of Rs 8000 per period and he cannot borrow more than Rs 20000 in total. He has to pay back all the loans with interest at the end of the third period. How many decision variables are in the formulation

- a) 3
- b) 6
- c) 9
- d) 10

(vii) A food stall sells idlis, dosas and poories. A plate of idli has 2 pieces, a plate of dosa has 1 piece while a plate of poori has 2 pieces. They also sell a “combo” which has 2 idlis and 2 poories. A kg of batter costs Rs 60 and contains twelve spoons of batter. Each piece of idli requires 1 spoon of batter and each dosa requires 1.5 spoons of batter. Each poori piece requires 1 ball of wheat dough and a kg of wheat dough that costs Rs 60 can make 20 balls of dough. The selling prices of the items are Rs 40, 60, 60 and 90 per plate respectively. The owner has Rs 800 with her and estimates the demand for the four items (in plates) as 50, 30, 20 and 10 respectively. There is a penalty cost of Rs 10 for any unmet plate of demand of an item. Idli being the most commonly consumed item, the owner wishes to meet at least 80% of the demand. Formulate an LP problem and answer the following questions: How many decision variables are in the formulation

- a) 3
- b) 4
- c) 5
- d) 8

(viii) Consider the maximum flow problem with  $n$  nodes and  $m$  arcs. You are writing a formulation with  $f$  as the maximum flow. The total number of variables is \_\_\_\_\_

- a)  $m+1$
- b)  $n+1$
- c)  $m+n+1$
- d)  $m.n+1$

(ix) Consider the maximum flow problem with  $n$  nodes and  $m$  arcs. You are writing a formulation with  $f$  as the maximum flow. The total number of constraints is \_\_\_\_\_

- a)  $m$
- b)  $n$
- c)  $m+n$
- d)  $m.n$

(x) Consider the media selection problem with  $n$  possible things to invest in. Examples could be TV, radio, newspaper etc. There is a total budget restriction and limit on investment in each. The number of constraints is \_\_\_\_\_

- a)  $n$
- b)  $n+1$
- c)  $n+2$
- d)  $n+3$

(xi) In the optimum solution, if a primal constraint is satisfied as an equation, the value of the corresponding dual variable is \_\_\_\_

- a) Positive
- b) Negative
- c) Zero
- d) Can't be said.

(xii) In the optimum solution, if a primal variable is basic then the corresponding dual slack value is \_\_\_\_

- a) Positive
- b) Negative
- c) Zero
- d) Can't be said.

(xiii) You are given an LP problem with three variables and two constraints. You have to find the value of the objective function at the optimum. Which of the following is the best way to do it using hand calculations?

- a) It is possible to write the dual and solve
- b) Write the dual and solve it by graphical

it using graphical method. The value of the objective function at the dual is the same as that of the primal

c) Solve the given primal by simplex algorithm

method. Apply complimentary slackness to find the primal solution and then evaluate the objective function.

d) Use algebraic method.

(xiv) Consider a transportation problem with 3 supply points and 4 demand points. The number of constraints in the formulation is

a) 3

b) 6

c) 7

d) 10

(xv) Which of the following statements about the northwest corner rule is false?

a) One must exhaust the supply for each row before moving down to the next row

b) One must exhaust the demand requirements of each column before moving to the next column

c) When moving to a new row or column, one must select the cell with the lowest cost.

d) One must check that all supply and demand constraints are met.

(xvi) When the number of shipments in a feasible solution is less than the number of rows plus the number of columns minus one

a) the solution is optimal

b) there is degeneracy, and an artificial allocation must be created

c) a dummy source must be created

d) . a dummy destination must be created

(xvii) The stepping-stone method

a) is an alternative to using the northwest corner rule

b) often involves tracing closed paths with a triangular shape

c) is used to evaluate the cost effectiveness of shipping goods via transportation routes not currently in the solution

d) is used to identify the relevant costs in a transportation problem

(xviii) In a minimization problem, a positive improvement index in a cell

indicates that

- a) the solution is optimal
- b) the total cost will increase if units are reallocated to that cell
- c) the total cost will decrease if units are reallocated to that cell
- d) there is degeneracy

(xix) An improvement index indicates

- a) whether a method other than the stepping stone should be used
- b) whether a method other than the northwest corner rule should be used
- c) whether the transportation cost in the upper left-hand corner of a cell is optimal
- d) how much total cost would increase or decrease if a single unit was reallocated to that cell

(xx) How many variables does the formulation of 5 x 5 assignment problem have?

- a) 20
- b) 25
- c) 30
- d) 35

(xxi) How many variables does the dual of 5 x 5 assignment problem have?

- a) 9
- b) 10
- c) 11
- d) 12

(xxii) Which of the following statements is not TRUE about the Assignment problem:

- a) It is a transportation problem
- b) The LP formulation will give binary solutions
- c) When solving, the cost matrix is square
- d) LP can give non integer solution sometimes

(xxiii) In a 4 x 4 assignment problem where 4 jobs are assigned to 4 machines, job 1 is Assigned to M2, job 2 to M4, Job 3 to M3. What is the fourth assignment?

- a) a. Job 4 to M2
- c) Job 4 to M3

- b) Job 4 to M1
- d) Job 4 to M4

(xxiv)

Consider the LP problem:

$$\text{Maximize } 7X_1 + 6X_2 + 4X_3$$

subject to

$$X_1 + X_2 + X_3 \leq 5$$

$$2X_1 + X_2 + 3X_3 \leq 10$$

$$X_1, X_2, X_3 \geq 0.$$

Solve by algebraic method and answer the following:

The number of basic solutions is \_\_\_\_\_

- a) 8
- c) 10
- b) 9
- d) 11

(xxv)

Consider the LP problem:

$$\text{Maximize } 7X_1 + 6X_2 + 4X_3$$

subject to

$$X_1 + X_2 + X_3 \leq 5$$

$$2X_1 + X_2 + 3X_3 \leq 10$$

$$X_1, X_2, X_3 \geq 0.$$

Solve by algebraic method and answer the following:

The number of basic infeasible solutions is \_\_\_\_\_

a) 1

b) 2

c) 3

d) 4

(xxvi)

Consider the LP problem:

$$\text{Maximize } 7X_1 + 6X_2 + 4X_3$$

subject to

$$X_1 + X_2 + X_3 \leq 5$$

$$2X_1 + X_2 + 3X_3 \leq 10$$

$$X_1, X_2, X_3 \geq 0.$$

Solve by algebraic method and answer the following:

The number of unique basic feasible solutions is \_\_\_\_\_



a) 3

b) 4

c) 5

d) 6

(xxvii)

Consider the LP problem:

Minimize  $6X_1 + 5X_2$

subject to

$X_1 + X_2 \leq 3$

$2X_1 + X_2 \leq 5$

$X_1, X_2 \geq 0$ .

Solve by algebraic method and answer the following :

The number of basic feasible solutions is \_\_\_\_

a) 1

b) 3

c) 4

d) 5

(xxviii)

Consider the LP problem:

Minimize  $6X_1 + 5X_2$

subject to

$X_1 + X_2 \leq 3$

$2X_1 + X_2 \leq 5$





$$2X_1 + X_2 \leq 6$$

$$X_1, X_2 \geq 0.$$

Solve using the algebraic form of the simplex algorithm and answer the following: At the optimum, the coefficient of variable  $X_3$  in the objective function is \_\_\_\_\_

a) 2

b) 5

c) -2

d) -5

(xxxiii)

Solve the LP problem

$$\text{Maximize } 9X_1 + 3X_2 + 5X_3$$

subject to

$$4X_1 + X_2 + X_3 \leq 12$$

$$2X_1 + 4X_2 + 3X_3 \leq 22$$

$$5X_1 + 2X_2 + 4X_3 \leq 34$$

$X_1, X_2, X_3 \geq 0$  using the simplex algorithm and answer the following questions.

The set of basic variables at the optimum is

a)  $X_1X_2X_6$

b)  $X_1X_3X_5$

c)  $X_1X_3X_6$

d)  $X_2X_3X_6$

(xxxiv)

Solve the LP problem using Simplex algorithm

Minimize  $9X_1 + 3X_2$

subject to

$$4X_1 + X_2 \leq 12$$

$$7X_1 + 4X_2 \leq 16$$

$X_1, X_2 \geq 0$  using the simplex algorithm.

Which of the following is the correct answer

a)

The optimum solution is (0, 4)

c)

The problem is infeasible with simplex showing artificial variable  $a_1 = 20/7$  at optimum

b)

The problem is unbounded

d)

The problem is infeasible with simplex showing artificial variable  $a_1 = 3$  at optimum

(XXXV)

Solve the LP problem using Simplex algorithm

Minimize  $2X_1 + 3X_2$

subject to

$$X_1 + X_2 \leq 4$$

$$X_1 \leq 1$$

$X_1, X_2 \geq 0$  using the simplex algorithm. If we add the constraint  $2X_1 + 3X_2 \leq 11$

a)

The optimum solution remains the same

b)

The problem becomes infeasible

c)

The problem becomes unbounded

d)

The optimum solution changes

(xxxvi)

Consider the LP

Maximize  $7X_1 + X_2$

subject to  $X_1 + X_2 \leq 3$

$X_1 + X_2 \leq 2$

$X_2 \geq 0, X_1$

unrestricted. Which of the following is NOT TRUE about the dual

a)

The first constraint is an equation

b)

The second constraint is an equation

c)

The second variable is of  $\leq$  type

d)

The dual has two variables and two constraints

(xxxvii)

Given the LP problem

Maximize  $3X_1 + 5X_2 + 9X_3$

subject to  $X_1 + X_2 + 2X_3 \leq 6$

$$2X_1 + 3X_2 + X_3 \leq 8$$

$$X_1, X_2, X_3 \geq 0$$

The dual has \_\_\_\_\_ variables

- a) 1
- b) 2
- c) 3
- d) 4

(xxxviii)

Write the LP dual to the problem.

$$\text{Minimize } 2X_1 + 3X_2$$

subject to

$$X_1 + X_2 \leq 4$$

$$2X_1 + 4X_2 \leq 10$$

$$X_1, X_2 \geq 0.$$

The shadow price of the second resource is \_\_\_\_\_

- a) 0.4
- b) 0.5
- c) 0.6
- d) 0.8

(xxxix)

Consider the LP

$$\text{Maximize } 2X_1 + 3X_2 + 4X_3 + X_4$$

subject to  $X_1 + 2X_2 + 5X_3 + X_4 \leq 12$ .

$X_j \geq 0$ . Solve the dual and find the optimum solution to the primal.

The value of the objective function at the optimum is \_\_\_\_\_

- a) 18
- b) 20
- c) 22
- d) 24

(xl)

Consider the LP

Maximize  $2X_1 + 3X_2 + 4X_3 + X_4$

subject to  $X_1 + 2X_2 + 5X_3 + X_4 \leq 12$ .

$X_j \geq 0$ . Solve the dual and find the optimum solution to the primal

If 100 units of the resource are available, the value of the objective function at optimum is \_\_\_\_\_

- a) 120
- b) 180
- c) 200
- d) 240

(xli)

Consider a two variable LP problem with a minimization objective function and three constraints all of the  $\leq$  type. The first constraint cuts the  $X_1$  and  $X_2$  axes at 2 and 7

respectively. The second constraint cuts the two axes at 3 and 5 respectively and the third constraint at 4 and 4 respectively. The objective function is  $3X_1 + 2X_2$ .

Which of the following is not a valid constraint for this problem



a)

$$7X_1 + 2X_2 \leq 14$$

c)

$$5X_1 + 3X_2 \leq 15$$

b)

$$4X_1 + 5X_2 \leq 20$$

d)

$$X_1 + X_2 \leq 4$$

(xlii)

Consider the assignment problem with 4 jobs and 3 machines. The job that is not assigned to any machine is

1	1	4
6	7	2
8	4	3
5	6	7

a)

Job 1

c)

Job 3

b)

Job 2

d) Job 4

(xliii)

Solve the 4 x 4 maximization assignment problem. The maximum profit is



In game theory, a situation in which one firm can gain only what another firm loses is called a

- a) nonzero-sum game.
- b) prisoners' dilemma.
- c) zero-sum game.
- d) cartel temptation

(xlvi)

Game theory is concerned with

- a) predicting the results of bets placed on games like roulette.
- b) the choice of an optimal strategy in conflict situations.
- c) profit maximization by firms in perfectly competitive markets.
- d) the migration patterns of caribou in Alaska

(xlvii)

Which of the following is a nonzero-sum game?

- a) Prisoners' dilemma
- b) Chess
- c) A cartel member's decision regarding whether or not to cheat
- d) All of these

(xlviii)

Each player should follow the same strategy regardless of the other player's strategy in which of the following games?

- a)
- b)

Constant strategy

Mixed strategy

c)

d)

Pure strategy

Dominance strategy

(l)

Considering the following two-person game, what percentage of the time should Y play strategy  $Y_1$ ?

	$Y_1$	$Y_2$
$X_1$	6	3
$X_2$	2	8

a) 1/3

b) 2/3

c) 4/9

d) 5/9

(li)

Considering the following two-person game, the value of the game (if played many times) is

	$Y_1$	$Y_2$
$X_1$	6	3
$X_2$	2	8

a) 19.00

b) 4.75

c) 11.00

d) None of these

(lii)

Given the following two-person game, which strategy can be eliminated by use of dominance?

	$Y_1$	$Y_2$
$X_1$	9	13
$X_2$	12	8
$X_3$	6	14

- a)  $X_1$
- b)  $X_2$
- c)  $X_3$
- d) None of these

(lii)

In a zero sum game

- a) The sum of the payoffs for any given strategy pair is zero.
- b) The gain of one of the players is equal to the loss of the other.
- c) It is impossible for both players to earn positive payoffs.
- d) All of these are true for zero sum games.

(liv)

Full form of PERT is

- a) Program Estimation & Review Technique
- b) Project Evaluation & Review Technique
- c) Project Estimation & Research Technique
- d) Program Evaluation & Review Technique

(lv)

An activity is said to be critical activity if

a)

Its free float is zero

b)

its total float is zero

c)

its independent float is zero

d)

its time duration is zero.

(lvi)

Expected time for an activity is 8 days,  $t_p = 10$  days. Then the

a)

7 days

b)

8 days

c)

9 days

d)

10 days

(lvii)

The full form of CPM is

a)

Crash project management

b)

Critical path management

c)

Critical path method

d) None of these

(lviii)

Which of these is not correct

a)

PERT is probabilistic in nature.

c)

CPM is event-oriented

b)

CPM is deterministic in nature

d)

CPM and PERT use similar terminology but were developed independently.

(lix)

Mark the wrong statement.

a)

All activities on a critical path are critical activities

c)

Completion of a project activity surely delays the completion of the project

b)

A project network may have none, one, or more critical paths.

d)

For a critical activity has identical earliest and the latest start times

(lx)

Pick the wrong relationship:

a)

Interfering float = Total float – Free float

c)

Total float = Free float + Independent float

b)

Total float = Free float + Independent float

d)

Free float = Total float – Head event slack