

## **BRAINWARE UNIVERSITY**

## Term End Examination 2020 - 21

Programme – Master of Science in Advanced Networking & Cyber Security Course Name - Mail Server Configuration

Course Code - MNCS302A

Semester / Year - Semester III

Time allotted: 75 Minutes

Full Marks: 60

[The figure in the margin indicates full marks. Candidates are required to give their answers in their own words as far as practicable.]

## Group-A

(Multiple Choice Type Question)

 $1 \times 60 = 60$ 

- 1. (Answer any Sixty)
- (i) Where will Diagnostic logging results be located?
  - a) Application event log in the Event
- b) Exchange event log in the Event Viewer

Viewer

c) Diagnostic Log

- d) None of these
- (ii) You are the manager of a small business running Exchange Server. Your boss, Jimmy, wants to allow his administrative assistant, Susie, to access his mailbox. However, he does not want to give her his user account or password, and he would like to set the permissions for her to access the box. How will you accomplish these objectives?
  - a) Designate Susie as a mailbox delegate by b) Designate Susie as a mailbox delegate granting her Full Mailbox Access to Jimmy's Mailbox

within Active Directory Users &

Computers

c) Designate Susie as a mailbox delegate by d) None granting her Read Access to Jimmy's

Mailbox

(iii) Which of the following types of public folder permissions allow for the configuration of who can access which contents of the public folder?

a) Administrative Rights

b) Security Rights

c) Access Rights

d) Client rights

	wish to apply a hard storage limit of 1 mailbox store. How would you best a	-		
a) Usi Comp	ng Active Directory Users & uters, under the Exchange tab for the Users, configure a mailbox quota.	b) Usi Comp	ng Active Directory Users & uters, under the Exchange tab for the Everyone, configure a mailbox	
the Pu	ng Exchange System Manager, under blic Folder Store properties, ture it to issue a Warning at 10 MB.	the Ma	ng Exchange System Manager, under ailbox store properties, configure it to it send & receive at 10 MB.	
(v) Which server pol	of the following can be accomplishe icy?	d by ad	ding or modifying a	
a) Mes	ssage Tracking	b) Pro	hibit Send & Receive	
c) Pro	hibit Send	d) Mes	ssaging Permission	
(vi) What	is the purpose of a connector in Exch	ange Se	erver?	
,	s risks of administrative error or ty lapse.	b) Les	s Hardware required	
c) Les	s Third Party software required	d) Nor	ne of these	
	ch one of the following Server manage ent of Virtual System Infrastructure?	er Featu	ares is used for	
a) IIS	Infrastructure	b) Hyr	per-V	
c) DH	c) DHCP		d) Network Infrastructure	
email info	wish to add a certain set of important formation, for certain clients that should ring tools will allow you to accomplis	d be ava	ailable offline. Which of	
a)	Global Address Lists	b)	Default Offline Address Lists	
c)	Local Address Lists	d)	Server-load Address Lists	
(ix) Wher messages	e can you configure Exchange to use?	a rich-te	ext format in sending	

c) IMAP Domain Policy		d) SMTP Domain Policy
	t type of DNS record is used to see lookups?	store IP address to name mappings used
a) P7	ΓR	b) A
c) Al	DDR	d) IP
(xi) Exc	hange Server 2010 is available a	s a product
a)	32 Bit	b) 64 Bit
c)	Both of these	d) none
(xii) Wh connecti	at is the TCP port on the server ons?	recommended for client SMTP
a) 25	;	b) 475
c) 58	37	d) 2525
(xiii) Wl Server 2		ee types of user accounts in Windows
a) Bı	uilt-in user accounts	b) Default accounts
c) Lo	ocal accounts	d) Domain accounts
(xiv) Ho	w many retention policies can yo	ou apply to a mailbox?
a) Oı	ne	b) Two, one archive policy and one delete policy
c) Th	nree, one archive and two delete	d) As many as your business requirement needs
(xv) Wh	ich of the following object types	support MailTips?
a) Mailboxes		b) Dynamic Distribution Groups
c) M	ail Users	d) All

b) Message size options

a) POP3 Domain Policy

(xvi) What type of DNS record is used to store	the name to IP address
mappings used for forward lookups?	
a) PTR Record	b) MX Record
c) A record	d) CNAME Record
(xvii) Which protocol support in Exchange	
a) POP3	b) SMTP
c) IMAP	d) ALL
(xviii) Exchange server isServer	
a) FTP server	b) Mail server
c) Telnet Server	d) None
(xix) What is the preferred file system for Wine	dows Server 2012?
a) NTFS	b) ExFAT
c) EXT	d) XFS
(xx) A record in DNS stands for	
a) PTR record	b) Host Record
c) MX Record	d) all of these
(xxi) In Exchange Mailbox is	
a) database	b) mail
c) User Contain mail database	d) None
(xxii) The mapping from mail to DNS	
a) mx	b) Reverse Lookup
c) Both of these	d) None
(xxiii) The database for Exchange is an extensi	on of
a) .edb	b) .xls

c) .ppt	d) none
(xxiv) What RBAC stands for	
a) Role Based Access Control	b) Rule Base Access Control
c) Regular Backup Access Control	d) None
(xxv) You have an Exchange Server 2013 orga You plan to deploy Exchange Server 2013 RT to the first Exchange server in the organization named ExchangeAdmin can deploy CU1 to the minimize the number of permissions assigned groups should you add ExchangeAdmin?	M Cumulative Update 1 (CU1)  a. You need to ensure that a user  be first server, the solution must
a) Schema Admins, Domain Admins, and Enterprise Admins	b) Schema Admins, Domain Admins, and Delegated Setup
c) Domain Admins and Organization Management	d) Enterprise Admins and Organization Management
(xxvi) How many Email Address Policy can be	e active at a time?
a) 1	b) Many
c) None	d) 2 only
(xxvii) OWA stands for	
a) Office Web App	b) Outlook Web Access
c) Outlook Web App	d) Office Web Access
(xxviii) The available versions of Exchange Se	erver 2013
a) 32 Bits	b) 64 Bits
c) 32 & 64 Bits	d) None
(xxix) How many roles are available for Excha	ange 2013?
a) 1	b) 5
c) 2	d) 3

(xxx) What is the highest forest functional level of server 2012 R2?			
a) 2012 R2	b) 2008 R2		
c) 2012	d) 2016		
(xxxi) abc.com have two Exchange 2013 multirole servers, all users using outlook 2013 as mail client. If a user, sending a mail to another user within organization, which transport service, will come first for inbound mails.			
a) Mailbox transport submission service	b) Mailbox transport Delivery service		
c) Transport service	d) Front End transport service		
(xxxii) What is the default value of Maximum number of recipients per message for Client proxy receive connector on mailbox server in Exchange server 2013.			
a) 500	b) 200		
c) 5000	d) 250		
(xxxiii) How many group scopes are there in A	ctive Directory?		
a) Two	b) Six		
c) Four	d) Three		
(xxxiv) Please choose correct answer from below options, In Exchange server 2013 what type of DNS records required for mail messaging server reputation management  a) Host Record and MX record b) Pointer Record and SPF Record c) Auto discover CNAME record d) SRV Record			
<ul> <li>(xxxv) You are Exchange Administrator for your Organization, your organization have exchange 2013 multirole servers installed, Which RBAC role is required to search content within all mailboxes for Organization. Discovery management.</li> <li>a) Discovery management</li> <li>b) Record management</li> </ul>			
c) Organization management	d) Compliance Management		
- / 8	-/		

a) 30 GB b) 200 MB c) 100 GB d) 1 TB  (xxxvii) What is the recommended requirement of Ethernet speed for Exchange Server 2013? a) 100 mbps b) 1 gbps c) 10 mbps d) 10 gbps  (xxxviii) Which IIS version you can deploy in windows server 2012 server? a) 9 b) 7 c) 7.5 d) 8  (xxxix) How many numbers of Mailbox Databases are supported in Exchange Server 2013 CU2 Enterprise Edition? a) 100 b) 200 c) 500 d) 1000  (xl) What is the full form of EMS? a) Exchange Management Shell c) Exchange Management Script d) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources c) EAC à servers b) EAC à organization c) EAC à server b) EAC à organization c) EAC à server b) EAC à organization c) EAC à mail flow d) EAC à compliance management		vi) How much recommende ange Server 2013?	ed Disk Space wil	ll be rec	quired to install	
(xxxvii) What is the recommended requirement of Ethernet speed for Exchange Server 2013?  a) 100 mbps b) 1 gbps c) 10 mbps d) 10 gbps  (xxxviii) Which IIS version you can deploy in windows server 2012 server? a) 9 b) 7 c) 7.5 d) 8  (xxxix) How many numbers of Mailbox Databases are supported in Exchange Server 2013 CU2 Enterprise Edition? a) 100 b) 200 c) 500 d) 1000  (xl) What is the full form of EMS? a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à server d) EAC à organization c) EAC à server b) EAC à organization			b	)	200 MB	
a) 100 mbps b) 1 gbps c) 10 mbps d) 10 gbps  (xxxviii) Which IIS version you can deploy in windows server 2012 server? a) 9 b) 7 c) 7.5 d) 8  (xxxix) How many numbers of Mailbox Databases are supported in Exchange Server 2013 CU2 Enterprise Edition? a) 100 b) 200 c) 500 d) 1000  (xl) What is the full form of EMS? a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à organization b) EAC à organization c) EAC à server b) EAC à organization	c)	100 GB	Ċ	d)	1 TB	
c) 10 mbps d) 10 gbps  (xxxviii) Which IIS version you can deploy in windows server 2012 server?  a) 9 b) 7 c) 7.5 d) 8  (xxxix) How many numbers of Mailbox Databases are supported in Exchange Server 2013 CU2 Enterprise Edition?  a) 100 b) 200 c) 500 d) 1000  (xl) What is the full form of EMS? a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization			ded requirement o	of Ether	net speed for Exchange	
(xxxviii) Which IIS version you can deploy in windows server 2012 server?  a) 9 b) 7 c) 7.5 d) 8  (xxxix) How many numbers of Mailbox Databases are supported in Exchange Server 2013 CU2 Enterprise Edition?  a) 100 b) 200 c) 500 d) 1000  (xl) What is the full form of EMS? a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization	a)	100 mbps	b	)	1 gbps	
a) 9 c) 7.5 d) 8  (xxxix) How many numbers of Mailbox Databases are supported in Exchange Server 2013 CU2 Enterprise Edition? a) 100 b) 200 c) 500 d) 1000  (xl) What is the full form of EMS? a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization	c)	10 mbps	Ċ	d)	10 gbps	
c) 7.5 d) 8  (xxxix) How many numbers of Mailbox Databases are supported in Exchange Server 2013 CU2 Enterprise Edition?  a) 100 b) 200 c) 500 d) 1000  (xl) What is the full form of EMS?  a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User?  a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database?  a) EAC à server b) EAC à organization	(xxxv	viii) Which IIS version you	can deploy in wi	ndows	server 2012 server?	
(xxxix) How many numbers of Mailbox Databases are supported in Exchange Server 2013 CU2 Enterprise Edition?  a) 100 b) 200 c) 500 d) 1000  (xI) What is the full form of EMS? a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xIi) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xIii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization	a)	9	b	o) 7		
Server 2013 CU2 Enterprise Edition?  a) 100 b) 200 c) 500 d) 1000  (xl) What is the full form of EMS? a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization	c)	7.5	Ċ	d) 8		
c) 500 d) 1000  (xl) What is the full form of EMS?  a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers  d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization		•		es are si	upported in Exchange	
(xl) What is the full form of EMS?  a) Exchange Management Shell b) Exchange Manageable Shell c) Exchange Management Script d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization	a)	100	b	)	200	
a) Exchange Management Shell c) Exchange Management Script d) Exchange Manageable Shell d) Exchange Manageable Script  (xli) From which option we can create Mailbox Enabled User? a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization	c)	500	Ċ	d)	1000	
c) Exchange Management Script  (xli) From which option we can create Mailbox Enabled User?  a) EAC à recipients à resources b) EAC à organization c) EAC à servers  d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server  b) EAC à organization	(xl) V	What is the full form of EM	IS?			
(xli) From which option we can create Mailbox Enabled User?  a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization	a)	Exchange Management S	hell b	) Exch	ange Manageable Shell	
a) EAC à recipients à resources b) EAC à organization c) EAC à servers d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database? a) EAC à server b) EAC à organization	c) Exchange Management Script		cript d	d) Exchange Manageable Script		
c) EAC à servers  d) EAC à recipients à mailboxes  (xlii) From which option you can create Mailbox Database?  a) EAC à server  b) EAC à organization	(xli)	From which option we can	create Mailbox E	Enabled	User?	
(xlii) From which option you can create Mailbox Database?  a) EAC à server  b) EAC à organization	a)	EAC à recipients à resour	ces b	) EAC	à organization	
a) EAC à server b) EAC à organization	c)	EAC à servers	Ċ	l) EAC	à recipients à mailboxes	
a) EAC à server b) EAC à organization	(xlii)	From which option you ca	n create Mailbox	Databa	se?	

(xliii) What is the command to create C	Offline Address Book?
a) New-OfflineAddress	b) New-Offline AddressBook
c) Get-OfflineAddress	d) Get-OffnieAddressBook
(xliv) To retrieve the mailbox statistics options?	for a specific mailbox what will be the
a) –Database	b) –Server
c) –Identity	d) None
(xlv) To retrieve statistics for all mailbowhat will be the option?	oxes on a specific mailbox database
a) –Database	b) –Server
c) –Identity	d) None
(xlvi) What is the full form of UPN?	
a) Unique Primary Number	b) Unique Principal Name
c) User Principal Name	d) User Primary Number
(xlvii) What is the command of creating	g Public Folder from EMS?
a) Set-PublicFolder	b) Get-PublicFolder
c) New-PublicFolder	d) Add-PublicFolder
(xlviii) How many types of Distribution Server?	n Groups can be created in Exchange
a) 1	b) 2
c) 3	d) 4
(xlix) What is the command of creating EMS?	g Management role for RBAC from
a) New-ManagementRole	b) Add-ManagementRoleEntry
c) Get-ManagementRole	d) Get-ManagementRoleEntry

(1) What is the command of adding Managemen EMS?	nt role entry for RBAC from
a) New-ManagementRole	b) Add-ManagementRoleEntry
c) Get-ManagementRole	d) Get-ManagementRoleEntry
(li) What is the command to get information rel	lated to Scope?
a) Get-ManagementRole "Mailbox Import Export"   fl *scope*	b) Set-ManagementRole "Mailbox Import Export"   fl *scope*
c) Add-ManagementRole "Mailbox Import Export"   fl *scope*	d) Edit-ManagementRole "Mailbox Import Export"   fl *scope*
(lii) Exchange Server is developed by	
a) Novell	b) Microsoft
c) Sun Micro Systems	d) Cisco
(liii) Which group policy settings apply policies organizational Module?	s to its child contained or
a) child inherit	b) apply to child
c) force inherit	d) inherit
(liv) A user fails to connect to his mailbox by user successfully connects to the mailbox by usenabled mobile device and Outlook Web App. Sprevents the users from connecting to the mailbox Anywhere. Which tool should you use?	sing an Exchange ActiveSync- You need to identify what
a) Microsoft Exchange RPC Extractor	b) Microsoft Exchange Server Profile Analyzer
c) Exchange Remote Connectivity Analyze	r d) Exchange Server MAPI Editor
(lv) A user fails to connect to his mailbox by us	sing Outlook Anywhere. The

user successfully connects to the mailbox by using an Exchange ActiveSyncenabled mobile device and Outlook Web App. You need to identify what

prevents the users from connecting to the mailbox by using Outlook Anywhere. Which tool should you use?

- a) Microsoft Outlook Connectivity Test
- b) Microsoft Exchange RPC Extractor
- c) Microsoft Exchange Server Profile Analyzer
- d) Exchange Server MAPI Editor

(lvi) How would you disable the anti malware filtering and ensure that engine updates from microsoft are downloded and updated.

- a) Disable-Antimalwareagent.ps1
- b) Set-malwarefilteringserver
- c) Disable-Antimalwarescanning.ps1
- d) Update-MalwareFilteringServer.ps1

(lvii) You need to recommend which type of group must be used to create the planned department lists. Which type of group should you recommend? It appears that the planned department lists are: Operation Finance Sales Marketing Research Lab Users must be able to use the Exchange Control Panel to autonomously join and disjoin their department's distribution lists.

a) Universal Distribution

b) Dynamic Distribution

c) Global Security

d) Universal Security

(lviii) You have a hosted Exchange organization. All servers in the organization have Exchange Server 2013 installed. You need to group a set of users for administrative delegation. What should you create?

a) A new distribution group.

- b) A new management role.
- c) A managed folder mailbox policy.
- d) A new role assignment policy.

(lix) You have an Exchange organization. All servers in the organization have Exchange Server 2013 installed. You need to identify why a remote SMTP server rejects email sent from the organization. What should you do?

- a) Modify the diagnostic logging level on the MSEchangeTransportService object, and then review the Application event log.
- b) Modify the connectivity log settings on the Transport server, and then review the connectivity logs.
- c) Modify the message tracking settings on the Transport server, and then review the
- d) Modify the protocol logging level on the Send connectors, and then review the

message tracking logs.

protocol logs.

(lx) You plan to deploy 20 Client Access servers that will have Exchange Server 2013 installed. You need to prepare the certificate required for the planned deployment. The solution must ensure that the same certificate can be used on all of the Client Access servers. What should you do first?

- a) From the Exchange Admin Center, create a new certificate request.
- b) On each Client Access server, start the Certificates console and run the Certificate Import Wizard.
- c) On all of the Client Access servers, delete the default self-signed certificates.
- d) On one of the Client Access servers, run the Remove-ExchangeCertificate cmdlet.