

BRAINWARE UNIVERSITY

Term End Examination 2020 - 21

Programme – Bachelor of Computer Applications Course Name – Operating System Course Code - BCAC302

Semester / Year - Semester III

Time allotted: 75 Minutes

Full Marks: 60

[The figure in the margin indicates full marks. Candidates are required to give their answers in their own words as far as practicable.]

	Group-A		
	(Multiple Choice Type	e Question)	1 x 60=60
1. (Answer any Sixty)			
(i) OS provides platform to re	ın		
a) system software	b) a	pplication software	
c) System software and apsoftware	oplication d) N	None of these	
(ii) DOS is a			
a) frame bit	b) p	oage number	
c) system software	d) N	None of these	
(iii) The is an appl	ication software		
a) OS	b) N	MS WORD	
c) DOS	d) N	None of these	
(iv) In Unix, Which system c	all creates the new proc	cess?	
a) fork	b) c	reate	
c) new	d) n	one of these	
(v) By operating system, the	resource management c	can be done via	
a) time division multiplex	ting b) s	pace division multiple	xing
c) both time and space div	vision d) n	one of these	

multiplexing

(vi) Which one of the following error will be h	nandle by the operating system?
a) power failure	b) lack of paper in printer
c) connection failure in the network	d) all of these
(vii) Example of single user single tasking os	is
a) LINUX	b) WINDOWS
c) DOS	d) None of these
(viii) What is a shell script?	
a) group of commands	b) a file containing special symbols
c) a file containing a series of commands	d) group of functions
(ix) A program in execution is called	
a) Process	b) Instruction
c) Procedure	d) Function
(x) Which of the following is not a fundamenta	al process state
a) Ready	b) Terminated
c) Waiting	d) Blocked
(xi) RAG is a useful tool to represent a	in a system
a) Deadlock	b) Resource allocation
c) Race condition	d) None of these
(xii) Program is a Entity while prod	cess is
a) Passive, active	b) Active, passive
c) Passive .Active and Active, passive	d) None of these

(xiii) FCFS is Scheduling al	lgorithm.
a) Pre-emptive	b) Non-preemptive
c) Pre-emptive and Non-preemptive	d) None of these
(xiv)is a scheduler is invoked who scheduling	en there is need to perform job
a) Long-term	b) Medium-term
c) Short-term	d) None of these
(xv) Which one of the following is not a process	ss communication
a) Message passing	b) Shared memory
c) Signal	d) None
(xvi) To detect deadlock in a single instance of used?	f resource types, which graph is
a) RAG	b) WAIT-FOR-GRAPH
c) Directed graph	d) None of these
(xvii) In priority scheduling algorithm	
a) CPU is allocated to the process with highest priority	b) CPU is allocated to the process with lowest priority
c) Equal priority processes can not be scheduled	d) None of these
(xviii) A system is in the safe state if	
 a) the system can allocate resources to each process in some order and still avoid a deadlock 	n b) there exist a safe sequence
c) all of these	d) none of these
(xix) Which one of the following is the deadloo	ck avoidance algorithm?
a) banker's algorithm	b) round-robin algorithm

c) elevator algorithm	d) karn's algorithm
(xx) The segment of code in which the process update tables, write into files is known as :	may change common variables,
a) program	b) critical section
c) non – critical section	d) synchronizing
(xxi) A state is safe, if:	
a) the system does not crash due to deadlock occurrence	b) the system can allocate resources to each process in some order and still avoid a deadlock
c) the state keeps the system protected and safe	d) all of these
(xxii) All unsafe states are:	
a) deadlocks	b) not deadlocks
c) fatal	d) none of these
(xxiii) If no cycle exists in the resource allocate	ion graph :
a) then the system will not be in a safe state	b) then the system will be in a safe state
c) all of these	d) none of these
(xxiv) What is the ready state of a process?	
a) when process is scheduled to run after some execution	b) when process is unable to run until some task has been completed
c) when process is using the CPU	d) none of these
(xxv) What is inter process communication?	
a) communication within the process	b) communication between two process
c) communication between two threads of same process	d) none of these

(xxvi) The address of the next instruction to b is provided by the	be executed by the current process
a) CPU registers	b) Program counter
c) Process stack	d) Pipe
(xxvii) The number of processes completed pe	er unit time is known as
a) Output	b) Throughput
c) Efficiency	d) Capacity
(xxviii) The degree of multiprogramming is:	
a) the number of processes in the ready queue	b) the number of processes in the I/O queue
c) the number of processes in memory	d) the number of processes executed per unit time
(xxix) What is a short-term scheduler?	
a) It selects which process has to be brought into the ready queue	b) It selects which process has to be executed next and allocates CPU
c) It selects which process to	d) None of these
(xxx) The context of a process in the PCB of	a process does not contain:
a) the value of the CPU registers	b) the process state
c) memory-management information	d) context switch time
(xxxi) The processes that are residing in main waiting to execute are kept on a list called	memory and are ready and
a) job queue	b) ready queue
c) execution queue	d) process queue
(xxxii) Which one is deadlock condition?	

a) Mutual exclusion	b) No preemption
c) Hold and wait	d) All of these
(xxxiii) A process can be	
a) single threaded	b) none of these
c) Multithreaded	d) both single threaded and multithreaded
(xxxiv) The backing store is generally a:	
a) fast disk	b) disk large enough to accommodate copies of all memory images for all users
c) disk to provide direct access to the memory images	d) all of these
(xxxv) Paging increases the time.	
a) waiting	b) execution
c) context – switch	d) all of these
(xxxvi) Every address generated by the CPU is	divided into two parts:
a) frame bit & page number	b) page number & page offset
c) page offset & frame bit	d) frame offset & page offset
(xxxvii) External fragmentation exists when:	
a) enough total memory exists to satisfy a request but it is not contiguous	b) the total memory is insufficient to satisfy a request
c) a request cannot be satisfied even when the total memory is free	d) none of these
(xxxviii) Program always deals with	
a) logical address	b) absolute address
c) physical address	d) relative address

(xxxix) Memory management technique in v	which system stores and retrieves
data from secondary storage for use in main r	memory is called
a) fragmentation	b) paging
c) Mapping	d) none of these
(xl) Which one of the following is the address	ss generated by CPU?
a) physical address	b) absolute address
c) logical address	d) none of these
(xli) I/O hardware contains	
a) Bus	b) Controller
c) I/O port and its registers	d) All of these
(xlii) In linked allocation	
a) each file must occupy a set of contiguous blocks on the disk	b) each file is a linked list of disk block
c) all the pointers to scattered blocks are placed together in one location	d) none of these
(xliii) and are the most c free hole from the set of available holes.	common strategies used to select a
a) First fit, Best fit	b) Worst fit, First fit
c) Best fit, Worst fit	d) None of these
(xliv) Random access in magnetic tapes isdisks.	compared to magnetic
a) Fast	b) very fast
c) slow	d) very slow
(xlv) SSTF algorithm, like SJF	of some requests.
a) may cause starvation	b) will cause starvation

c) does not cause starvation	d) causes aging
(xlvi) Root directory of a disk should be placed	1
a) at the fixed address in the main memory	b) at a fixed location on the disk
c) at the fixed location on system disk	d) anywhere on the disk
(xlvii) Creating a job queue is a function of	
a) Spooler	b) Interpreter
c) Complier	d) Drive
(xlviii) Which scheduler selects processes from called	secondary storage device is
a) Short term scheduler.	b) Long term scheduler.
c) Medium term scheduler.	d) Process scheduler
(xlix) The scheduling in which CPU is allocated burst time is called	d to the process with least CPU-
a) Priority Scheduling	b) Shortest job first Scheduling
c) Round Robin Scheduling	d) Multilevel Queue Scheduling
(l) Memory utilization factor shall be computed	d as follows
a) memory in use/total memory connected.	b) purpose of a data structure
c) memory allocated/free existing memory	d) memory committed/total memory available.
(li) 'LRU' page replacement policy is	
a) Last Replaced Unit.	b) Last Restored Unit.
c) Least Recently Used.	d) Least Required Unit.
(lii) The main memory accommodates	
a) Opearting system	b) CPU

c) Keyboard	d) None of these
(liii) Which of the following loader is executed or restarted	l when a system is first turned on
a) Boot loader	b) Compile and Go loader
c) Bootstrap loader	d) Relating loader
(liv) Poor response time is usually caused by	
a) Process busy	b) High I/O rates
c) High paging rates	d) Any of these
(lv) Which scheduling policy is most suitable f	For a time-shared operating
a) Shortest-job First.	b) Elevator.
c) Round-Robin.	d) First-Come-First-Serve.
(lvi) A critical section is a program segment	
a) which should run in a certain specified amount of time.	b) which avoids deadlocks.
c) where shared resources are accessed.	d) which must be enclosed by a pair of semaphore operations, P and V.
(lvii) The main reason to encrypt a file is to	
a) Reduce its size	b) Secure it for transmission
c) Prepare it for backup	d) Include it in the start-up sequence
(lviii) A UNIX device driver is	
 a) Structured into two halves called top half and bottom half 	b) Three equal partitions
c) Unstructured	d) None of these

(lix) Virtual memory is	
a) simple to implement	b) an illusion of extremely large main memory
c) less efficient in utilization of memory	d) useful when fast I/O devices are not available
(lx) To avoid race condition, the maximum nun simultaneously inside the critical section is	nber of processes that may be
a) 0	b) 1
c) 2	d) More than 2