

BRAINWARE UNIVERSITY

Term End Examination 2020 - 21

Programme – Bachelor of Science (Honours) in Computer Science

Course Name – Operating System

Course Code - BCS302 Semester / Year - Semester III

Time allotted : 85 Minutes

Full Marks: 70

[The figure in the margin indicates full marks. Candidates are required to give their answers in their own words as far as practicable.]

Group-A

(Multiple Choice Type Question) 1 x 70=70 1. (Answer any Seventy) (i) OS provides platform to run a) system software b) application software c) System software and application d) None of these software (ii) DOS is a a) frame bit b) page number d) None of these c) system software (iii) The is an application software b) MS WORD a) OS c) DOS d) None of these (iv) In Unix, Which system call creates the new process? a) fork b) create d) none of these c) new

(v) By operating system, the resource management can be done via

- a) time division multiplexingb) space division multiplexing
- c) both time and space division d) none of these

multiplexing

(vi) Which one of the following error will be handle by the operating system?

- a) power failure
- c) connection failure in the network

(vii) Example of single user single tasking os is

- a) LINUX b) WINDOWS
- c) DOS
- (viii) Shell is the exclusive feature of
 - a) UNIX b) System software c) DOS d) Application Software
- (ix) Which command is used for making the scripts interactive?

a) Ip	b) Input
c) Read	d) Write

- (x) A program in execution is called
 - a) Process b) Instruction c) Procedure d) Function

(xi) Which of the following is not a fundamental process state

- a) Ready b) Terminated c) Waiting d) Blocked
- (xii) Program is a Entity while process is a) Passive, active b) Active, passive c) Passive .Active and Active, passive d) None of these

- b) lack of paper in printer
- d) all of these

d) None of these

(xiii) FCFS is Scheduling algorithm.

- a) Pre-emptive b) Non-preemptive
- c) Pre-emptive and Non-preemptive d) None of these

(xiv)is a scheduler is invoked when there is need to perform job scheduling

- a) Long-term b) Medium-term
- c) Short-term

(xv) Which one of the following is not a process communication

a) Message passingb) Shared memoryc) Signald) None

(xvi) To detect deadlock in a single instance of resource types, which graph is used?

a) RAG	b) WAIT-FOR-GRAPH
c) Directed graph	d) None of these

(xvii) Example of mutually exclusive resource is

a) RAM	b) Printer
c) RAM and Printer	d) None

(xviii) In priority scheduling algorithm

a) CPU is allocated to the process with highest priority

c) Equal priority processes can not be scheduled

- b) CPU is allocated to the process with lowest priority
- d) None of these

d) None of these

- (xix) Time quantum is defined in
 - a) shortest job scheduling algorithm
 - c) priority scheduling algorithm
- b) round robin scheduling algorithm
- d) multilevel queue scheduling algorithm

(xx) A system is in the safe state if

a) the system can allocate resources to each b) there exist a safe sequence process in some order and still avoid a deadlock

c) all of these d) none of these

(xxi) Which one of the following is the deadlock avoidance algorithm?

- a) banker's algorithm b) round-robin algorithm
- c) elevator algorithm d) karn's algorithm

(xxii) Which one of the following is a visual (mathematical) way to determine the deadlock occurrence?

a) resource allocation graph	b) starvation graph
a) invension anonh	d) mana of these

c) inversion graph d) none of these

(xxiii) The segment of code in which the process may change common variables, update tables, write into files is known as :

a) program	b) critical section
c) non – critical section	d) synchronizing

(xxiv) The following three conditions must be satisfied to solve the critical section problem :

a) Mutual Exclusion	b) Progress
c) Bounded Waiting	d) All of these

(xxv) For a deadlock to arise, which of the following conditions must hold simultaneously?

a) Mutual exclusion	b) No preemption
c) Hold and wait	d) All of these

(xxvi) A state is safe, if :

a) the system does not crash due to deadlock occurrence	b) the system can allocate resources to each process in some order and still avoid a deadlock
c) the state keeps the system protected and safe	d) all of these
(xxvii) All unsafe states are :	
a) deadlocks	b) not deadlocks
c) fatal	d) none of these
(xxviii)	
A deadlock can be broken by	
a)	b)
abort one or more processes to break the circular wait	abort all the process in the system
c)	d) none of these
preempt all resources from all processes	
(xxix) The address of the next instruction to be is provided by the	executed by the current process
a) CPU registers	b) Program counter
c) Process stack	d) Pipe

(xxx) The number of processes completed per unit time is known as

a) Output b) Throughput

c) Efficiency	d) Capacity	
(xxxi) The degree of multiprogramming is:a) the number of processes in the ready queue	b) the number of processes in the I/O queue	
c) the number of processes in memory	d) the number of processes executed per unit time	
(xxxii) What is a short-term scheduler ?a) It selects which process has to be brought into the ready queuec) It selects which process to	b) It selects which process has to be executed next and allocates CPUd) None of these	
(xxxiii) The context of a process in the PCB of a process does not contain :a) the value of the CPU registersb) the process state		
c) memory-management information	d) context switch time	

(xxxiv) The interval from the time of submission of a process to the time of completion is termed as

a) waiting time	b) turnaround time
c) response time	d) throughput

(xxxv) Which one is deadlock condition?

- a) Mutual exclusion b) No preemption
- c) Hold and wait

d) All of these

(xxxvi) A process can be

- a) single threaded
- c) Multithreaded

- b) none of these
- d) both single threaded and multithreaded

(xxxvii) Which one of the following is a synchronization tool?

a) thread	b) pipe
c) semaphore	d) socket
(xxxviii) The backing store is generally a :	
a) fast disk	b) disk large enough to accommodate
a) last ulsk	b) disk large enough to accommodate copies of all memory images for all users
c) disk to provide direct access to the	d) all of these
memory images	d) an of these
(xxxix) Paging increases the time.	
a) waiting	b) execution
c) context – switch	d) all of these
(xl) With paging there is no fragme	entation.
a) internal	b) external
c) either type of	d) none of these
(xli) The size of a page is typically :	
a) varied	b) power of 2
c) power of 4	d) none of these
	.,
(xlii) Every address generated by the CPU is d	ivided into two parts :
a) frame bit & page number	b) page number & page offset
c) page offset & frame bit	d) frame offset & page offset
(xliii) Physical memory is broken into fixed-s	ized blocks called
a) frames	b) pages
c) backing store	d) none of these
(xliv) External fragmentation exists when :	
a) enough total memory exists to satisfy a	b) the total memory is insufficient to

request but it is not contiguous	satisfy a request
c) a request cannot be satisfied even when the total memory is free	d) none of these
(xlv) Program always deals with	
a) logical address	b) absolute address
c) physical address	d) relative address
(xlvi) Memory management technique in which data from secondary storage for use in main me	-
a) fragmentation	b) paging
c) Mapping	d) none of these
(xlvii) Which one of the following is the addre	ess generated by CPU?
a) physical address	b) absolute address
c) logical address	d) none of these
(xlviii)is a technique of temporarily main memory.	emoving inactive programs from
a) Swapping	b) Spooling
c) Semaphore	d) Scheduler
(xlix) I/O hardware contains	
a) Bus	b) Controller
c) I/O port and its registers	d) All of these
(l) In contiguous allocation	
a) each file must occupy a set of contiguous blocks on the disk	b) each file is a linked list of disk blocks
c) all the pointers to scattered blocks are placed together in one location	d) none of these

(li) In linked allocation	
a) each file must occupy a set of contiguous blocks on the disk	b) each file is a linked list of disk blocks
c) all the pointers to scattered blocks are placed together in one location	d) none of these
(lii) and are the most comm free hole from the set of available holes.	non strategies used to select a
a) First fit, Best fit	b) Worst fit, First fit
c) Best fit, Worst fit	d) None of these
(liii) Random access in magnetic tapes is disks.	compared to magnetic
a) Fast	b) very fast
c) slow	d) very slow
(liv) SSTF algorithm, like SJF of some requests.	
a) may cause starvation	b) will cause starvation
c) does not cause starvation	d) causes aging
(lv) Root directory of a disk should be placed	
a) at the fixed address in the main memory	b) at a fixed location on the disk
c) at the fixed location on system disk	d) anywhere on the disk
(lvi) Creating a job queue is a function of	
a) Spooler	b) Interpreter
c) Complier	d) Drive
(lvii) Which scheduler selects processes from secondary storage device is	

(lvii) Which scheduler selects processes from secondary storage device is called

a) Short term scheduler. b) Long term scheduler.

c) Medium term scheduler.

d) Process scheduler

(lviii) The scheduling in which CPU is allocated to the process with least CPUburst time is called

a) Priority Scheduling	b) Shortest job first Scheduling
c) Round Robin Scheduling	d) Multilevel Queue Scheduling

(lix) The "turn-around" time of a user job is the

time since its submission to the time its results become available.

c) total time taken to execute the job.

b) number of papers required to be brought in at a given page request.

d) time taken for the job to move from assembly phase to completion phase.

- (lx) Memory utilization factor shall be computed as follows
 - a) memory in use/total memory connected. b) purpose of a data structure
 - c) memory allocated/free existing memory d) memory committed/total memory available.

(lxi) 'LRU' page replacement policy is

- a) Last Replaced Unit.b) Last Restored Unit.c) Least Recently Used.d) Least Required Unit.
- (lxii) The main memory accommodates....
 - a) Opearting system b) CPU
 - c) Keyboard

a)

d) None of these

(lxiii) Which of the following loader is executed when a system is first turned on or restarted

a) Boot loaderb) Compile and Go loaderc) Bootstrap loaderd) Relating loader

(lxiv) Poor response time is usually caused by

- a) Process busy
- c) High paging rates

- b) High I/O rates
- d) Any of these

b) Elevator.

(lxv) Which scheduling policy is most suitable for a time-shared operating system

- a) Shortest-job First.
- c) Round-Robin.
- (lxvi) A critical section is a program segment
 - a) which should run in a certain specified amount of time.
 - c) where shared resources are accessed.
- b) which avoids deadlocks.

d) First-Come-First-Serve.

d) which must be enclosed by a pair of semaphore operations, P and V.

- (lxvii) The main reason to encrypt a file is to
 - a) Reduce its size
 - c) Prepare it for backup
- (lxviii) A UNIX device driver is
 - a) Structured into two halves called top half and bottom half
 - c) Unstructured
- (lxix) Virtual memory is
 - a) simple to implement
 - c) less efficient in utilization of memory

- b) Secure it for transmission
- d) Include it in the start-up sequence
- b) Three equal partitions
- d) None of these
- b) an illusion of extremely large main memory
- d) useful when fast I/O devices are not available

(lxx) To avoid race condition, the maximum number of processes that may be simultaneously inside the critical section is

a) 0 b) 1 c) 2 d) More than 2