

$$\begin{bmatrix} 1 & 2 & 3 \\ -2 & 4 & 4 \\ -3 & -4 & 3 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 2 & 3 \\ 0 & 4 & 4 \\ 0 & 0 & 3 \end{bmatrix}$$

- (v) Write the sum of the eigen values of the matrix $A = \begin{pmatrix} 1 & 1 & 3 \\ 1 & 5 & 1 \\ 3 & 1 & 1 \end{pmatrix}$.

a) 5

b) -5

c) 7

d) -7

- (vi) If A is an orthogonal Matrix then examine the matrix A .

a) Singular Matrix

b) Non-Singular Matrix

c) Symmetric Matrix

d) Skew-Symmetric matrix

- (vii) Evaluate the dimension of the algebra $A(V)$, where $V = M_{3,4}$.

a) 3

b) 4

c) 12

d) 144

- (viii) Let $M_{n \times n}$ be the set of all n -square symmetric matrices and the characteristics

polynomial of each $A \in M_{n \times n}$ is of the form

$t^n + t^{n-2} + a_{n-3}t^{n-3} + \dots + a_1t + a_0$. Then write the dimension of $M_{n \times n}$ over

\mathbb{R} is

a) $\frac{(n-1)n}{2}$

b) $\frac{(n-2)n}{2}$

c) $\frac{(n-1)(n+2)}{2}$

d) $(n-1)^2/2$

- (ix) If 0 is an Eigen value of a matrix A , then identify the false statement.

a) 0 is an Eigen value of A^{-1}

b) 0 is an Eigen value of A^T

c) A has no inverse matrix

d) A can't be orthogonal

- (x) Let A is an orthogonal matrix. Evaluate which of the following is not a possible eigen value of A ?

a) -1

b) 0

c) 1

d) $\sqrt{-1}$

- (xi) If $V = \mathbb{R}^3$ be equipped with inner product $(x, y) = x_1y_1 + 2x_2y_2 + 3x_3y_3$. In this inner product space $(V, (\cdot, \cdot))$ identify the pairs of vectors that is orthonormal.

a) $u = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}, v = \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}$

b) $u = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}, v = \begin{bmatrix} 0 \\ 1/\sqrt{2} \\ 0 \end{bmatrix}$

c) $u = \begin{bmatrix} 1 \\ \sqrt{3} \\ 0 \\ 0 \end{bmatrix}, v = \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}$

d) $u = \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}, v = \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}$

- (xii) Consider the inner product space of all polynomial of degree less than or equal to 3 and the inner product $f(x), g(x) = \int_{-1}^1 f(x)g(x)dx$ then determine the value of x^2 .

5. Test whether A and A^t have the same eigenvectors. (3)

OR

Test whether every complex square matrix A similar to its transpose. (3)

6. Justify the statement, "For any $n \times n$ complex matrix A , the exponential e^A is invertible, and its inverse is e^{-A} ." (3)

OR

Justify the statement, "The eigenvalues and the trace of a Hermitian matrix A are real numbers." (3)

Group-C

(Long Answer Type Questions)

5 x 6=30

7. It is given that 3, 0, 0 are the Eigen values of the matrix $\begin{bmatrix} 1 & -1 & 1 \\ -1 & 1 & -1 \\ 1 & -1 & 1 \end{bmatrix}$. (5)

Calculate the diagonalizing matrix.

8. State Cauchy-Schwarz inequality, Pythagoras theorem and Parallelogram law. (5)

OR

Define the rank of a matrix A . And also state the rank-nullity theorem. (5)

9. Show that positive definite operator is also self-adjoint. (5)

OR

Let $V(\mathbb{R})$ be a vector space of all 2×2 matrices over the real field \mathbb{R} . Show that W is not a subspace of V where W consists of the set of matrices A for which $A^2 = A$. (5)

10. Determine whether the set of vectors formed by the matrices A , B and C are dependent where $A = \begin{bmatrix} 1 & 2 \\ 3 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 3 & -1 \\ 2 & 2 \end{bmatrix}$ and $C = \begin{bmatrix} 1 & -5 \\ -4 & 0 \end{bmatrix}$ (5)

OR

(5)

If A is a complex 5×5 matrix with characteristic polynomial $f(x) = (x - 2)^3(x + 7)^2$ and minimal polynomial is $p(x) = (x - 2)^2(x + 7)$, then determine the Jordan form for A .

11. Evaluate the eigen vectors of the matrix $\begin{bmatrix} 5 & 1 \\ 4 & 2 \end{bmatrix}$ (5)

OR

Evaluate the rank and signature of $xy + yz + zx$. (5)

12. Evaluate a basis and the dimension of the subspace W of R^3 , where $W = \{(x, y, z) \in R^3 \mid x + y + z = 0\}$. (5)

OR

Test whether $W = \{(\alpha_1, \alpha_2, \dots, \alpha_n) \in R^n : \alpha_2 = \alpha_1^2\}$ is a subspace of $R^n(R)$. (5)
