







OR (2.5)

If  $y = \log(\tan x)$ , then estimate  $\left(\frac{dy}{dx}\right)_{x=\frac{\pi}{4}} =$

7. Express  $\frac{dy}{dx}$  of the implicit function  $x^y = y^x$  is (2.5)

OR (2.5)

Estimate  $\lim_{x \rightarrow 0} \frac{e^{\sin x} - 1}{x} =$

8. If  $y = e^{x^2 \sin x}$  then Construct  $\frac{dy}{dx} =$  (2.5)

OR (2.5)

Determine x so that 2 is the slope of the line through (2,5) and (x,3).

9. If  $y = e^{x^2 \sin x}$  then evaluate  $\frac{dy}{dx}$  (2.5)

OR (2.5)

Evaluate  $\int \frac{1}{\sqrt{1+\cos 2x}} dx$

10. Evaluate  $\int \frac{\sin x}{\sin(x-a)} dx$  (2.5)

OR (2.5)

Evaluate  $\int \frac{2^x + 3^x}{5^x} dx$

11. Formulate the general solution of  $(1 + x^2)dx + (1 + y^2)dy = 0$ . (2.5)

OR (2.5)

Evaluate  $\int \frac{e^x + 1}{e^x} dx$

**Group-C**  
(Long Answer Type Questions)

Library  
5 x 1 = 5  
Brainware University  
398, Ramkrishnanagar Road, Barasat  
(5)  
Kolkata, West Bengal-700125

12. If  $\begin{bmatrix} x+3 & x+2y \\ z-1 & 4t-6 \end{bmatrix} = \begin{bmatrix} 0 & 7 \\ 3 & 2t \end{bmatrix}$  then invent the value of x, y, z, t

**OR**

Justify that the slope intercept form of a straight line and two-point form of a straight line are equivalent. (5)

\*\*\*\*\*