Online Assessment (Even Sem/Part-I/Part-II Examinations 2019 - 2020

Course Name - Pharmacology and Toxicology Course Code - 2.3T

- * You can submit the form ONLY ONCE.
- * Fill the following information for further process.
- * Required

1.	Email address *	
2.	Name of the Student *	
3.	Enter Full Student Code *	
4.	Enter Roll No *	Pharmacon and July engity Brain y Laine a 700125
5.	Enter Registration No *	
6.	Enter Course Code *	

7. Enter Course Name *

8. Select Your Programme *

Mark only one oval.


D.PHARM
B.SC.(CS)
B.SC.(HN)
B.A.(MW)
BBA
B.COM
BCA
M.SC.(CS)
M.SC.(HN)
M.A.(MW)

MBA

MCA

M.TECH(CSE)

Answer all the questions. Each question carry one mark.



1	2. Bioavailability is usually the least by the following route of administration:	
	Mark only one oval.	
	Intramuscularly	
	Intravenously	
	Rectal	
	Orally	
11.	3. Process contributing least to transport of drug across biological membranes:	
	Mark only one oval.	
	Passive diffusion	
	Pinocytosis	
	Active transport	
	Facilitated diffusion	
12	4. Pharmacogenetics deals with:	
	Mark only one oval.	
	Clinically significant genetically mediated variations in drug response	
	Harmful effects on foetus	
	Drug induced genetic defect	
	Development of drugs by DNA recombinant technology Development of drugs by DNA recombinant technology Development of drugs by DNA recombinant technology Development of drugs by DNA recombinant technology Development of drugs by DNA recombinant technology Development of drugs by DNA recombinant technology Development of drugs by DNA recombination technology Development	ity 0125

13.	5. Chlorpropamide metabolism is enhanced by:
	Mark only one oval.
	Ethyl alcohol
	Diazepam
	Lorazepam
	Chloridazepoxide
14.	6. All of following are examples of prodrugs except:
	Mark only one oval.
	Levodopa
	Enlapril
	Omeprazole
	Indomethacin
15.	7. General anaesthetic is useful because it causes:
	Mark only one oval.
	Excellent analgesia
	Unconsciousness
	Muscle relaxation and unconsciousness
	Abolition of reflexes

j.	8. Drug of choice in psychomotor epilepsy is:
	Mark only one oval.
	Valproic acid Carbazipine Ethosuccimide Barbiturate
17.	9. One of the methods to measure changes in the levels of consciousness during anesthesia is Mark only one oval.
	Auditory Evoked Potential Visual Evoked Potential Tactile Evoked Potential Speech Evoked Potential
18.	10. Which one of these barbiturates is used as intravenous aneasthetics? Mark only one oval. Phenobarbitone Thiopentone Barbitone All of these

19.	11. Plasma level of vitamin A may be significantly affected by?
	Mark only one oval.
	Vitamin D
	Oral contraceptives
	Cephalosporin
	Aspirin
20.	12. Which of the following antiallergic drug does not have CNS depressant activity?
	Mark only one oval.
	Astemizole
	Diphenhydramine
	Hydroxyzine

21. 13. Drug of choice for acute migraine is :

Mark only one oval.

Pheniramine





24. 16. Diuretic used in hypokalemic state :

Mark only one oval.

Frusemide

Thiazide

Bumetamide

Spiranolactone

Sustain Sural Sura

25.	17. Cardioselective β-blockers is/are
	Mark only one oval.
	Atenolol
	Labetalol
	Sotalol
	Propanolol
26.	18. Originally Oxyetracycline is known as:
	Mark only one oval.
	Aureomycin
	Erythromycin
	Terramycin
	Viomycin
27.	19. Which one of these is not given in urinary tract infection?
	Mark only one oval.
	Nalidixic acid
	Nitrofurantoin
i.e	Cotrimoxazole
	Tetracycline
F 21	
V.	

	20. When give in transdermal route, estrogen have minimum effect on:	
	Mark only one oval.	
	Steroid binding globulin	
	Lipoprotein profile	
	Norethynodrel	
	Medroxyprogesterone	
29.	21. Renin released on stimulation of following receptor:	
	Mark only one oval.	
	Alpha 1	
	Alpha 2	
	Beta 1	
	Beta 2	
30.	22. Vasopressor of choice in pregnancy is :	
	Mark only one oval.	
	Ephedrine	
	Phenylephrine	
	Methoxaine	65
	Mephenteramine	or the lot
		English 10
		Carlow St. St.
	· · · · · · · · · · · · · · · · · · ·	2

31.	23. Pilocarpine is used in:
	Mark only one oval.
	Glaucoma Paralytic ileus Urinary retention All of these
32.	24. The following drugs are used for treatment of bronchial asthma as bronchodilators except?
	Mark only one oval.
	Theophyline Beclomethasone Ipratopium Salmeterol
33.	25. Which of the following drugs prevents attack of allergic asthma? Mark only one oval.
	Ipratropium Salbutamol Theophylline Ketotifen
). K	

٠.	26. Which of following drugs is used to stimulate heart?	
	Mark only one oval.	
	Aspirin Morphine Streptomycin Digitalis	
35.	27. A Very common side effect of morphine is:	
	Mark only one oval.	
	Allergic response Blood dyscrasias Constipation Liver damage	
36	. 28. Side effect of captopril are all except:	
	Mark only one oval.	
	Cough Hyperkalemia Renal dysfunction Hemolytic anemia	al shoote
		Sold of the second

37.	29. Drug of choice in insomnia due to anxiety:	
	Mark only one oval.	
	Paraldehyde Meprobamate Imipramine Morphine	
38.	30. Potassium supplement are given with:	
	Mark only one oval.	
	Spiranolactone Prednisolone Thiazides None of these	Pharmic schnology Brains, c. Uni ersity Barasat, kolocia-700125

39. Submission ID (skip this field) *
 A DO NOT EDIT this field or your time will not be recorded.

This content is neither created nor endorsed by Google.

Google Forms