

## **BRAINWARE UNIVERSITY**

## Term End Examination 2021 - 22 Programme – Diploma in Electrical Engineering Course Name – Physics II Course Code - DEE202 (Semester II)

Гime allotted : 1 Hrs.15 Min.		Full Marks : 60
[The figure in	the margin indicates full marks.]	
	Group-A	
(Multi	ple Choice Type Question)	1 x 60=60
Choose the correct alternative from the f	following:	
(1) A pendulum of length L supporting method the mass is doubled, the new time periods	ass M swings back and forth with time peri od is	od P . If
a) $\frac{1}{\sqrt{2}}P$	b) P	
c) $\sqrt{2}P$	d) 2P	
(2) Relation between force and acceleration	on was first introduced by	
a) Issac Newton	b) Carl Friedrich Gauss	
c) Albert Einstein	d) Plank	
(3) A particle is thrown vertically upward reach the ground after	with a velocity 40 ms <sup>-1</sup> from the ground. I	t will
a) 8 s	b) 4 s	
c) 20 s	d) 16 s	
(4) At a particular instant, acceleration of	a body is called	
a) instantaneous acceleration	b) instantaneous velocity	
c) instantaneous displacement	d) instantaneous speed	
(5) Magnitude of displacement from initia	l position to final position is	
a) straight line	b) curved line	
c) circle	d) none of these	

Page 1 of 6

a) scalar quantity

b) vector quantity

c) Derived quantity	d) none of these	
(7) A boy of mass 50 kg runs with a force of 100 N, his acceleration would be		
a) $5000 \text{ m s}^{-2}$	b) $_{50 \text{ m s}}^{-2}$	
$^{\rm c)}$ 150 m s <sup>-2</sup>	d) $_{2 \text{ m s}}^{-2}$	
(8) SI unit for force is		
a) Kilograms	b) Newton	
c) Joules	d) Acceleration	
(9) Speed of truck is 40 m s <sup>-1</sup> , after 10 seconds its speed decreases to 20 m s <sup>-1</sup> , its acceleration is		
a) $_{-1}$ m s $^{-2}$	b) - 2 m s <sup>-2</sup>	
$^{\circ}$ - 4 m s <sup>-2</sup>	$\frac{d}{-5} = \frac{-2}{100}$	
(10) "Energy can neither be created nor be destroyed, but it can be changed from one form to another", this law is known as		
a) kinetic energy	b) potential energy	
c) conservation of energy	d) conservation principle	
(11) A heavy truck has more momentum than a passenger car moving at the same speed because the truck		
a) has greater mass	b) has greater speed	
c) is not streamlined	d) has a large wheelbase	
(12) Momentum is conserved in		
a) an elastic collision of two balls	b) an inelastic collision of two balls	
c) the absence of an external force	d) all of these	
(13) A gun recoiling when it is fired is an example of		
a) conservation of momentum	b) conservation of angular momentum	
c) conservation of energy	d) none of these	
(14) A car traveling at a speed of 40 km/hr increases its energy increases	s speed to 80 km/hr. As a result its kinetic	
a) 2 times	b) 4 times	
c) 8 times	d) none of these	
(15) A thin uniform ring of mass M and radius R passin its plane. Then its Moment of Inertia is	ng through its centre and perpendicular to	
a) $_{1/2}$ MR <sup>2</sup>	b) $MR^2$	
$^{\rm c)}$ 3/2 MR <sup>2</sup>	d) $_{2 \text{ MR}}^2$	
(16) The energy possessed by a body due to its position	n is called	
a) kinetic Energy	b) potential Energy	
c) mechanical Energy	d) electrical Energy	
(17) Joule is a unit of		
a) work	b) power	
c) momentum	d) velocity	
(18) When an object falls freely towards the ground, then its total energy		

a) increases	b) decreases
c) remains constant	d) first increases then decreases
(19) What happens to the body on which work	is done
a) it loses energy	b) it gains energy
c) no change in the energy	d) first it loses then it gain
(20) A radio set of 60 watts runs for 50 hours. I consumed in kWh	How many units of electrical energy are
a) 2 kWh	b) 3 kWh
c) 4 kWh	d) 6 kWh
(21) What is the smallest unit of power	
a) Watt	b) Kilowatt
c) Horse power	d) none of these
(22) A mass is revolving in a circle which is in acceleration	the plane of the paper. The direction of angular
a) upward to the radius	b) towards the radius
c) tangential	d) at right angle to angular velocity
(23) How much time will be required to perform	m 520 J of work at the rate of 20 W
a) 24s	b) 16s
c) 20s	d) 26s
(24) The commercial unit of Energy is	
a) Watt	b) Watt-hour
c) Kilowatt-hour	d) Kilowatt
(25) When an object falls freely towards the great	ound, then its total energy
a) increases	b) decreases
c) remains constant	d) first increases then decreases
(26) 1 Horse Power (HP) = Watt	
a) 446	b) 766
c) 746	d) 674
(27) Joule/second is related to	
a) Watt	b) Newton
c) Pascal	d) Torr
(28) In order to do work, energy is	
a) transferred or converted	b) used up
c) lost	d) lost or transferred
(29) What are the units of work	
a) kg x m/s	b) J
c) m/s	d) Watt
(30) What are the units of power	
a) Horsepower	b) Joules per second
c) Watts	d) all the choices are correct
(31) Unit of electric charge is	
a) Coulomb	b) Coulomb/sec

c) Volt	d) None of these
(32) Wheatstone bridge principle is generally applied	d to
a) Resistance	b) charge
c) Voltage	d) current
$(33)$ A wire of resistance $4\Omega$ is stretched to twice	e its original length, its new resistance is
2) 20	b) 10
a) 8Ω	b) 1Ω
c) 16Ω	d) 12Ω
(34) The resistance of two lamps connected in a serie power will be in the ratio	es across a battery is in the ratio 4:5. Their
a) 4:5	b) 5:4
c) 16:25	d) 25:16
(35) A 100W bulb and a 200W bulb are designed to ratio of their resistances is	operate at 110V and 220V respectively. The
a) 1:1	b) 1:2
c) 1:3	d) 1:4
(36) Ampere second could be the unit of	
a) power	b) conductance
c) energy	d) charge
(37) A galvanometer in series with a high resistance	is called
a) an ammeter	b) a voltmeter
c) a watt-meter	d) none of these
(38) In order to increase range of ammeter, value of s	shunt resistance is
a) increased	b) decreased
c) unchanged	d) zero
(39) An ammeter should have resistance	
a) infinite	b) very large
c) very low	d) none of these
(40) Heating effect produced by current is due to the	
a) collision of electrons	b) movement of electrons
c) resistance in electrons	d) lose of energy
(41) Product of voltage and current is known as	
a) work done	b) power
c) velocity	d) acceleration
(42) Electromotive force of a battery can be defined	with formula of
a) $E = IR$	b) $E = IR + I$
c) $E = IR + r$	d) E = IR + Ir
(43) Current produces magnetic effect due to its	
a) mechanical energy	b) magnetic field

c) electrical field	d) chemical energy
(44) Devices that do not obey Ohm's law are of	called
a) ohmic devices	b) non-ohmic devices
c) electric devices	d) resistive devices
(45) Voltage of a device having resistance	5 $\Omega$ and current 4 A will be
a) 10 V	b) 15V
c) 20V	d) 25V
(46) Power can be represented in variety of w	•
a) V × I	b) I <sup>2</sup> R
c) V <sup>2</sup> /R	d) all of these
(47) Sunlight is directly converted into electri	
a) cells	b) solar cells
c) electric generator	d) electrical energy
(48) A conductor moves in a magnetic field.	The direction of the induced current obtained from
a) Laplace's law	b) Fleming's left hand rule
c) Biot savart's law	d) None of these
(49) Which instrument is used for converting	electrical energy into mechanical energy
a) Electric generator	b) Electric motor
c) Electric iron	d) Electric oven
(50) What is the unit of magnetic field	
a) Tesla	b) Faraday
c) Newton	d) Newton / meter
(51) Lenz's law is based on	
a) charge	b) mass
c) momentum	d) energy
(52) The resistance of two lamps is in the ratio	o 4:5. Their power will be in the ratio
a) 4:5	b) 5:4
c) 16:25	d) 25:16
(53) What is the unit of magnetic field?	
a) Tesla	b) Faraday
c) Newton	d) Newton / meter
(54) A semiconductor in its purest form is cal	
a) Insulator	b) Superconductor
c) Intrinsic semiconductor	d) Extrinsic semiconductor
(55) A semiconductor has temperature co-e	
a) Zero	b) Positive
c) Negative	d) None of these
(56) Bridge rectifier is an alternative for	,
a) Full wave rectifier	b) Peak rectifier
c) Half wave rectifier	d) None of the mentioned
,	,

(57) The depletion region with in a p-n junct	ion is reduced when the junction has
a) Zero bias	b) Forward bias
c) Reverse bias	d) All of these
(58) A silicon p-n junction diode in forward	biased condition has a voltage drop closer to
a) 0.1 V	b) 0.7 V
c) 1.7 V	d) 2.1 V
(59) When the diode is forward biased, it is	equivalent to
a) An off switch	b) An on switch
c) A high resistance	d) None of these
(60) In He-Ne laser neon atoms get energy	
a) on collision with He atoms	b) from chemical reactions
c) from electrical pumping	d) from optical pumping