



BRAINWARE UNIVERSITY

Term End Examination 2021 - 22

Programme – Bachelor of Technology in Computer Science & Engineering

Course Name – Discrete Mathematics

Course Code - PCC-CS404

(Semester IV)

Time allotted : 1 Hrs.25 Min.

Full Marks : 70

[The figure in the margin indicates full marks.]

Group-A

(Multiple Choice Type Question)

1 x 70=70

Choose the correct alternative from the following :

(1) According to De-Morgan's law $[A \cup (B \cap C)]^c$

- | | |
|------------------------------|------------------------------|
| a) $A^c \cap (B \cap C)$ | b) $A^c \cap (B^c \cup C^c)$ |
| c) $A^c \cup (B^c \cap C^c)$ | d) none of these |

(2) An one-to-one function is also known as

- | | |
|-----------------------|------------------------|
| a) injective function | b) surjective function |
| c) bijective function | d) None of these |

(3) Let R be a symmetric and transitive relation on a set A. If

- | | |
|--|--|
| a) R is reflexive, then a partial order | b) R is reflexive, then a equivalence relation |
| c) R is not reflexive, then a equivalence relation | d) None of these |

(4) Two finite sets have m and n element respectively. The total number of subsets of first set is 2 times the total number of sub sets of the second set. Then the possible values of m and n respectively are

- | | |
|---------|---------|
| a) 5, 2 | b) 4, 7 |
| c) 7, 6 | d) 2, 5 |

(5) The relation $\{ (1,2), (1,3), (3,1), (1,1), (3,3), (3,2) \}$ on $\{1, 2, 3, 4\}$ is

- | | |
|---------------|---------------|
| a) Reflexive | b) Symmetric |
| c) Transitive | d) Asymmetric |

(6) Which is the correct statement about the function $f: \mathbb{Z} \rightarrow \mathbb{Z}$ defined by $f(x) = 2x$?

- | | |
|--------------------------------------|--|
| a) $f(x)$ is one-to-one and onto | b) $f(x)$ is one-to-one but not onto |
| c) $f(x)$ is not one-to-one but onto | d) $f(x)$ is neither one-to-one nor onto |

(7) How many reflexive relations are possible on a set with n elements?

- | | |
|-------------------|-----------------|
| a) $2^{n(n+1)/2}$ | b) $2^{n(n-1)}$ |
| c) 2^n | d) 2^{n+2} |

(8) If $S = \{\emptyset\}$ then power set of S is _____.

- a) $\{\emptyset\}$ b) \emptyset
c) $\{\emptyset, \{\emptyset\}\}$ d) None of these
- (9) A relation on a non-empty set A is a
a) a subset of A b) a subset of AXA
c) function on A d) None of these
- (10) If $f(x) = \tan^{-1}(x)$ and $g(x) = \tan(x)$, then $(gof)(x) =$
a) $\tan^{-1}x \tan(x)$ b) $\tan^{-1}x \cot(x)$
c) x d) $\tan^{-1}x \sin(x)$
- (11) The number of elements in the power set of the set $\{a, b\}$ is
a) 2 b) 4
c) 6 d) 8
- (12) A survey shows that 70% of the Indian like mango whereas 82% like apple. If x% of Indian like both mango and apples, then
a) $x = 52$ b) $52 \leq x \leq 70$
c) $x = 70$ d) $70 \leq x \leq 82$
- (13) If $X \cup \{3, 4\} = \{1, 2, 3, 4, 5, 6\}$ then which of the following is true
a) Smallest set $X = \{1, 2, 5, 6\}$ b) Smallest set $X = \{1, 2, 3, 5, 6\}$
c) Smallest set $X = \{1, 2, 3, 4\}$ d) Greatest set $X = \{1, 2, 3, 4\}$
- (14) The class $[-11]$ in \mathbb{Z}_n is equal to
a) $[1]$ b) $[4]$
c) $[0]$ d) None of these
- (15) Which of the following is a countably infinite set?
a) \mathbb{Z} b) \mathbb{R}
c) $\{2\}$ d) No such set exist
- (16) If gcd of two positive integers is 3 and the product is 54, then the lcm of that two integers is
a) 17 b) 12
c) 6 d) 18
- (17) The number of elements in the set \mathbb{Z}_n is
a) $n - 1$ b) n
c) $n + 1$ d) 1
- (18) Let R be a reflexive relation of a finite set A having n elements and let there be m ordered pairs in R. Then
a) $m \geq n$ b) $m \leq n$
c) $m = n$ d) None of these
- (19) Let R be a relation in \mathbb{N} defined by $R = \{(1+x, 1+x^2) : x \leq 5, x \in \mathbb{N}\}$ which of the following is false?
a) Domain of R = $\{2, 3, 4, 5, 6\}$ b) Range of R = $\{2, 5, 10, 17, 26\}$
c) R contains 5 elements d) R is reflexive
- (20) The number of even prime is
a) 1 b) 2
c) 0 d) infinitely many
- (21)

The domain of the function f , where $f(x) = \frac{1}{|x|+1}$ is

- a) \mathbb{R} b) $\mathbb{R} \setminus \{1\}$
- c) $\mathbb{R} \setminus \{-1, 1\}$ d) None of these

(22) The number of relation from a set of m elements to a set of n elements is

- a) m^n b) 2^{mn}
- c) 2^{m+n} d) None of these

(23) Range of f , where $f(x) = \sin \frac{1}{x}$ is

- a) $[-1, 1]$ b) \mathbb{R}
- c) $[-1, 1] \setminus \{0\}$ d) $\mathbb{R} \setminus \{0\}$

(24) Let R be the relation over the set $N \times N$ and is defined by $(a,b)R(c,d) \Rightarrow a+d = b+c$ then R is

- a) Reflexive only b) Symmetric only
- c) Transitive only d) An equivalence relation

(25) The inverse of the function $f: N \rightarrow N$ defined by $f(x) = 2x$ is

- a) $g(x) = \frac{x}{2}, x \in N$ b) $f(x) = 2x, x \in N$
- c) invertible d) Does not exist

(26) We write $a \equiv b \pmod{m}$ is m divides $a - b$. If $x + 3 \equiv 0 \pmod{5}$, then $x =$

- a) 3 b) 5
- c) 2 d) 0

(27) The inverse of $\frac{7^x - 7^{-x}}{7^x + 7^{-x}}$ is

- a) $\frac{1}{2} \log_7 \frac{1+x}{1-x}$ b) $\log_7 \frac{1-x}{1+x}$
- c) $\log_{\frac{1}{2}} \frac{1-x}{1+x}$ d) $\frac{1}{2} \log_e \frac{1+x}{1-x}$

(28) The number of three digit number that can be formed from the digits 1,3,5,7 is,

- a) 24 b) 6
- c) 4 d) 64

(29) If n pigeonholes are occupied by $n+1$ pigeons, then at least _____ number of hole is occupied by more than one pigeon.

- a) 2 b) 1
- c) 3 d) None of these

(30) The least number of people 4 of whom will have same birthday of the week is,

- a) 18 b) 42
- c) 28 d) 22

(31) A farmer buys 3 cows, 2 pigs, and 4 hens from a man who has 6 cows, 5 pigs, and 8 hens. The number m of choices that the farmer has:

- a) 2000 b) 14000
- c) 200 d) 1400

(32) If ${}^n C_1, {}^n C_2$ and ${}^n C_3$ are in A.P., the value of n is

- a) 6 b) 7

- c) 8 d) 4
- (33) The number of words of 5 different letters that can be formed by taking 2 letters from the word BOX and 3 letters from the word TABLE is
- a) 120 b) 30
c) 3600 d) None of these
- (34) The number of distinct permutations that can be formed from all the letters of the word UNUSUAL is
- a) 5040 b) 840
c) 210 d) 35
- (35) Find the number of combinations of 4 objects, A, B, C, D , taken 3 at a time.
- a) 3 b) 4
c) 16 d) 12
- (36) Find the number m of committees of 5 with a given chairperson that can be selected from 12 people.
- a) 495 b) 3960
c) 4950 d) None of these
- (37) Find the number of ways a coin can be tossed 6 times so that there is exactly 3 heads and no two heads occur in a row.
- a) 22 b) 20
c) 7 d) None of these
- (38) $\neg(p \vee q) \vee (p \wedge \neg q) \equiv$
- a) $\neg p$ b) p
c) $\neg q$ d) q
- (39) The statement $[\neg p \vee (p \rightarrow q)] \rightarrow \sim p$ is a _____.
- a) Tautology b) Contingency
c) Contradiction d) None of these
- (40) The truth value of the statement $x^2 = x$ holds for all real values of x is
- a) T b) F
c) Neither T nor F d) none of these
- (41) If p : "anil is rich" and q : "kanchan is poor" then the symbolic form of the statement "Either Anil or Kanchan is rich" is
- a) $p \vee q$ b) $p \vee \neg q$
c) $\neg p \vee q$ d) $\neg(p \vee q)$
- (42) If $p \leftrightarrow q \equiv (p \rightarrow q) \wedge r$, then r is
- a) $p \rightarrow q$ b) $\neg p$
c) $q \rightarrow p$ d) $\neg q$
- (43) The negation of "All students live in dormitories" is
- a) All students do not live in dormitories. b) No student live in dormitories.
c) One student does not live in dormitories. d) Some students do not live in dormitories.
- (44) Let P : If Sahil bowls, Saurabh hits a century. , Q : If Raju bowls, Sahil gets out on first ball. Now if P is true and Q is false then which of the following can be true?
- a) Raju bowled and Sahil got out on first ball b) Raju did not bowled
c) Sahil bowled and Saurabh hits a century d) Sahil bowled and Saurabh got out
- (45) " $\forall x \in \mathbb{R}$ such that $x^2 = 4$ " is equivalent to
- a) b) Some real numbers have square 4

If x is real number then $x^2 = 4$

c) Square of no real number is 4

d) None of these

(46) Inverse of " $\neg p \rightarrow q$ " is

a) $p \rightarrow q$

b) $\neg p \rightarrow \neg q$

c) $p \rightarrow \neg q$

d) $\neg q \rightarrow \neg p$

(47) $p \rightarrow q$ is logically equivalent to

a) $\neg p \vee \neg q$

b) $p \vee \neg q$

c) $\neg p \vee q$

d) $\neg p \wedge q$

(48) If $P(n): 3^n < n!$, $n \in \mathbb{N}$, then $P(n)$ is true

a) for $n \geq 6$

b) for $n \geq 7$

c) for $n \geq 3$

d) for all n

(49) By induction hypothesis, the series $1^2 + 2^2 + 3^2 + \dots + p^2$ can be proved equivalent to

a) $\frac{p(p+1)}{2}$

b) $\left(\frac{p(p+1)}{2}\right)^2$

c) $\frac{p(p+1)}{4}$

d) $\frac{p(p+1)(2p+1)}{6}$

(50) Let $*$ be a binary operation on a non-empty set S . Then $(S, *)$ is called a

a) groupoid

b) semi-group

c) monoid

d) group

(51) If (G, \cdot) is a group with identity e such that $a^2 = e$, $\forall a \in G$, then G is

a) an abelian group

b) a non-abelian group

c) non-associative

d) none of these

(52) The inverse of the element $-i$ in the multiplicative group $\{-1, 1, -i, i\}$, where $i^2 = -1$

a) i

b) $-i$

c) 1

d) -1

(53) The identity element in the multiplicative group $\{-1, 1, -i, i\}$, where $i^2 = -1$

a) i

b) $-i$

c) 1

d) -1

(54) A monoid $(M, +)$ is called a group if

a) $a + b = b + a = e$

b) $a + (b + c) = (a + b) + c$

c) $a + b = b + a \forall a, b \in M$

d) $a + b \in M, \forall a, b \in M$

(55) The order of the additive group $(\mathbb{Z}, +)$

a) 1

b) Finite but more than 1

c) Infinite

d) $(\mathbb{Z}, +)$ does not formed a group

(56) If (G, \cdot) be a group then $(ab)^{-1} = ?$

a) $a^{-1}b$

b) ab^{-1}

c)

d)

$$a^{-1}b^{-1}$$

$$b^{-1}a^{-1}$$

(57) The number of elements in the symmetric group S_3 is

- a) 1
- b) 3
- c) 6
- d) 9

(58) The units of the ring $(\mathbb{Z}_6, +, \cdot)$ are

- a) $\bar{1}, \bar{3}$
- b) $\bar{1}, \bar{5}$
- c) $\bar{1}, \bar{4}$
- d) None of these

(59) The order of the element $\bar{5}$ in the group $(\mathbb{Z}_{15}, +)$ is-

- a) 1
- b) 5
- c) 6
- d) 7

(60) Inverse of the element $\bar{5}$ in the group $(\mathbb{Z}_7, +)$ is-

- a) $\bar{1}$
- b) $\bar{2}$
- c) $\bar{3}$
- d) $\bar{5}$

(61) Which of the following is not a subfield of the set \mathbb{R} of all real numbers?

- a) \mathbb{Q}
- b) $\mathbb{Q}[\sqrt{3}]$
- c) $\mathbb{Q}[\sqrt{-3}]$
- d) $\mathbb{Q}[\sqrt{5}]$

(62) In a Boolean algebra B , $(a+b)' = ?$

- a) $a' + b'$
- b) $(a \cdot b)'$
- c) $a' \cdot b'$
- d) f

(63) Let $f: G \rightarrow G'$ be a homomorphism and e is the identity element of G . Then $f(a^{-1}) = ?$

- a) $f(a)$
- b) $[f(a)]^{-1}$
- c) e
- d) $f(e)$

(64) If G is a tree with n vertices, then the number of edges of G are

- a) n
- b) $(n-1)$
- c) $n(n+1)$
- d) $n(n-1)$

(65) Every vertex of a null graph is

- a) Pendant
- b) Isolated
- c) Odd
- d) none of these

(66) A vertex whose degree 1 is called

- a) isolated vertex
- b) pendant vertex
- c) even vertex
- d) none

(67) The degree of an isolated vertex is

- a) 0
- b) 1
- c) 2
- d) none

(68) The maximum number of edges of a simple graph with 5 vertices and 2 components is

- a) 2
- b) 7
- c) 5
- d) 6

(69) If the origin and terminus of a walk coincide then it is a

a) path

c) circuit

b) open walk

d) closed walk

(70) A self-loop cannot be included in a

a) walk

c) trail

b) circuit

d) path